

.1.

# VPL200H1 Steplift

the next generation in elegant access solutions

# **NEW** 2-piece Steplift,

easier & faster to install simpler to use pump unit located within gate easy access for servicing new stylish protective bellows travel up to 1m

# VPL200H1 Steplift

## the next generation in elegant access solutions

The NEW 2-piece system VPL200H1 Steplift continues to provide strength and modern aesthetics with a host of new and improved features. Now a more extensive range offering a variety of platform sizes, entry configurations and bespoke options to suit your environment.

### 3 PLATFORM SIZES

740mm Standard\* (DDA compliant)

800mm\* (Part M Compliant platform for through entry)

#### 1100mm\*

(Part M Compliant platform for adjacent entry)

\*Indicates clear access width

## **5 CONFIGURATIONS**

Through Entry

Adjacent Entry/Exit

Bridging Steps Choose from 1, 2 or 3 steps (max. travel of 750mm)

#### Pit Mounted

(Requires 90mm pit for use when space is restricted)

#### **Bespoke**

## **NEW FEATURES AND BENEFITS**

- Pump unit is integrated within the gate offering reduced vandalism risk
- No need for separate control unit or pump location
- Easy access to pump for servicing
- > Easier and faster to install
- Simpler to use
- More compact
- New stylish protective bellows more rigid and durable
- Improved IP 67 rated switching (waterproof) with easy service access
- Easy to use emergency lowering system







#### standard features

- » Travel up to 1m
- » Maximum capacity of 250 kg
- » Suitable for internal or external use
- > Weatherproof surround
- » Battery operated hydraulic power with mains back-up
- » Key operated call stations
- > Easy installation and low maintenance
- > Can be relocated

#### safety features

- > Full platform safety edge as standard
- > Auto reverse safety system on ramp
- > Locking system to secure ramp in UP position
- > Designed to BS 6440, TUV and CE approved

#### specification

	740mm Standard	800 mm	1100mm
Platform Height	1150	1150	1150
Platform Width	975	1065	1355
Platform Length	1400	1400	1400
Length - ramp raised	1500	1500	1500
Length - ramp open	1835	1835	1835
Overall footprint	975 x 1995	1065 x 1995	1355 x 1995
Useable platform area	740 x 1400	830 x 1400	1140 x 1400

Overall footprint	1135 x 1835	1225 x 1835	1515 x 1835
Useable platform area	800 x 1400	860 x 1400	1100 x 1400
All measurements are in	n millimetres (mm)		

#### optional features

- Interlocking gate
- > Automatic gate open and close
- Choose from alternative RAL colours
- Vandal guards on call stations
- Customised control options

#### Bespoke designs and finishes

On request the Steplift can be customised to suit specific requirements and interior styling.

Examples include:

- » brass and glass combination finish for the
- Grosvenor House Hotel, London
- > red-carpet, specific RAL colour and autodialler for
- the Royal Courts of Justice
- stylish brushed stainless steel and glass in Pall Mall >

Blue chip companies like Marks & Spencer, NatWest Bank and many more are also choosing the bespoke models to enhance their access solutions.







Grosvenor House Hotel, London

Bespoke call station





Brushed stainless steel and glass finish

Adjacent entry configuration

Bridging step configuration

Premier Platform Lifts Limited 120 Bath Road, Harlington, Heathrow UB3 5AN Telephone: 0203 355 0523 Fax: 0203 411 6770 Web: <u>www.premierplatformlifts.co.uk</u> Email: <u>info@premierplatformlifts.co.uk</u>