TRANSFORM YOUR SPACE

 (\mathbf{R})

ol-span®

CONVERT | EVENT | HIRE | DECOMMISSION

HARD FLOOR COVER FOR SWIMMING POOLS

Elegant and stylish hard floor pool cover system



Convert from a wet to dry environment



Can fit around specific pool features

Introducing Pool-dek[®]

Pool-dek[®] and Pool-span[®] are Transforming your space hard floor pool cover solutions. We offer a range of options for customers who are looking to cover their swimming pool for renovations such as room conversions; for events or to decommission an unused pool into a more usable space.

Pool-dek and Pool-span comprise a bespoke, made to measure, stylish floor finish either over the water's surface or an empty pool. The system utilises the existing space of a concrete shell or tiled finish swimming pool, covering it and producing an individual hard-floor surface to create an amazing and unique multi-use space. With installations worldwide, we will work with you, your architect, interior designer, pool contractor or project manager to create your perfect pool cover solution. Both systems have been tested for loadings and are completely safe to walk, dine and dance on!

Simple transformation

- No need to drain the pool
- Tested to 5KN/m² for loading
- Short installation time
- Available to purchase or hire
- Initial site survey and installation included*
- Supplied worldwide (survey and installation available)

*UK Only



Hosting Regular Events? Convert a pool in less than a day to create the ultimate space

4



Open up a completely new space



Designed to protect your pool

The Perfect Fit

Every Pool-dek® or Pool-span® purchase is made to measure to your pool specification. The Pool-dek® team will install the system for the first time and provide training and documentation for our customers to install, dismantle and store.

How it works

In the consultation process we will discuss the specification of your pool construction and determine the best system and solution for you. We have a range of options such as Pool-dek, Pool-span (Step System), Pool-span (Flush) and Pool-span (Timber).

Pool-dek is constructed using stainless steel frames with adjustable feet, ensuring that the framework is level and ready to accommodate the water-resistant deck panels. Frames hook together without the need of tools and are braced to the pool side to provide a rigid substructure. Pool-span consists of a series of either steel or timber beams which are placed at carefully calculated intervals across the pool's width and covered using water-resistantdeck panels as above.

Each project we complete is unique and we offer bespoke design and installation services to the finest detail such as edging, corners and special cutting requirements.

We can also accommodate sloping floors, steps and jacuzzis. A selection of high specification floor finishes are available to complement an existing décor.

Unique flooring options to suit your requirements



Storage

Storage requirements will depend on the system chosen for your pool type. For example, Pool-dek can be stored on compact wheeled trolleys (provided) and stored in a garage or similar space. The trolleys will pass through an existing 800mm standard doorway.

The Pool-span system can be dismantled and stored, the decks will store on compact wheeled trolleys (provided on request) and room for the beams should be considered.

It is recommended that a suitable storage location is allocated, ideally on the same level as the pool area, in order that the storage trolleys can simply be wheeled out when required.





"We are delighted with our Pool-dek elegant hard floor pool covering, which has been used by the hotel for almost 10 years. The service we have received from our initial enquiry through to the ongoing customer care has been excellent."

Ron Cheles, Project Director, Firmdale Hotels, London

Total Project Management

Complete Room Conversions with Total Project Management

Whether you are a private resident, an architect, a pool contractor or own or run a commercial business such as a hotel or holiday resort, The Pool-dek team will work with you to provide a complete professional design, project management and installation service from start to finish.

Our ethos is simple, we will not remove the swimming pool or fill it in, we simply provide a new use for the space using a tried and tested hard floor pool cover system that has safety at the heart of its design.

The systems look and feel like a regular floor. The pool stays in situ with or without water, until required. The cost to infill with concrete or other material can run into many thousands of pounds and can be very messy and time consuming, and unfortunately, not easy to reverse.

Pool-dek systems are clean and easy to install and should you change your mind, simple and straight forward to change back into a swimming pool.

As you can see from our Case Studies, each project is unique. Our Clients approach us with a range of requirements and we have worked with many clients to decommission pools, cover their pools to create multi-use space or to convert or refurbish. We also work with maintenance and installation contractors to provide platform access within swimming pools for cleaning, access at height or safety platforms. Pool-dek can also be used in a submerged installation to provide safe access for children or vulnerable adults.

Our process includes an initial consultation and after listening to your requirements we specialise in providing the correct hard floor pool cover solution for your pool's construction. This may be a Pool-dek, Pool-span step, flush or timber solution. After assessing your requirements, we will produce working drawings and a quotation tailored to your specific requirements with samples for your approval.

As an alternative to covering the pool alone, we also offer a complete transformation pool room flooring service. This will include a full refurbishment of a pool room or space by safely covering the pool, the surrounding floor and, if required, erecting stud walling to partition the space into multi-rooms. Contact us for more details.



Pool-dek® Specification


- Designed and manufactured to order using high quality Grade 304 or 316 stainless steel.
- No need for additional tools or fixings, system simply connects together.
- Fitted with large height adjustable swivel feet (where required), protecting the pool base and matching the pool depth and profile.
- Initial Installation included, carried out by a highly experienced team, who will ensure a safe working environment.

- Our customers receive a detailed plan for future installs.
- Subsequent installations will take, on average, between
 2-3 hours, based on a team of three people.
- System has been tested to BS6399:1996 Part 1 and supports loadings of 7.5kN/m2.
- No moving parts no maintenance contracts required.
- Pool-dek & Pool-span can be used in fresh water and saltwater pools.


*Grade 316 stainless steel required.



Pool-dek[®]



Pool-span[®]



Pool-dek[®]



Pool-dek[®]


Pool-dek is constructed using bespoke, made-to-measure stainless steel frames and adjustable feet. Water-resistant deck panels, with a choice of different finishes are then fitted. Pool-dek is available as a 'flush fitted' or 'oversail' system. The diagram shows the flush fitted system with stainless steel edging. The system is suitable for water-filled or empty pools.



Pool-dek brace rail and adjustable foot.




Acrylic deck panels allowing a view of the pool.



Leg frame and adjustable foot on the pool's surface tiles.



This is one example of the various floor materials and finishes available. We can accommodate other specifications on request.



Pool-span°



Pool-span[®] Step

Pool-span is a series of bespoke steel beams placed across the width of a pool to form a support structure on which to place deck panels with a choice of different finishes. Pool-span is ideal where the swimming pool bottom is a hopper style or a liner and slopes in different directions. The diagram shows the Step system with perimeter fascia panels.




Pool-span beams with a padded underside to protect the edge of the pool.



Pool-span deck panels and perimeter fascia panels available in a choice of different finishes.



Pool-span can be fitted across hopper style pools, deep diving pools and sloping side pools.



This is one example of the various floor materials and finishes available. We can accommodate other specifications on request. Birch Veneer deck panel with hardwood edging




Pool-span°



Pool-span[®] Flush

Pool-span is also available as a flush system with steel beams spanning across the width of the pool with perimeter stainless steel edging over the poolside coping. The Pool-span beams can be fitted on to an internal pool ledge or by having support shelving fitted into the pool to house the beams across the width.




Pool-span beams spanning the pools width.





Pool-span systems can also cater for full room deck panels available in a choice of different finishes.

The Pool-span flush system fitted on to fitted support shelving in an unused concrete pool.




This is one example of the various floor materials and finishes available. We can accommodate other specifications on request. Birch Veneer deck panel with hardwood edging

22




Pool-span°



Pool-span[®] Timber

The Pool-span Timber system is an economical solution to converting an unused pool into a beautiful new space. The deck panels are available in a choice of different finishes. The Pool-span timber system can be fitted with the deck panels flush to the perimeter coping tiles or across the whole room, creating a completely new space.



Pool-span timber beams.




Pool-span systems can also cater for full room deck panels available in a choice of different finishes.



Pool-span timber fitted across the whole room.



This is one example of the various floor materials and finishes available. We can accommodate other specifications on request.





Event Consultation

We work with Wedding and Party Planners, Events Managers, and private residents to make their special event a day to remember.

Pool-dek[®] Hire creates a unique experience either in a hotel, resort or private house.

Become the ultimate talking point for your event and make the most of a fabulous space. With installation, on average less than a day, and no need to drain the pool, your unique event space will be ready to dress in no time.



Our Hire Service Includes:

- A dedicated Project Manager
- Professional, no obligation site surveys and guidance
- All year-round bookings
- Out of hours customer support
- · Professional installation by accredited fitters
- 1 day installation (depending on location and pool size)
- Indoor and outdoor installations.
- · Health and Safety Compliance





"Thank you for all your help on this project. You completely transformed the space and did an amazing job! Really grateful for everything."

James Roe (Event Planner), Roeni Limited



"Pool-dek enabled us to make use of a large space that provided a perfect venue for our daughter's wedding breakfast. It was quickly installed and was removed without damage to the pool. Thanks for doing a fantastic job."

Mother of the Bride, Leicestershire



From pool to party in less than a day





Pool-dek brace rail and adjustable foot.



Acrylic deck panels allowing a view of the pool (optional).



Pool-dek timber edging and Phenolic deck panels above the pool tiles.





Pool-dek[®] & Pool-span[®] Hire and Purchase

Do I need to book in advance?

Booking in advance is ideal to secure your preferred dates. Book as soon as possible after you have received your quotation and initial site survey. However, if you have a last-minute requirement, please contact us and we will do our very best to accommodate your request.

Do I need to drain the pool for hire?

There is no need to drain the pool before your event, however, the water level may need to be lowered between 100mm and 300mm depending on the type of pool being covered. This will be advised at survey stage.

What preparations and access do I need to make before the equipment is delivered?

The Stage Systems team will require access to the space, ideally this would be on the same level as the pool as we deliver the system on wheeled trolleys. We can accommodate stairs and lifts of at least 810mm wide. As stated above it may be necessary to reduce the pool level and to switch off the pool heating prior to and during the Pool-dek or Pool-span installation. The system will be delivered by HGV and road and driveway access will be required as close to the pool as possible.

Can you supply a sample of the deck finish?

Yes, please request this at initial enquiry or consultation.

What is the hire period?

This will be detailed on the quotation and is normally a minimum of 1 full day to 7 days. However, we are flexible and if necessary, the hire period can be extended subject to prior written agreement.

Is there a risk of damage to the pool?

Pool-dek poses minimal risk to the swimming pool, it has been designed to integrate structurally into a pool using adjustable legs and an oversail system. There is no drilling or tooling required. Pool-dek is designed and tested to support 7.5kN/m2 (approx. 0.75 metric ton). However, we cannot make assurances regarding the pool structure and further advice should be taken by yourselves on this matter. Pool-span also poses minimal risk to the swimming pool, some drilling and tooling may be required to install shelving, Pool-span systems are tested to 5KN/m2.

Do you have Public Liability Insurance?

Yes, Pool-dek is supplied and installed by Stage Systems part of Hoseforma Limited. We hold Public and Products Liability with a limit of £10 million, Employers Liability to £20 million and Professional Indemnity of £2 million. Copies of these are available upon request. Stage Systems will charge a Damage Waiver Fee, included in the hire price. The customer will remain responsible for and will indemnify the company against any loss or damage resulting from their negligence or legal liability. Full details are provided within our Terms and Conditions supplied with every quotation.

Are staff fully qualified and do you hold the relevant safety accreditations?

We require a non-refundable deposit of 50% of the total price and charges with confirmation of your order (for Hire).

The remaining 50% is due 14 days prior to the delivery date. If you need to cancel your arrangements please contact us as soon as possible and we will endeavour to accommodate any alternative dates you may wish to book. If you are purchasing a Pool-dek or Pool-span system we require a non-refundable deposit of 50% of the total price and charges with confirmation of your order. The remaining 50% is due 14 days before delivery / installation date.

What if I need help with Pool-dek[®] Hire during my event?

We offer an out of hours service during your event, you will be supplied with your Project Manager's contact details.

What if I need help with Pool-dek[®] after my purchase?

A Customer Care after sales service is provided for all Pool-dek and Pool-span sales. For any enquiries call 01509 611021 or contact us via email. We can provide a quotation for an installation / dismantle service if required.

Please refer to our website for full terms and conditions

Ready to find out about holding the ultimate event experience?

Contact us for friendly, expert advice. Call us on 01509 611021 or email info@pooldek.co.uk.

Planning a Wedding? Create a unique space with Pool-dek® Hire



Professional installation



Premium build quality

The Pool-dek[®] Standard









Storage trolleys can simply be wheeled out when required

Pool-dek[®] & Pool-span[®]







For friendly, expert advice contact:

01509 611021 info@pooldek.co.uk vww.pooldek.co.uk

Pool-dek® is supplied by Stage Systems, based in Loughborough (Part of Hoseforma Staging Limited).



