



LAMP®

Multi-Purpose Lids

No.432A

Wide range of
over

60 items

◆ Café / Food Court



1
**MULTI PURPOSE LID
(W/DAMPER)
AZ-GD232-HL**

Can be installed on surfaces inclined at 45-85 degrees.



2
**STAINLESS STEEL
FUNNEL
AE-DH**

Easily installed funnel for leftovers.



3
**HOSE FOR AE-DH
AE-DH4540-1**

Optional parts for AE-DH.



4
**TOUCHLESS MULTI-
PURPOSE LID
AZ-AT**

The lid opens automatically when the sensor detects a hand.



5
**SQUARE COVER FOR
REFUSE BOX
AN-KH**

Wide variation available from 82-300mm

◆ Department Store



1
**MULTI PURPOSE LID
(W/DAMPER)
AZ-GD**

Wide range available with varying finishes.




2
**RING
AN-DH, AN-LH**

Wide variation available from $\phi 82$ ~ $\phi 300$ with different finish.



3
**MULTI-PURPOSE LID
(W/DAMPER)
AD-GD**

Lid equipped with damper.



4
**SHELF STANDARD
SPE**

Just 3mm thin with a high load capacity.





5
**CABINET LOCK
8810**


Key number is changeable without replacing cylinder.

Selection Guide for Multi-purpose Lids


With Covers / With Side Panels

	 AZ-GD Soft-close ► P.07	 AZ-GD231-HL Back Mount Type Soft-close ► P.08	 AZ-GD230L-HL With Lock Soft-close ► P.09	 AZ-HD With Handle ► P.10
	 AZ-DD310-HL Interlocking ► P.10	 NEW AZ-AT Automatic Open / Close Type Soft-close ► P.06	 Automatic	


With Covers / With Tilted Surfaces

	 AZ-GD232-HL With tilted surface Soft-close ► P.05
---	---

With Covers / With Top Panels

	 AD-GD Soft-close ► P.04	 AD-DH015-HL ► P.04	 AD-KH Soft-close ► P.05
---	--	--	---

Without Cover

	 AN-DH, AN-LH ► P.11	 AN-KH ► P.12	 AN-SH026-HL ► P.12	 AZ-ND ► P.13
	 AE-DH ► P.13			

Optional Parts

 Guide For Multi-Purpose Lid AZ-SLP ► P.08	 Hose for AE-DH AE-DH4540-1 ► P.14	 Strainer for AE-DH AE-DH020K-45 ► P.14
--	--	--

LAMP MULTI-PURPOSE LID (W/DAMPER) AD-GDLatest
Info







Soft-close



- Lid equipped with damper.
- Corrosion resistant.
- Wide opening.
- Operating temperature: 0°C - 40°C



SUS





Installation**Installation****Cut Out Dimensions****Flange**

Item Code	Item Name	Material	Finish	A	B	C	D	E	Weight	Box	Carton
210-029-219	AD-GD011-HL	Stainless Steel (SUS304)	Satin	136	106	107	87	62	460 g	1 pc	10 pcs
210-022-107	AD-GD015-HL	Stainless Steel (SUS304)	Satin	170	146	147	75	90	1000 g	1 pc	10 pcs
210-041-472	AD-GD020-HL	Stainless Steel (SUS304)	Satin	220	196	198	80	128	1060 g	1 pc	6 pcs

LAMP MULTI-PURPOSE LID AD-DH015-HLLatest
Info

- 360° rotation.
- Corrosion resistant.

SUS

Installation**Flange****Cut Out Dimensions**

Item Code	Item Name	Material	Finish	Weight	Box	Carton
210-170-079	AD-DH015-HL	Stainless Steel (SUS304)	Satin	560 g	1 pc	10 pcs

LAMP. MULTI-PURPOSE LID (W/DAMPER) AD-KHLatest
Info

Soft-close



- With damper to keep lid from slamming shut.
- New types are now available. (AD-KH020-HL and AD-KH028-HL)
- Made of stainless steel for corrosion resistance. Available in areas exposed to water.
- Wide opening.
- Balance weight restores lid to horizontal position.

Feature






SUS

Specifications

- Operating temperature: 0°C~40°C

Remarks

- Indoor use only.
- The closing speed varies depending on the operating temperature. For product stored below the freezing point, leave it indoor above 0°C for several hours before use.

Cut Out Dimensions**Installation**

AD-KH015-HL AD-KH020-HL AD-KH028-HL

Item Code	Item Name	Material	Finish	A	B	C	D	E	F	G	H	J	Weight	Box	Carton
210-022-108	AD-KH015-HL	Stainless Steel (SUS304)	Satin	170	170	1.2	36	146	80	93	147	147	970 g	1 pc	10 pcs
210-037-893	AD-KH020-HL	Stainless Steel (SUS304)	Satin	220	220	1.2	50	196	77	127	197	197	1400 g	1 pc	6 pcs
210-037-894	AD-KH028-HL	Stainless Steel (SUS304)	Satin	300	300	1.2	72	276	80	191	277	277	2700 g	1 pc	4 pcs

LAMP. MULTI-PURPOSE LID (W/DAMPER) AZ-GD232-HLLatest
Info

Soft-close





- Lid equipped with damper.
- Able to install the lid with angle of 85 to 45 degrees.
- Installed with anti-pinching plates.
- Corrosion resistant.

Remarks

- Operating temperature: 0°C - 40°C

Feature

**Cut Out Dimensions**

Item Code	Item Name	Material	Finish	Weight	Box	Carton
210-032-975	AZ-GD232-HL	Stainless Steel (SUS304)	Satin	2200	1 pc	10 pcs

LAMP TOUCHLESS MULTI-PURPOSE LID AZ-AT NEWLatest
Info**Soft-close**

- The lid opens automatically when the sensor detects a hand. Touchless opening and closing is hygienic (green light in sensor part normally lit).
- Sensing distance can be adjusted up to 300mm with dial on back. Turn the sensor off to disable automatic opening/closing.
- With soft-closing function.
- Plates on both sides of the opening offer protection against hand pinching.
- Can be opened and closed manually in the case of a power failure.

INSTRUCTION

SUS

Feature

**Specifications**

- Operating temperature: 0°C~40°C
- Passed 150,000 private cycle open/close tests.

Remarks


- For vertical use only.
- Indoor use only.
- The closing speed varies depending on the operating temperature. For products stored below the freezing point, leave indoors above 0°C for several hours before use.
- Do not put anything in front of the sensor. Due to the characteristics of the sensor, the sensing distance varies depending on the object.
- Do not touch the lid while it is opening or closing.
- When using around water, protect the AC adaptor on the back and the drive unit thoroughly to prevent them from getting wet.

Recommended AC Adaptor



- Output DC15V 1.6A, Center positive

Recommended Screws


- Pan head tapping screw (nominal 3) or pan head machine screw M3




The lid opens automatically when the sensor detects a hand.

Sensing Distance Image


Sensing distance can be adjusted from 0 (OFF) to 300mm with dial on bottom back.




With soft-closing for safety.

Cut Out Dimensions

AZ-AT230-HL



AZ-AT310-HL

**Body**

Item Code	Item Name	Material	Finish	A	B	W	H	C	P	Weight (g)
210-048-695	AZ-AT230-HL	Stainless Steel (SUS304)	Satin	234	160	319	266.5	49	95	3000
210-048-696	AZ-AT310-HL			310	220	395	340	64	140	4500

LAMP MULTI-PURPOSE LID AZ-GD With DamperLatest
Info**Soft-close**

- Lid equipped with damper.
- Installed with anti-pinching plates.
- Corrosion resistant.

SUS



Remarks

- Operating temperature: 0°C - 40°C
- Please avoid excessive impact or friction during the opening and closing process. Scratches or peeling of the paint may occur.

Sold Separately

- Guide: AZ-SLP(P.8)

Feature

**Cut Out Dimensions**

Item Code	Item Name	Material	Finish	A	B	W	H	C	D	E	P	Weight (g)
210-033-487	AZ-GD180-HL	Stainless Steel (SUS304)	Satin	182	128	218	164	37	182	149.5	75	1042
210-017-089	AZ-GD230-HL			234	160	308	234	49	249	184.7	95	1486
210-055-318	AZ-GD230-BL		Black	310	220	384	294	64	322	253.4	140	2236
210-022-110	AZ-GD310-HL		Satin						310	244.7		
210-055-319	AZ-GD310-BL		Black						310	244.7		
210-041-314	AZ-GD400-HL		Satin	400		450	270	44	312	240.5	167	2236

LAMP. MULTI-PURPOSE LID (W/DAMPER) AZ-GD231-HLLatest
Info

Soft-close




- Lid equipped with damper.
- Installed with anti-pinching plates.


SUS

Remarks

- Indoor use only.
- Operating temperature: 0°C - 40°C.

Cut Out Dimensions

Feature



**Application Example**

Item Code	Item Name	Material	Finish	Weight	Box	Carton
210-027-508	AZ-GD231-HL	Stainless Steel (SUS304)	Satin	1486 g	1 pc	10 pcs

LAMP. GUIDE FOR MULTI-PURPOSE LID AZ-SLPLatest
Info

- Guides garbage into waste box inside.



SUS

Installation**Application Example**

Item Code	Item Name	Compatible Items	Material	Finish	L	A	B	C	Weight	Box	Carton
210-026-554	AZ-SLP230	AZ-GD230, AZ-GD231, AZ-HD230, AZ-ND230	Stainless Steel (SUS304)	Plain	241	70	70	70	450 g	1 pc	20 pcs
210-026-555	AZ-SLP310	AZ-GD310, AZ-HD310, AZ-ND310	Stainless Steel (SUS304)	Plain	317	80	80	80	570 g	1 pc	20 pcs



Latest Info



- The lid opening can be locked shut, preventing unauthorised substances from being inserted. This makes it easy to limit access to the waste area and prevent unintended uses.
- The indicator turns red when locked.
- The square type quarter turn lock makes it easy to remove obstructions such as chewing gum.
- Fitted with a vibration reduction mechanism to significantly reduce wobbling and clicking sounds.
- Soft-close functionality. Built-in damper causes lid to gently close when released, preventing slamming sounds.
- Side plates on the plate interior prevent fingers from getting stuck or pinched when lid closes.
- Designed for vertical use.
- Optional inlet guide to prevent items from falling out. (Sold separately)

- Operating temperature: 0°C - 40°C

- Dining areas on trains and in public locations including railway stations, retail facilities, and convenience stores.

- Cannot be used outdoors.
- The closing speed of the cover varies depending on the temperature of the operating environment. If the product has been stored in subzero temperatures, expose it to indoor temperatures of 0°C or higher for several hours before use.

- Key (200-0403), cautionary sticker, instruction manual

- AZ-SLP230 Inlet Guide (P.8)


- Pan head tapping screws (nominal size 3) or pan head M3 screws (4 pcs)



Recommended for settings such as on-board transportation, where restricted usage of waste chutes is often required.

Key is 100 - 90 type.



Technical drawing of the AZ-GD230L-HL mounting position. The drawing shows a rectangular plate with dimensions and tolerances. The overall width is 276⁺¹₀ mm. The overall height is 251 mm. The mounting holes are positioned 95 mm from the top and bottom edges. The distance between the mounting holes is 265⁺¹₀ mm. The distance from the left edge to the mounting holes is 180 mm. The distance from the right edge to the mounting holes is 77 mm. The mounting holes are labeled "AZ-GD230L-HL mounting position". The text "5 x R6 or less" indicates the corner radius.



LAMP MULTI-PURPOSE LID (DOUBLE DOOR) AZ-DD310-HLLatest
Info

- Synchronized doors allow easy opening.
- Spring loaded for self-closing.
- Corrosion resistant.

SUS



**Cut Out Dimensions**

Item Code	Item Name	Material	Finish	Weight	Box	Carton
210-180-600	AZ-DD310-HL	Stainless Steel (SUS304)	Satin	2000 g	1 pc	10 pcs

LAMP MULTI-PURPOSE LID (W/HANDLE) AZ-HDLatest
Info

- Easy opening with handle.
- Corrosion resistant.

SUS

**Cut Out Dimensions**





No.	Part Name	Material	Finish
①	Front Plate	Stainless Steel	Satin
②	Door	Stainless Steel	Satin
③	Handle	(SUS304)	Satin

Item Code	Item Name	Material	Finish	A	B	W	H	E	F	G	P ₁	P ₂	P ₃	P ₄	X	Y	Weight	Box	Carton
210-180-601	AZ-HD230-HL	Stainless Steel (SUS304)	Satin	234	160	308	234	288	214	120	60	90	124	154	289	215	540 g	1 pc	10 pcs
210-180-602	AZ-HD310-HL	Stainless Steel (SUS304)	Satin	310	220	384	294	364	274	160	112	142	200	230	365	275	2200 g	5 pcs	10 pcs

LAMP RING COVER FOR REFUSE BOX AN-DH, AN-LHLatest
Info**Installation**

- Corrosion resistant.
- Wide variations (Size/Depth/Finish)

SUS

**Flange****Cut Out Dimensions****AN-DH: Deep Type**

Item Code	Item Name	Material	Finish	A	D ₁	D ₂	D ₃	Weight	Box	Carton
210-032-779	AN-DH005-GP	Stainless Steel (SUS304)	Gold	36	82	58	59	66 g	1 pc	50 pcs
210-032-780	AN-DH005-MR		Mirror						1 pc	100 pcs
210-032-781	AN-DH005-HL		Satin						1 pc	100 pcs
210-022-094	AN-DH008-GP		Gold+Clear		112	82	83	107 g	1 pc	10 pcs
210-022-095	AN-DH008-MR		Mirror						1 pc	10 pcs
210-022-096	AN-DH008-HL		Satin						1 pc	10 pcs
210-170-078	AN-DH011-GP		Gold+Clear	40	136	106	107	137 g	1 pc	10 pcs
210-170-076	AN-DH011-MR		Mirror						1 pc	10 pcs
210-170-077	AN-DH011-HL		Satin						1 pc	10 pcs
210-172-533	AN-DH015-GP		Gold+Clear	36	170	146	147	182 g	1 pc	10 pcs
210-172-532	AN-DH015-MR		Mirror						1 pc	10 pcs
210-172-531	AN-DH015-HL		Satin						1 pc	10 pcs
210-044-812	AN-DH020-HL		Satin		220	196	198	230 g	1 pc	6 pcs
210-044-813	AN-DH028-HL		Satin		300	276	278	290 g	1 pc	4 pcs

AN-LH: Shallow Type

Item Code	Item Name	Material	Finish	A	D ₁	D ₂	D ₃	Weight	Box	Carton
210-032-782	AN-LH005-GP	Stainless Steel (SUS304)	Gold	22	82	58	59	50 g	1 pc	50 pcs
210-032-783	AN-LH005-MR		Mirror						1 pc	100 pcs
210-032-784	AN-LH005-HL		Satin						1 pc	100 pcs
210-022-097	AN-LH008-GP		Gold+Clear		112	82	83	77 g	1 pc	10 pcs
210-022-098	AN-LH008-MR		Mirror						1 pc	10 pcs
210-022-099	AN-LH008-HL		Satin						1 pc	10 pcs
210-022-100	AN-LH011-GP		Gold+Clear		136	106	107	92 g	1 pc	10 pcs
210-022-101	AN-LH011-MR		Mirror						1 pc	10 pcs
210-022-102	AN-LH011-HL		Satin						1 pc	10 pcs
210-022-103	AN-LH015-GP		Gold+Clear		170	146	147	122 g	1 pc	10 pcs
210-022-104	AN-LH015-MR		Mirror						1 pc	10 pcs
210-022-105	AN-LH015-HL		Satin						1 pc	10 pcs

*AN-DH008-AN-LH008 = AN-DH001-AN-LH001 (Previous item name).




LAMP SQUARE COVER FOR REFUSE BOX AN-KH

Latest
Info


• Corrosion resistant.

SUS

Cut Out Dimensions



Suitable for separation



Item Code	Item Name	Material	Finish	A	B	C	D	E	F	G	H	J	Weight	Box	Carton
210-032-785	AN-KH005-HL	Stainless Steel (SUS304)	Satin	56	56	82	82	1.2	58	59	59	36	87 g	1 pc	150 pcs
210-028-436	AN-KH008-HL	Stainless Steel (SUS304)	Satin	82	82	108	108	1.2	84	85	85	36	126 g	1 pc	10 pcs
210-022-109	AN-KH015-HL	Stainless Steel (SUS304)	Satin	144	144	170	170	1.2	146	147	147	36	217 g	1 pc	10 pcs
210-037-895	AN-KH020-HL	Stainless Steel (SUS304)	Satin	194	194	220	220	1.2	196	197	197	50	388 g	1 pc	6 pcs
210-037-896	AN-KH028-HL	Stainless Steel (SUS304)	Satin	274	274	300	300	1.2	276	277	277	72	733 g	1 pc	6 pcs

LAMP MULTI-PURPOSE GROMMET AN-SH026-HL



Latest
Info

• Corrosion resistant.


• Ideal for magazine/news paper waste box.

SUS

Cut Out Dimensions



Suitable for separation




Item Code	Item Name	Material	Finish	Weight	Box	Carton
210-028-437	AN-SH026-HL	Stainless Steel (SUS304)	Satin	290 g	1 pc	10 pcs


LAMP. SQUARE COVER FOR REFUSE BOX AZ-NDLatest
Info

- Corrosion resistant.


SUS

Cut Out Dimensions

AZ-ND230-HL



AZ-ND310-HL

Mounting plate
AZ-ND-310 (HL) only.





Item Code	Item Name	Material	Finish	A	B	W	H	C	D	E	F	G	J	K	M	N	Weight	Box	Carton
210-017-986	AZ-ND230-HL	Stainless Steel (SUS304)	Satin	234	160	308	234	—	—	—	—	—	—	170	120	30	720 g	1 pc	10 pcs
210-026-553	AZ-ND310-HL	Stainless Steel (SUS304)	Satin	310	220	384	294	200	70	70	20	10	257	243	160	43	1050 g	1 pc	10 pcs

LAMP. STAINLESS STEEL FUNNEL AE-DHLatest
Info

SUS

Sold Separately



- Hose: AE-DH4540-1 (P.14)
- Strainer: AE-DH020K-45 (P.14)

Cut Out Dimensions**Easy Installation****Application Example**

Item Code	Item Name	A	B	C	D	E	F	Material	Finish	Hose Diameter	Weight	Box	Carton
210-026-556	AE-DH015-MR	150	55	95	38	120	121	Stainless Steel (SUS304)	Mirror	φ38	270 g	1 pc	12 pcs
210-026-557	AE-DH015-HL	150	55	95	38	120	121	Stainless Steel (SUS304)	Satin	φ38	270 g	1 pc	12 pcs
210-022-106	AE-DH020-MR	200	90	150	50	170	171	Stainless Steel (SUS304)	Mirror	φ50	490 g	1 pc	12 pcs
210-023-509	AE-DH020-HL	200	90	150	50	170	171	Stainless Steel (SUS304)	Satin	φ50	490 g	1 pc	12 pcs

HOSE FOR AE-DH **AE-DH4540-1**Latest
Info**Remarks**

- Operating temperature: 1°C - 60°C.

**Application Example**

No.	Part Name	Material	Finish/Colour
①	Hose	Polyvinyl Chloride Resin (PVC)	Grey
②	Fastener	Stainless Steel	Plain



Item Code	Item Name	Weight	Box	Carton
210-026-942	AE-DH4540-1	170 g	10 pcs	50 pcs

STRAINER FOR AE-DH **AE-DH020K-45**Latest
Info

SUS

Remarks

- Sold per 2 pieces.
- For AE-DH020 (P.13).

**Application Example**


Item Code	Item Name	Material	Finish	Weight	Box	Carton
210-032-187	AE-DH020K-45	Stainless Steel (SUS304)	Polished	8 g	20 pcs/10 sets	120 pcs/60 sets

Build Better with Sugatsune!

Explore Our Comprehensive Support Resources

Keyword Search & Product Filters

Search for products by keyword and utilize our product filters. Access comprehensive information including our online catalogue, CAD data and instruction manuals!




Find relevant products with fuzzy search strings like "Hidden Door"!

Filter by size, colour, or material as well!

Product Search Tools


The product search tools allow you to choose products tailored to your installation conditions, such as damper stays, damper hinges, torque hinges, torque stays, and more. With moment calculation and operation force simulation, you can easily identify the products that best meet your product requirements.

- Selection Tool for Motion Design Tech Products (Damper stays and hinges, Free stop hinges, etc.)
- Selection Tool for HES Concealed Hinges
- Selection Tool for Glass Door Hinges
- Selection Tool for Pocket Door System



Customer Solutions Case Studies

Our case studies introduce our products and demonstrate how they have been used to solve customer project issues.



Hardware Basics

Discover the basics of our products here. Learn about hinge and stay mechanisms, as well as the differences between various product types.



Official Sugatsune Global Channel

 /@SugatsuneGlobal

Videos explain product characteristics and installation methods. Watching the product in action promotes deeper understanding.





SUGATSUNE KOGYO CO., LTD

Manufacturer of **LAMP** brand Products

SUGATSUNE KOGYO CO., LTD.

GLOBAL HEADQUARTERS (Export Dept.)

Tokyo Showroom

-TEL +81-3-3866-2260
-FAX +81-3-3866-4447
-Mail export@sugatsune.co.jp
-WEB <https://global.sugatsune.com/global/en/>

SUGATSUNE SHANGHAI CO., LTD.

Shanghai Office & Showroom

-TEL +86-21-3632-1858
-FAX +86-21-3632-1868
-Mail lamp@sugatsune.com.cn
-WEB <https://global.sugatsune.com/cn/zh-cn/>

Guangzhou Office & Showroom

-TEL +86-20-6639-3554
-FAX +86-20-6230-9772
-Mail lamp@sugatsune.com.cn
-WEB <https://global.sugatsune.com/cn/zh-cn/>

SUGATSUNE KOGYO INDIA PRIVATE LIMITED

Mumbai Office & Showroom

-TEL +91-9867299597
-Mail sales@sugatsune.in
-WEB <https://global.sugatsune.com/in/en/>

Delhi Office & Display Studio

-TEL +91-9867299597
-TEL +91-1145093636
-Mail sales@sugatsune.in
-WEB <https://global.sugatsune.com/in/en/>

Bengaluru Display Center

-TEL +91-9867299597
-TEL +91-8419900924
-Mail sales@sugatsune.in
-WEB <https://global.sugatsune.com/in/en/>

SUGATSUNE KOREA CO., LTD.

Incheon Office

-TEL +82-32-220-0603
-FAX +82-32-220-0605
-Mail sales@sugatsune-korea.co.kr
-WEB <https://global.sugatsune.com/kr/kr/>

SUGATSUNE AMERICA, INC.

Los Angeles Main Office

-TEL +1-310-329-6373
-FAX +1-310-329-0819
-Mail sales@sugatsune.com
-WEB <https://www.sugatsune.com/>

Chicago Midwest Distribution Center

-TEL +1-630-317-7072
-FAX +1-630-519-4107
-Mail sales@sugatsune.com
-WEB <https://www.sugatsune.com/>

SUGATSUNE CANADA, INC.

Montreal Office

-TEL +1-514-312-5267
-FAX +1-514-399-0538
-Mail support@sugatsune.ca
-WEB <https://sugatsune.ca/>

SUGATSUNE KOGYO (UK) LIMITED

Reading Office & Showroom

-TEL +44-1189-272-955
-FAX +44-1189-272-871
-Mail sales@sugatsune.co.uk
-WEB <https://www.sugatsune.co.uk/>

SUGATSUNE EUROPE GMBH

Düsseldorf Office & Showroom

-TEL +49-211-53812-900
-FAX +49-211-53812-901
-Mail sales@sugatsune.eu
-WEB <https://www.sugatsune.eu/>

| Website |

