

UNICOL[®]

SPRING EDITION 62



PROFESSIONAL AV MOUNTS



Spirit™ dvLED Mount Solutions
page 46



**Universal Slim-Profile
Wall Mounts**
page 25



**FlorSign™ Fixed-Angle
Digital Signage Totems**
page 41



**Accession™ Pull-Out
Serviceable Wall Mounts**
page 27



**Chamfered Edge
Protective Covers**
page 43



As we step into 2025, we continue our commitment to excellence with the introduction of our latest dvLED mounting frame (pg 46) - designed for seamless installation, adaptability, and ease of service. Alongside this, our Summit™ video conference walls (pg 32-33) ensure that serviceability remains at the core of the installation experience, offering integrators and businesses a smarter, more efficient way to deploy their AV systems.

From boardrooms and control centers to retail spaces and auditoriums, our expertly engineered mounts are built to meet the evolving demands of the AV world. Whether you need a tailored mounting solution or a trusted industry standard, UNICOL provides the flexibility, durability, and support you need to bring your vision to life.

With competitive pricing, rapid turnaround times, and a reputation for quality, UNICOL remains the go-to partner for AV professionals worldwide. Explore our latest innovations and discover how we can help you achieve the perfect AV setup - every time.

+44 (0)1865 767676 | sales@unicol.com | unicol.com

UNICOL Engineering, Green Road, Oxford, OX3 8EU

Stands & Trolleys

VS1000® Stands, Trolleys & Components	8 - 9
Axia® Stands & Trolleys	10 - 11
Avecta® Stands & Trolleys	12 - 13
Parabella® Stands	14
Tevella™ Stands	14
Nest-Star® Nesting Trolleys	15
Tableau™ Lectern Stands & Trolleys	15
Rhobus® Stands & Trolleys	16 - 17
Rhobus® Lite Stands & Trolleys	18
Axia® Titan Heavy Duty Stands & Trolleys	18
PowaLift™ Motorised Stands & Trolleys	19

Trade Packs

Screen Suspension Kits	20
Floor-to-Ceiling Kits	21
Floor-to-Wall Kits	21
ScreenRail™ Multi-Display System	22
ScreenRail™ Menu Board & Video Wall Kits	23

Wall Mounts

Xactmatch™ Dedicated Wall Mounts	24
Rota-Mount™ Rotating Mounts	24
Pozimount® Universal Wall Mounts	25
Universal Slim Profile Mounts	★ NEW ★ 25
Universal Small Screen Mounts	26
VertiSlide™ Serviceable Cassette Mounts	26
Accession™ Service Mounts	★ NEW ★ 27
Under-Desk Cassette Mounts	27
Panarm™ Articulated Wall Arms	28
Wall Arms	29
Universal PC Housings	29

Installation Components

30 - 31

Video Conference Mounts

32 - 35

Summit™ Video Conference Walls	★ NEW ★ 32 - 33
Sound Bar, Video Bar & Video Conference Mounts	34 - 35

Tap.IT™ Touch Panel Mounts

36

Speaker Mounts

37

Mobile Phone Holders

37

Digital Signage Solutions

38 - 45

Obelisk™ Kiosks & Totems	38 - 39
EdgeLine™ Kiosks & Totems	40 - 41
FlorSign™ Totems	41
Outdoor Housings	42
Front & Rear Protective Covers	43
Gantry Systems	44
AV Roller Trak™	45

dvLED Mounts

46 - 47

Spirit™ dvLED Mount	★ NEW ★ 46
All-in-One LED Mounts	47
Dedicated LED Solutions	47

Video Wall Mounts

48 - 49

Adapta-Wall® Pop-Out Video Wall Mounts	48
Pop-Out Video Wall Structures	49
V-Wall™ Video Wall Stand	49

AV Furniture

50 - 53

Table Stands	50
Rhobus® Huddle Collaborative Tables	50
Canterbury™ Freestanding Lectern	51
Presentor™ Wall Mounted Lectern	51
Principal™ Lecturer's Desks	52
Mentor™ Lecturer's Desks	52
AV Media Cabinets	53

Projector Mounts

54 - 57

Projector Suspension Units (PSU™)	54
Guardbox® Security Cages	55
Gyrolock® Projector Mounts	56 - 57

Single Column Solutions

58

Small Parts & Other Accessories

59

Product Resources

Scan the QR codes on each product page for quick access to drawing files, assembly instructions, spec sheets, range brochures and images.



Please note: all prices shown are ex-works and ex-VAT.

All goods are sold subject to the Companies terms & conditions of sale, a copy of which is available upon request or can be downloaded from our website unicol.com. VAT will be charged at the prevailing rate at time of invoice. Mechanical items have a 10 year design & manufacturing warranty. Electrical parts are covered by a 12 month return to base warranty. UNICOL products are the subject of continuous development and we reserve the right to improve designs or change specifications without prior notice.

© Peter Ligertwood 2025.

ABOUT UNICOL

*Proud to be the foremost, wholly owned,
UK based European manufacturer of
AV mounts and furniture.*

Our purpose-built 45,000sqft Oxford factory enables us to be entrusted with large, often demanding projects, yet with the flexibility to daily despatch routine orders and even one-off custom items. Here, all the design, testing and manufacturing processes work seamlessly together to maintain UNICOL's principle of innovating robust, versatile and dependable products for every make and model of screen, LED panel, projector and more, in today's competitive market.

UNICOL have raised, achieved and exceeded all our expectations with every project and order we have made with them. From manufacture to delivery, it's beyond exemplary and most of the time delivered in only a few days from order.

In 2023, we celebrated our 60th anniversary - not only a milestone in the world of AV, but significant in UNICOL being a long established manufacturer of entirely British made products.

We believe in product longevity and build solutions to last, backing each product with a 10-year design and manufacture warranty. This approach has made UNICOL a popular brand of choice amongst our network of installation engineers, who recognise our commitment to product reliability.

Sustainability is also at the heart of our product life cycle; 98% of our products are recyclable; product components sourced from the UK; we use British Steel; all packaging is made from heavy-duty card and paper; scrap metal and cardboard are recycled for reuse; and we are looking into removing the remaining plastic packaging in 2025.



Our Guarantees to You.

At UNICOL, we endeavour to design and manufacture, innovative and high quality AV mounts that satisfy the demands of the true AV professional.

You should always feel fully supported and confident with all your AV mounts, which is why our products adhere to BS EN 60065:2002+A12:2011.



**Rapid
Turnaround**



**Environmentally
Conscious
Practices**



**In-House
Design &
Manufacturing**



**10 Year Design
& Manufacture
Warranty**




The complete UNICOL guide – supporting you 24/7.


Our online platform, unicol.com, offers 24 hour access to over 800 UNICOL products, installation instructions, specification sheets, product drawings, the latest news and so much more. All pricing, product specifications and marketing downloads are readily available to everyone at all hours.

Registering for a trade account allows you to also:

- View discounted pricing across the site.
- Access FSTP data links.
- Check and track all orders placed.



Installation Instructions



Product Drawings, Images & More.



Product Features & Specifications



Catalogues, Range Brochures & Spec Sheets



Device Compatibility

Search any screen, projector, sound bar, video conference camera or touch panel on our website for rapid results on which of our mounts are compatible with each device.



Knowledge Hub

Our Knowledge Hub is the home to the latest product updates, how-to information and, mounting tips and tricks, to help you get the best out of your installation.



Mount Configurators


Not sure where to begin with a proposed installation, or just want to double check component compatibility? Use our online configurators to streamline quoting.

Join the CommUNITY - Never Miss a Mount.

Do you like to be the first to know? We've got you covered! By signing up for our mailing list, you'll unlock:

- The Latest Product News – *be the first to know!*
- Exclusive Offers – *because who doesn't love a good offer?*
- Sneak Peeks – *get a closer look at our upcoming innovations.*
- Access to Our Catalogue – *delivered to you and your inbox.*

Sign up today via the QR code and never miss a mount again!





p46

Early Preview:

Spirit™ dvLED Video Wall Mounts

For over 60 years, UNICOL has been at the forefront of reliable engineering, delivering innovative mounting solutions designed and manufactured in the UK. Our dvLED mount combines decades of expertise with modern ingenuity, offering a premium dvLED mount, for less.

Engineered with simplicity in mind, this mount features an innovative adjustable wall tie system, allowing for precise levelling and alignment to ensure a flawless finish to every display. Straightforward assembly makes installation faster whilst maintaining the highest standards of reliability and durability.



p32

Summit™ Video Conference Walls

The Summit™ provides a neat and increasingly popular way of combining all the elements of video conferencing into a neat and aesthetically pleasing unit. These highly adaptable units are customisable, easy to install and service, and accommodate your choice of screen, video bar or camera plus speakers.



p25

Slim Profile Wall Mounts

Compact, easy to install and ample room for connectivity. With a max depth of just 47mm, these universal wall mounts offer a stylish finish to any installation.



p27

Accession™ HD Behind-Screen Service Mount

The Summit™ provides a neat and increasingly popular way of combining all into a neat and aesthetically pleasing unit.

Looking for other new products? **NEW products** are highlighted with **BLUE** throughout this catalogue

UK Manufactured. Worldwide Delivery.

All orders are designed, manufactured and dispatched by our specialised team in Oxford, UK. We can deliver to any address of your choice, or you can collect from our offices:

UNICOL

Green Road, Oxford, OX3 8EU, United Kingdom

UNICOL Deutschland GmbH

Willi-Grasser-Straße 15, 91056, Erlangen, Germany





We understand that sometimes a mount can't be one size fits all, and occasionally you just need something a bit unique.

Whether that's designing a custom framework for an AV roll-out over multiple locations, or suspending LED video walls in unusual places, or even just adding a custom ticket scanner within a branded kiosk/totem, UNICOL's special project team are here to help.



Nest-Star Trolleys

p.15



21st Century AV

LED Mounts

p.46



SCAN Computers

Edgeline Digital Signage

p.40



Floor-to-Ceiling Kits

p.21



Tablet Mounts & Stands

p.36



FlorSign Totem

p.41



Media Cabinets

p.53



Summit All-In-One Mount & Universal Wall Mount

p.25 & 32



Serviceable Mounts

p.27



Powalift Stands

p.19

Standard Colour Finishes

Standard colours that are available at no extra cost are indicated on each product page.

These colours typically consist of;

- Sinterflex Black
- Sinterflex White
- Diamond Silver
- Chrome (Columns Only)

Where a choice is shown, please state your colour choice when placing your order.

Custom Finishes

Looking for a unique finish or want to match your brand guidelines? We can finish your product to any RAL colour!

Simply state the required RAL colour when requesting a quote. Custom colour are charged at +18% plus powder purchase cost.






The Workhorse of the Industry

With a wide choice of interchangeable parts, easy assembly and sheer robustness VS1000® trolleys are the favoured choice of exhibitions, broadcast and AV users everywhere.

Available as static, wheeled base or back to back versions, with a wide choice of height options. Accessories include metal or glass shelves, locking cabinets and other options.

Versatile, Stylish Trolley Bases

The curved Scimitar base units offers an stylised alternative to the original 'K' base design.



Modular Connectivity for Custom Builds

UNICOL's modular style allows you to mix and match components to create solutions that suit your requirements.

Configure your own VS1000® using the table on [Page 9](#).



VS1000 K-Base Trolley
(VSB-1500x20PS2-PZX)



VSB-1500x2-PS2-PZX

VSS-1500x2-PS2-PZX

VSL-1500x2-PS2-PZX

VSF-1500x2-PS2-PZX

VSLBB-1500x2-PS8-PPZXx2

TCAVT

Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Screen Size	VESA Fixings	Weight Capacity	Colour
VSB-1500x2-VMSV K Base Trolley w/VESA Mount	292.35	1640x870x600	19.1kg	15 - 32"	75x75 / 200x200	35kg	■
VSB-1500x2-VMSV2 K Base Trolley w/VESA Mount	303.05	1640x870x600	20.5kg	33 - 40"	300x300 / 400x400	40kg	■
VSB-1500x2-PS2-PZX K Base Trolley w/Universal Mount	363.70	1640x870x600	26.8kg	33 - 70"	200x200 / 600x400	60kg	■
VSS-1500x2-VMSV Scimitar Base Trolley w/VESA Mount	307.05	1680x890x660	24.6kg	15 - 32"	75x75 / 200x200	35kg	■
VSS-1500x2-VMSV2 Scimitar Base Trolley w/VESA Mount	317.75	1680x890x660	25.9kg	33 - 40"	300x300 / 400x400	40kg	■
VSS-1500x2-PS2-PZX Scimitar Base Trolley w/Universal Mount	378.40	1680x890x660	29.7kg	33 - 70"	200x200 / 600x400	60kg	■
VSL-1500x2-PS2-PZX Plinth Stand w/Universal Mount	384.30	1560x765x580	30.8kg	33 - 70"	200x200 / 600x400	60kg	■
VSF-1500x2-PS2-PZX Bolt Down Stand w/Universal Mount	348.85	1525x765x300	20.3kg	33 - 70"	200x200 / 600x400	60kg	■
VSLBB-1500x2-PS8-PPZXx2 Plinth Base w/Back-to-Back Mount	634.30	1545x765x700	42.3kg	33 - 70"	200x200 / 600x400	35kg*	■
VSS-500x2-PS2VT-PZX Scimitar Base Comfort Monitor Trolley	370.15	642x891x625	11.3kg	33 - 70"	200x200 / 600x400	60kg	■
TCAVT Heavy Duty Trolley	698.20	1804x1075x694	49.0kg	71 - 110"	300x300 / 1000x600	120kg	■

*max weight per screen




Product Image	Part Code & Description <i>Specification</i>	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Weight Capacity	Colour
 PS2 PS8 PS2VT	PS2 Single Sided Twin Column Mount Adapter Converts Pozimount or Xactmatch mounts to fit twin columns. Standard Allen screw fixing. Fully height adjustable.	59.75	180 x 180 x 130	2.3kg	80kg	■
	PS8 Back-to-Back Twin Column Mount Adapter Converts Pozimount or Xactmatch mounts to fit twin columns. Standard Allen screw fixing. Fully height adjustable.	85.00	180 x 180 x 100	3.1kg	80kg	■
	PS2VT Single Sided Tilting Twin Column Mount Adapter Converts Pozimount or Xactmatch mounts to fit twin columns. Offers 0-55° tilt. For use with 500x2 columns only.	116.50	190-220 x 205 x 188-280	3.6kg	80kg	■
 PZX1 PZX3	PZX1 Pozimount Universal Flat Screen Mount For screens 33" to 70" and covers VESA fixings from 200x200 to 600x400.	98.40	540 x 765 x 45	5.5kg	60kg	■
	PZX3 Pozimount Universal Flat Screen Mount For screens 33" to 70" and covers VESA fixings from 200x200 to 400x400.	98.40	440 x 540 x 45	4.1kg	60kg	■
 VMSV VMSV2	VMSV Column Fitting VESA Mount (up to 32") Fits direct to columns, covers 75x75 to 200x200 VESA fixings.	86.80	220 x 230 x 220	2.7kg	35kg	■
	VMSV2 Column Fitting VESA Mount (up to 40") Fits direct to columns, covers 300x300 to 400x400 VESA fixings.	97.50	420 x 440 x 220	4.1kg	40kg	■
 1500x2 500x2	1500x2 1500mm Pair of Chrome Column Lengths UNICOL's signature chrome plate columns.	97.50	1500 x 50.8 x 50.8	5.5kg	n/a	●
	500x2 500mm Pair of Chrome Column Lengths UNICOL's signature chrome plate columns.	32.50	500 x 50.8 x 50.8	2.0kg	n/a	●
 VSS VSR VSX VSB VBR VSL VSLBB VSF	VSS Scimitar Trolley Base (No Brakes) Elegant curved design with 10cm non-marking rubber wheels.	122.75	280 x 890 x 660	16.4kg	80kg	■
	VSR Scimitar Trolley Base with Brakes Elegant curved design with 10cm non-marking rubber wheels.	182.15	295 x 890 x 660	14.3kg	105kg	■
	VSX Scimitar Plinth Base Elegant curved design with 1.5cm plastic feet.	103.20	180 x 890 x 660	11.3kg	80kg	■
	VSB Original 'K' Style Trolley Base (No Brakes) Elegant curved design with 10cm non-marking rubber wheels.	108.05	255 x 870 x 600	10.9kg	80kg	■
	VBR Original 'K' Style with Brakes Elegant curved design with 10cm non-marking rubber wheels.	167.45	240 x 870 x 600	9.0kg	105kg	■
	VSL Standard Plinth Base Stylish curved edge base with resilient non-marking feet and clearance for cables underneath.	128.65	142 x 760 x 580	17.5kg	80kg	■
	VSLBB Back-to-Back Base Features centralised column sockets for back-to-back screens. Resilient non-marking feet and has clearance for cables underneath.	255.00	142 x 700 x 700	22.6kg	80kg	■
	VSF Compact Bolt Down Base Minimal base footprint for fixed screen stands. M10 bolts (not supplied) fully recess into base. Trim caps complete the installation.	93.20	160 x 400 x 300	7.0kg	80kg	■
 VP1 VP2 VP3 VGS	VP1 500x400mm Metal Shelf Ideal for holding small devices or notes in presentations.	61.50	125 x 500 x 450	5.1kg	20kg	■
	VP2 550x450mm Metal Shelf Ideal for holding small devices or notes in presentations.	69.50	125 x 550 x 500	6.0kg	20kg	■
	VP3 300x300mm Metal Shelf Ideal for holding small devices or notes in presentations.	54.20	125 x 300 x 360	2.9kg	20kg	■
	VGS 500x400mm Toughened Glass Shelf Ideal for holding small devices or notes in presentations.	78.80	125 x 500 x 480	5.6kg	20kg	■
 VLC	VLC Locking Cabinet - 150h x 550w x 450d mm Internal For small PC's, keyboards, DVD players and other small devices. Fully height adjustable. Rear panel offers cable access.	161.85	180 x 610 x 535	18.6kg	40kg	■
 VSM15 VSM30	VSM15 15cm VS1000 Infill Panels (Pair) Clip-in panels for VS1000 twin columns - great for hiding cables.	31.05	150 x 110 x 70	0.5kg	n/a	■
	VSM30 30cm VS1000 Infill Panels (Pair) Clip-in panels for VS1000 twin columns - great for hiding cables.	37.00	300 x 110 x 70	0.8kg	n/a	■
 ESU ESE	ESU UK 4-Way Power Socket Clips to the VS1000 base. 4m cable and 13A plug.	34.50	n/a	1.1kg	n/a	n/a
	ESE EU 4-Way Power Socket Clips to the VS1000 base. 4m cable and 13A plug.	34.90	n/a	1.0kg	n/a	n/a



The Practical Art-form

This Axia® range combines stylish design with practicality, featuring neat cable management, a built-in screen mount, and a 4-way power socket for seamless connectivity.

Safety glass shelves combine practicality and durability, while video conferencing and portrait screen options cater to the needs of the modern workplace.



Stylish Curved Mast with Neat Cable Management

With a graceful flowing curve, the Axia® offers a unique, stylish solution for corporate environments.



Colour Options - Consistent with your Brand Guidelines

Corporate colours can enhance the stands presence or blend with interior schemes.




Axia® High Level Trolley (AX15T) with Sound Bar Mount (SBM1)

High Level Solutions


- Includes PZX1 universal screen mount (VESA 200x200 to 600x400) as standard. Alternative mount options available.
- Stylish plinth base with resilient non-marking feet.
- Trolley base features 7.5cm twin wheel castors for smooth movement.
- 4-way power socket neatly locates behind screen.
- Slotted mast allows for differing accessory height requirements.
- Toughened glass or metal shelves available as required.
- Video conference accessories available, see page 32-33.



AX15P



AX15T



AX15BD

Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Screen Size	VESA Fixing (Min / Max)	Weight Capacity	Colour
AX15P High Level Plinth (Screen Centre: 1500mm)	575.60	1683 x 765 x 580	33.7kg	33 - 70"	200x200 / 600x400	60kg	■ □
AX15T High Level Trolley (Screen Centre: 1600mm)	615.20	1754 x 887 x 656	31.8kg	33 - 70"	200x200 / 600x400	60kg	■ □
AX15BD High Level Bolt Down (Screen Centre: 1500mm)	579.40	1683 x 765 x 300	21.6kg	33 - 70"	200x200 / 600x400	60kg	■ □



Low Level Solutions

- Includes PZX1 universal screen mount (VESA 200x200 to 600x400) as standard. Alternative mount options available.
- Stylish plinth base with resilient non-marking feet.
- Trolley base features 7.5cm twin wheel castors for smooth movement.
- 4-way power socket neatly locates behind screen.
- Toughened glass or metal shelves available as required.
- Video conference accessories available, see page 32-33.



Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Screen Size	VESA Fixing (Min / Max)	Weight Capacity	Colour
AX12P Low Level Plinth (Screen Centre: 1200mm)	515.70	1290 x 765 x 580	31.8kg	33 - 70"	200x200 / 600x400	60kg	<input type="checkbox"/> <input type="checkbox"/>
AX12T Low Level Trolley (Screen Centre: 1200mm)	554.60	1400 x 886 x 656	29.7kg	33 - 70"	200x200 / 600x400	60kg	<input type="checkbox"/> <input type="checkbox"/>
AX10P Low Level Plinth (Screen Centre: 1000mm)	521.10	1135 x 765 x 450	27.4kg	33 - 57"	200x200 / 600x400	60kg	<input type="checkbox"/> <input type="checkbox"/>
AX10T Low Level Trolley (Screen Centre: 1000mm)	555.00	1248 x 886 x 556	31.1kg	33 - 57"	200x200 / 600x400	60kg	<input type="checkbox"/> <input type="checkbox"/>

Twin Screen Solutions

- Includes PZX1 universal screen mount (VESA 200x200 to 600x400) and AXGS toughened glass shelf as standard. Alternative mount options available.
- Internally strengthened units for twin screen use.
- 4-way power socket neatly locates behind screen.
- Video conference accessories available, see page 32-33.



Please state screen make and model when ordering.
Call for any advice or assistance as required.

Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Screen Size	VESA Fixing (Min / Max)	Weight Capacity	Colour
AX15P Twin Screen Plinth (Screen Centre: 1500mm)	910.30	1660 x variable x 734	variable	33 - 57"	200x200 / 600x400	35kg*	<input type="checkbox"/> <input type="checkbox"/>
AX15T Twin Screen Trolley (Screen Centre: 1600mm)	1080.50	1775 x variable x 734	variable	33 - 57"	200x200 / 600x400	35kg*	<input type="checkbox"/> <input type="checkbox"/>
AX15BD Twin Screen Bolt Down (Screen Centre: 1500mm)	984.50	1615 x variable x 505	variable	33 - 57"	200x200 / 600x400	35kg*	<input type="checkbox"/> <input type="checkbox"/>

*max weight per screen


Axia® Accessories

Product Image	Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Weight Capacity	Colour
	AXGS 500w x 400d Toughened Glass Shelf	78.80	70 x 500 x 480	4.1kg	20kg	<input type="checkbox"/> <input type="checkbox"/>
	AXWS 780w x 390d Toughened Glass Shelf	89.20	70 x 780 x 440	6.2kg	20kg	<input type="checkbox"/> <input type="checkbox"/>
	AXSS 500w x 400d Metal Shelf	69.50	70 x 500 x 444	4.9kg	20kg	<input type="checkbox"/> <input type="checkbox"/>
	AXLC Axia Locking Cabinet Internal Dimensions: 150h x 550w x 400d mm	188.60	170 x 563 x 483	17.8kg	30kg	<input type="checkbox"/> <input type="checkbox"/>
	AXESU Axia 4-Way Power Socket (4m Cable)	34.50	61 x 272 x 36	0.8kg	n/a	<input type="checkbox"/>
	SBM1 Sound Bar Mount for Universal Mounts	188.00	variable	variable	10kg	<input type="checkbox"/>



The Adaptable Stand System

From boardroom to show venue - the Avecta® range is a flexible and adaptable stand system with excellent cable management. Static or wheeled versions available, for single or twin screens.



Easy to Use Cable Management

Snap-in panel sections provides excellent cable management and is readily adaptable for height adjustment of stands and trolleys.



Dedicated Microsoft Surface Hub 2S Unit

Custom designed trolley for the 50" Microsoft Surface Hub 2S.

Scan for other Hub mounts.



Avecta® High Level Stand (AVHP) with Video Conference Sound Bar Mount (VCSS1)

High Level Solutions

- Includes PZX1 universal screen mount (VESA 200x200 to 600x400), AVP1 metal shelf and 4-way power socket as standard. Alternative mount options available.
- Height to centre of screen is adjustable from 1100 - 1500mm.
- AVHTSURH height to centre of screen is adjustable from 1250 - 1520mm.
- Trolley base features 7.5cm twin wheel castors for smooth movement.
- 4-way power socket neatly locates behind screen.
- Video conference accessories available, see page 32-33.



AVHT



AVHBD



AVHW

Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Screen Size	VESA Fixing (Min / Max)	Weight Capacity	Colour
AVHP Standard Plinth (Screen Centre: 1100-1500mm)	651.05	1533 x 760 x 580	44.2kg	33 - 70"	200x200 / 600x400	60kg	■ □
AVHT Standard Trolley (Screen Centre: 1100-1500mm)	691.20	1630 x 890 x 605	42.3kg	33 - 70"	200x200 / 600x400	60kg	■ □
AVHTR1 Standard Trolley with RTM10 RotaMount (Screen Centre: 1100-1500mm)	769.30	1730 x 890 x 605	38.5kg	33 - 70"	200x200 / 600x400	60kg	■ □
AVHTSURH MS Hub 2S Trolley (Screen Centre: 1250-1520mm)	769.30	1584 x 890 x 605	36.1kg	50"	350x350	60kg	■ □
AVHBD Standard Bolt Down (Screen Centre: 1100-1400mm)	615.60	1520 x 765 x 481	21.5kg	33 - 70"	200x200 / 600x400	60kg	■ □
AVHW Floor-to-Wall Stand (Fully Adjustable Screen Centre)	887.00	2514 x 765 x 470	37.4kg	33 - 70"	200x200 / 600x400	60kg	■ □



Low Level Solutions

- Includes PZX1 universal mount (VESA 200x200 to 600x400), AVP1 metal shelf and 4-way power socket as standard. Alternative mount options available.
- Stylish plinth base with resilient non-marking feet.
- Trolley base features 7.5cm twin wheel castors for smooth movement.
- 4-way power socket neatly locates behind screen.



AVLP



AVLT

Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Screen Size	VESA Fixing (Min / Max)	Weight Capacity	Colour
AVLP Standard Plinth (Screen Centre: 600-950mm)	525.50	1034 x 760 x 580	39.3kg	33 - 70"	200x200 / 600x400	60kg	<input type="checkbox"/> <input type="checkbox"/>
AVLT Standard Trolley (Screen Centre: 600-950mm)	565.65	1127 x 877 x 604	37.4kg	33 - 70"	200x200 / 600x400	60kg	<input type="checkbox"/> <input type="checkbox"/>

Twin Screen Solutions

- Includes PZX1 universal mount (VESA 200x200 to 600x400), AVP1 metal shelf and 4-way power socket as standard. Alternative mount options available.
- Stylish plinth base with resilient non-marking feet.
- Trolley base features 7.5cm twin wheel castors for smooth movement.
- Video conference accessories available, see page 32-33.



ACHP



ACHT

Please state screen make and model when ordering.
Call for any advice or assistance as required.

Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Screen Size	VESA Fixing (Min / Max)	Weight Capacity	Colour
ACHP Standard Plinth (Screen Centre: 1100-1500mm)	1017.10	1657 x variable x 607	variable	33 - 57"	200x200 / 600x400	35kg*	<input type="checkbox"/> <input type="checkbox"/>
ACHT Standard Trolley (Screen Centre: 1100-1500mm)	1057.30	1660 x variable x 607	variable	33 - 57"	200x200 / 600x400	35kg*	<input type="checkbox"/> <input type="checkbox"/>

*max weight per screen

Avecta® Accessories

Product Image	Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Weight Capacity	Colour
	AVGS 500w x 400d Toughened Glass Shelf	93.80	58 x 500 x 475	4.5kg	20kg	<input type="checkbox"/> <input type="checkbox"/>
	AVP1 500w x 400d Metal Shelf	46.05	52 x 510 x 464	4.9kg	20kg	<input type="checkbox"/> <input type="checkbox"/>
	AVP2 550w x 450d Metal Shelf	54.20	52 x 550 x 533	6.6kg	20kg	<input type="checkbox"/> <input type="checkbox"/>
	AVP3 300w x 300d Metal Shelf	34.40	52 x 310 x 364	2.6kg	20kg	<input type="checkbox"/> <input type="checkbox"/>
	AVP4 440w x 350d Fold-Down Metal Shelf	97.60	Shelf Up: 152 x 435 x 427 Shelf Down: 425 x 435 x 142	3.4kg	20kg	<input type="checkbox"/> <input type="checkbox"/>
	AVLC Avecta Locking Cabinet Internal Dimensions: 150h x 500w x 400d mm	177.38	194 x 592 x 542	16.0kg	20kg	<input type="checkbox"/> <input type="checkbox"/>
	AVM15 30cm Avecta Infill Panels (Pair)	31.05	155 x 155 x 69	0.6kg	n/a	<input type="checkbox"/> <input type="checkbox"/>
	AVM30 30cm Avecta Infill Panels (Pair)	37.00	304 x 155 x 69	1.1kg	n/a	<input type="checkbox"/> <input type="checkbox"/>
	AVESU Avecta 4-Way Power Socket (4m Cable)	34.50	58 x 268 x 26	0.5kg	n/a	<input type="checkbox"/>



The Industry Standard for Exhibitions

The Parabella® is a well proven stand that caters for screens up to 80" - ideal for exhibition and conference venues. Neat cable management and a 1.8m viewing height allows the screen to stand out amongst the crowd.

- Curved slim design.
- Neat, concealed cable management.
- Optimised viewing height of 1.8m.
- Supplied with PZW1 (PA2) or PZX9 (PA9) mounts.
- Video conference accessories available, see pages 32-33.



PA2

Ask us about...

Our new heavy duty storage bags - designed to keep your stands safe in-between events.



Please state screen make and model when ordering. Call for any advice or assistance as required.

Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Screen Size	VESA Fixing (Min / Max)	Weight Capacity	Colour
PA2 Standard Parabella® (Screen Centre: 1800mm)	577.60	1955 x 860 x 650	40.9kg	40 - 70"	200x200 / 600x400	80kg	■ □
PA9 Heavy Duty Parabella® (Screen Centre: 1800mm)	1043.90	1955 x 1210 x 700	61.7kg	71 - 80"	300x300 / 1000x600	80kg	■ □
PARAG2S 500w x 400d Toughened Glass Shelf	82.90	87 x 500 x 456	5.0kg	n/a	n/a	20kg	■ □
PARAB2 Large Parabella® Base (1210w x 700d mm)	370.00	13 x 1210 x 700	28.8kg	n/a	n/a	n/a	■ □
CTPA3 Parabella® Mount Converter (up to 80")	110.10	356 x 356 x 132	7.0kg	71 - 80"	n/a	80kg	■ □
PARAES4B Parabella® 4-Way UK Power Socket (4m cable)	46.80	90 x 300 x 72	1.6kg	n/a	n/a	n/a	■ □

The Ideal Stands for Small Screens

The Tevella™ single column stands are ideal as digital information screens in office receptions, car showrooms, museums, art exhibits and more.

- Lightweight, easy to assemble solution.
- Cables concealable through column & base.
- Includes small screen VESA mount.
- Each offer adjustable tilt, allowing you to optimise the viewing angle.

Touch panel versions available

See all the possibilities for configuring touch panel versions to exactly suit your needs in the items listed on page 34.



Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x D mm)	Weight	Screen Size	VESA Fixing (Min / Max)	Weight Capacity	Colour
TVV1 Tevella™ Upright Stand (Screen Centre: 1000mm)	160.80	1014 x 520 x 413	14.0kg	15 - 32"	75x75 / 200x200	15kg	■ □
TVL1 Tevella™ Lectern Stand (Screen Centre: 1000mm)	220.80	1040 x 500 x 500	13.0kg	15 - 32"	75x75 / 200x200	15kg	■ □
TVT1 Tevella™ Standard Trolley (Screen Centre: 1400mm)	234.45	1437 x 600 x 560	11.0kg	15 - 40"	75x75 / 200x200	15kg	■ □
TVB1 Tevella™ Bolt Down (Screen Centre: 1000mm)	204.40	1014 x 295 x 240	7.4kg	15 - 40"	75x75 / 200x200	15kg	■ □




The Complete Teaching Assistant

The Nest-Star® is a complete teaching assistant on wheels that can be deployed quickly and neatly stowed when not in use.

This robust trolley supports your displays and securely houses your AV devices. The standard trolley comes with a plain mast. However, we understand that choice of equipment is important and will customise the rear of front of the mast section as required at an additional cost (*please call for a quote*). Handles are provided for ease of movement as standard.

- Quick and easy deployment.
- Custom mast cut-outs available upon request.
- Secure storage for players / PCs.
- Includes PZX1 (NST1 & NST1L) or PZX9 (NST2) universal screen mount as standard.
- Custom colour options are available.
- Powalift® version available on page 19.
- Video conference accessories available, see pages 32-33.



Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Screen Size	VESA Fixing (Min / Max)	Weight Capacity	Colour
NST1 Standard Plain Mast Trolley (Screen Centre: 1520mm)	1510.20	1678 x 1407 x 710	56.3kg	33 - 70"	200x200 / 600x400	80kg	■ □
NST2 HD Plain Mast Trolley (Screen Centre: 1520mm)	1585.70	1678 x 1407 x 710	62.9kg	71 - 90"	300x300 / 1000x600	150kg	■ □
NST1L Lite Plain Mast Trolley (Screen Centre: 1480mm)	958.12	1575 x 772 x 603	46.6kg	33 - 57"	200x200 / 600x400	80kg	■ □

Large Screen Lecterns

Fixed Height / Fixed Angled Version (TL1)

A rigid and stable platform with fixed angle screen mount. The mast incorporates two compartments, both 344(w) x 95(d) – 1 x 280(h) & 1 x 398 (h), to house small devices together with cabling. Base unit has resilient, non-marking feet and clearance for cables routed beneath.



Height & Tilt Adjustable Version (TL2HD)

Operated by manual switch, screens can be commanded to rise or descend smoothly through 500mm, stopping safely when required. Screen angle can be manually moved through 90° and locked at any point. TL2HD comes with mount and full cable management.



Please state screen make and model when ordering.
Please note: TL2HD prices quoted are ex-works as this unit is despatched by dedicated courier or may be collected.

Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Screen Size	VESA Fixing (Min / Max)	Weight Capacity	Colour
TL1 Fixed Height / Angled Version (Screen Centre: 930mm)	577.50	1068 x 740 x 579	41.7kg	33 - 70"	200x200 / 600x400	80kg	■
TL2HD Adjustable Version (Screen Centre: 1000-1500mm)	POA	1000-1500 x 1085 x 750	67.7kg	71 - 110"	dedicated	120kg	■




The Complete Corporate Communications Platform

With its clean lines and superior finish options, the Rhobus range of stands and trolleys answers all the needs of the corporate user.

Choose from the elegant single screen version through to multi-screen units to support the latest and best in corporate communications. A wide range of accessories are available to enhance the collaborative experience, including glass shelves and video conferencing mounts (pages 32-33). For PowaLift® versions, see page 19.

Lockable AV Equipment Storage & Cable Management

Ample capacity provided within an accessible locking door in the central mast for cabling, codecs and more.



Easily Swap-Over From Wheeled Base to Static

All Rhobus® trolleys allow users to easily swap from mobile trolley version to static base version at any time. Exc. RH200-HD & RH200-UHD.



Rhobus Standard Trolley (RH100) with Twin Sound Bar & Video Conference Mount (VCTS1)

Standard Options

- Includes PZX1 universal mount (VESA 200x200 to 600x400).
- Easy access to 440 x 470 x 80mm mast housing via lockable pull down door.
- All have a 1400mm high mast.
- Built in 4-way power socket included.
- Single box solution. Pallet delivery.
- Video conference accessories available, see pages 32-33.

Free glass shelf

Free 500w x 400d touchened glass shelf (RHGS1) available with the below models.



Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Screen Size	VESA Fixing (Min / Max)	Weight Capacity	Colour
RH100 Standard Trolley (Screen Centre: 1480mm)	1391.72	1576 x 950 x 550	60.1kg	33 - 70"	200x200 / 600x400	80kg	■ □
RH100-PZX5 Trolley Inc. PZX5 (Screen Centre: 1480mm)	1391.72	1576 x 950 x 550	59.7kg	33 - 75"	200x200 / 800x600	80kg	■ □
RHBD100 Standard Bolt Down (Screen Centre: 1370mm)	1206.15	1470 x 650 x 310	45.5kg	33 - 70"	200x200 / 600x400	80kg	■ □
RFWSH Standard Floor-to-Wall (Screen Centre: 1600mm)	1191.52	1710 x 765 x 207	35.1kg	33 - 57"	200x200 / 600x400	80kg	■ □
RHU Standard Trolley Exc. Mount	1293.32	1576 x 950 x 550	54.8kg	n/a	n/a	80kg	■ □



Heavy Duty Options

- Includes PZX9 universal mount (VESA 300x300 to 1000x600).
- Easy access to 440 x 470 x 80mm mast housing via lockable pull down door.
- All have an 1800mm high mast.
- Built in 4-way power socket included as standard.
- Single box solution.
- Pallet delivery.
- Video conference accessories available, see pages 32-33.



Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Screen Size	VESA Fixing (Min / Max)	Weight Capacity	Colour
RH100-HD HD Trolley (Screen Centre: 1700mm)	1780.60	1882 x 1200 x 660	79.4kg	71 - 110"	300x300 / 1000x600	150kg	<input type="checkbox"/> <input type="checkbox"/>
RHBD100-HD HD Bolt Down (Screen Centre: 1600mm)	1246.70	1775 x 1070 x 310	56.7kg	71 - 110"	300x300 / 1000x600	150kg	<input type="checkbox"/> <input type="checkbox"/>
RFWSH-HD HD Floor-to-Wall (Screen Centre: 1600mm)	1273.03	1710 x 1070 x 207	41.6kg	71 - 110"	300x300 / 1000x600	150kg	<input type="checkbox"/> <input type="checkbox"/>

Twin & Multi Screen Options

- RH200 includes 2x PZX1 universal mount (VESA 200x200 to 600x400) and 1400mm high mast.
- RH200-HD & RH200-HDP include universal mount arms and have an 1800mm high mast.
- Floor-to-wall and bolt down versions available - ask for more details.
- Pallet delivery.
- Video conference accessories available, see pages 32-33.



Please note: RH200-UHD prices quoted are ex-works as this unit is despatched by dedicated courier or may be collected.

Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Screen Size	VESA Fixing (Min / Max)	Weight Capacity	Colour
RH200 Twin Screen Trolley (Screen Centre: 1470mm)	1719.08	1577 x variable x 660	variable	33 - 70"	200x200 / 600x400	35kg*	<input type="checkbox"/> <input type="checkbox"/>
RH200-HD HD Twin Screen Trolley (Screen Centre: 1900mm)	2372.37	1940 x 2663 x 650	75.8kg	71 - 86"	600x400 / 1000x600	50kg*	<input type="checkbox"/> <input type="checkbox"/>
RH200-HDP HD Twin Screen Plinth (Screen Centre: 1800mm)	2372.37	1831 x 2663 x 730	109kg	71 - 86"	600x400 / 1000x600	50kg*	<input type="checkbox"/> <input type="checkbox"/>
RH200-UHD Ultra HD Twin Screen (Screen Centre: 1800mm)	5828.00	2008 x 3262 x 730	153.9kg	71 - 110"	variable	100kg*	<input type="checkbox"/> <input type="checkbox"/>
RH400-HD 2x2 Trolley (Max. Screen Dims: 1420w x 680h mm)	2244.55	1974 x 1800 x 660	112.8kg	33 - 57"	200x200 / 600x400	35kg*	<input type="checkbox"/> <input type="checkbox"/>

*max weight per screen

Rhobus Accessories

Product Image	Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Weight Capacity	Colour
	RHGS1 500w x 400d Toughened Glass Shelf	78.80	360 x 500 x 398	5.1kg	20kg	<input type="checkbox"/> <input type="checkbox"/>
	RHGS2 780w x 390d Toughened Glass Shelf	89.20	360 x 780 x 398	7.1kg	20kg	<input type="checkbox"/> <input type="checkbox"/>
	RHGS1HD 500w x 400d Toughened Glass Shelf (-HD)	78.80	440 x 500 x 409	6.1kg	20kg	<input type="checkbox"/> <input type="checkbox"/>
	RHSS1 500w x 400d All Metal Shelf	108.50	360 x 500 x 453	7.6kg	20kg	<input type="checkbox"/> <input type="checkbox"/>
	RHSS2 780w x 390d All Metal Shelf	108.50	360 x 780 x 393	9.8kg	20kg	<input type="checkbox"/> <input type="checkbox"/>
	RHRACK Internal Mast Racking for RH100 & RH100-HD Internal Dimensions: 432h x 352w x 75d mm	250.00	626 x 390 x 98	5.2kg	n/a	<input type="checkbox"/> <input type="checkbox"/>
	RHUESU Rhobus 4-Way Power Socket (4m Cable)	34.50	65 x 280 x 50	1.0kg	n/a	<input type="checkbox"/>



Well-Proven, Slim-Line Range of Stands & Trolleys

The Rhobus® Lite is capable of accepting a wide variety of screen sizes with lockable equipment and cable management within mast. Convenient power cable input with built-in IEC socket.

- Easily swap-over from wheeled base to static base at any time.
- Rapid set-up with removable equipment rack, letting you pre-populate prior to installation.
- Includes PZX1 universal screen mount (VESA 200x200 to 600x400) as standard. Alternative mount options available.
- Ideal for video conferencing (pages 32-33) and meeting rooms (shelves available page 17).
- Two different trolley base styles to choose from.
- Built-in IEC socket for rapid set-up, especially when moving between rooms.
- Pallet delivery.



Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Screen Size	VESA Fixing (Min / Max)	Weight Capacity	Colour
RHL100 Standard Trolley (Screen Centre: 1480mm)	958.12	1577 x 656 x 614	52.8kg	33 - 57"	200x200 / 600x400	60kg	■ □
RHLBD100 Standard Bolt Down (Screen Centre: 1375mm)	873.77	1470 x 495 x 260	36.9kg	33 - 57"	200x200 / 600x400	60kg	■ □

Extra Heavy Duty Versions for Large Format Screens

Axia® Titan stands and trolleys are designed for large format or multi-screen applications, these trolleys incorporate extra heavy duty mast sections and increased base footprint to accommodate large screen sizes and heavier loads.

- Braked wheels fitted as standard.
- Includes PZX9 universal screen mount (VESA 300x300 to 1000x600) as standard. Alternative mount options available.
- Optional toughened glass or all metal shelves available.
- Powalift version available, see page 19.
- Larger 2m stands and trolleys are available upon request.

Safety Note: Safety always being the first priority, we recommend large or heavy screens being installed by qualified personnel. Always manoeuvre and position trolleys on flat and even surfaces.

Please note: prices quoted are ex-works as this unit is despatched by dedicated courier or may be collected.



Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Screen Size	VESA Fixing (Min / Max)	Weight Capacity	Colour
AXT15T Standard Trolley (Screen Centre: 1600mm)	1145.50	1662 x 1217 x 734	52.9kg	71 - 110"	300x300 / 1000x600	150kg	■
AXT15BD Standard Bolt Down (Screen Centre: 1500mm)	1245.80	1512 x 515 x 395	40.6kg	71 - 110"	300x300 / 1000x600	150kg	■
AXT15P Standard Plinth (Screen Centre: 1500mm)	1051.50	1545 x 1217 x 734	49.8kg	71 - 110"	300x300 / 1000x600	150kg	■



Electronic Control & PowaLift® Technology Combined

Operated by wireless remote or manual switching, the PowaLift™ range enables screens to be raised or lowered smoothly through 700mm stopping safely at any point.

These units serve many important needs, particularly in the field of education, enabling young children or wheel chair users to interact with touch screens. Height control also makes it easy to move units from one location to another through doorways.

- All versions come complete with universal screen mount, hand-held remote plus manual switching and 4-way power socket as standard.
- Well proven technology.
- Quality, long life components.
- Caters for screens from 33 - 110".
- Raise or lower through 700mm with the ability to stop safely at any point.
- Variety of versions to suit any specification/environment.
- Laptop platform arms available.
- Video conference accessories available, see page 32-33.



Floor-to-Wall
PowaLift Stand (AVMW7)

All These Versions Available:



Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Screen Size	VESA Fixings	Weight Capacity	Colour
AVMT71 PowaLift™ Trolley (Screen Centre: 896-1596mm)	1350.30	1804 x 1076 x 607	89.7kg	33 - 70"	200x200 / 600x400	100kg	■
AVMW71 PowaLift™ Floor-to-Wall Stand (Screen Centre: 844-1544mm)	1060.50	1662/1760 x 780 x 233	85.5kg	33 - 70"	200x200 / 600x400	100kg	■
AVMW91 PowaLift™ Floor-to-Wall Stand (Screen Centre: 844-1544mm)	1195.80	1662/1760 x 1070 x 273	81.8kg	71 - 110"	300x300 / 1000x600	150kg	■
RHPL100-HD Rhobus® Heavy Duty Trolley (Screen Centre: 1084-1784mm)	2170.80	1980 x 1200 x 659	100.3kg	71 - 110"	300x300 / 1000x600	150kg	■
RHPLFW Rhobus® Heavy Duty Floor-to-Wall Stand (Screen Centre: 982-1682mm)	1909.35	1877 x 1070 x 400	78.2kg	71 - 110"	300x300 / 1000x600	150kg	■
AXT15TPL Axia® Titan Heavy Duty Trolley (Screen Centre: 1154-1854mm)	2080.40	2040 x 1224 x 732	73.5kg	71 - 110"	300x300 / 1000x600	200kg	■
NST2PL Nest-Star® Heavy Duty Trolley (Screen Centre: 950-1850mm)	2236.70	1998 x 1115 x 720	83.7kg	71 - 110"	300x300 / 1000x600	150kg	■



Convenient 'Package-Priced' Kits

These 'package-priced' kits offer ease and convenience for specifiers and installers, combining ceiling plate, chrome column & universal tilting mount for a typical installation. Wall fixable suspension kits also listed below.

Ask us about...

Multi-screen suspension kits, now available.



Ceiling Suspension Kits

- Single column solutions include PZW1 universal tilting mounts (VESA 200x200 to 600x400).
- For a smaller PZW3 universal mount, change the code prefix to 'KP3'.
- Twin column solutions either include a PZX9 universal mount (VESA 300x300 to 1000x600) or a PZX10 universal mount (VESA's up to 1500x600).
- For large back-to-back kits up to 110" - please call to discuss.



Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Screen Size	VESA Fixing (Min / Max)	Weight Capacity	Colour
KP110CB 1m Single Screen Suspension Kit (PZW1)	215.00	1307 x 765 x 160	10.6kg	40 - 70"	200x200 / 600x400	60kg	■
KP120CB 2m Single Screen Suspension (PZW1)	247.50	2307 x 765 x 160	12.5kg	40 - 70"	200x200 / 600x400	60kg	■
KP130CB 3m Single Screen Suspension (PZW1)	280.00	3307 x 765 x 160	14.3kg	40 - 70"	200x200 / 600x400	60kg	■
KP920CB 2m Single Screen Suspension (PZX9)	459.50	2476 x 1070 x 293	32.2kg	71 - 110"	300x300 / 1000x600	120kg	■
KP930CB 3m Single Screen Suspension (PZX9)	524.50	3476 x 1070 x 293	35.9kg	71 - 110"	300x300 / 1000x600	120kg	■
KP1020CB 2m Single Screen Suspension (PZX10)	548.30	2476 x 1600 x 325	41.3kg	71 - 110"	400x600 / 1500x600	120kg	■
KP1030CB 3m Single Screen Suspension (PZX10)	613.30	3476 x 1600 x 325	44.9kg	71 - 110"	400x600 / 1500x600	120kg	■
KP110DB 1m Back-to-Back Screen Suspension Kit (PZW1x2)	365.00	1328 x 765 x 286	18.8kg	40 - 70"	200x200 / 600x400	45kg*	■
KP120DB 2m Back-to-Back Screen Suspension Kit (PZW1x2)	397.50	2328 x 765 x 286	20.6kg	40 - 70"	200x200 / 600x400	45kg*	■
KP130DB 3m Back-to-Back Screen Suspension Kit (PZW1x2)	430.00	3328 x 765 x 286	22.5kg	40 - 70"	200x200 / 600x400	45kg*	■

*max weight per screen

Wall Arm Suspension Kits

- Single column solutions include PZW1 universal tilting mounts (VESA 200x200 to 600x400 versions).
- Small screen PZW3 universal mount versions available.
- For larger kits - please call to discuss.



Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Screen Size	VESA Fixing (Min / Max)	Weight Capacity	Colour
KPWB1 Direct Coupled Wall Arm Kit (PZW1)	229.90	468 x 765 x 537	12.7kg	40 - 70"	200x200 / 600x400	60kg	■
KP105WB 0.5m Column Wall Arm Kit (PZW1)	247.60	903 x 765 x 537	14.1kg	40 - 70"	200x200 / 600x400	60kg	■
KP110WB 1m Column Wall Arm Kit (PZW1)	263.85	1403 x 765 x 537	15.0kg	40 - 70"	200x200 / 600x400	60kg	■



Standing Out Made Simple!

Our popular alternative methods of floor-to-ceiling installation. Available as standard packages (up to a nominal 4m) or in component form using our standard components listed on pages 30-31. Floor fed services can be accommodated using ESF or AVF floor plates which provide cable management (see page 30).

Ceiling heights greater than 4m can be accommodated using longer columns.
Floor-to-Wall versions with 2m columns as standard, listed below.

Ask us about...

Twin side-by-side screen options, now available.



Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Screen Size	VESA Fixing (Min / Max)	Weight Capacity	Colour
FCUS3 Single Column, Single Screen Kit (PZX3)	360.00	4094 x 540 x 176	16.0kg	40 - 57"	200x200 / 400x400	60kg	■
FCUD3 Single Column, Back-to-Back Screen Kit (PZX3x2)	468.30	4094 x 540 x 193	21.1kg	40 - 57"	200x200 / 400x400	35kg*	■
FCAS1 Twin Column, Single Screen Kit (PZX1)	614.35	4115 x 765 x 238	29.7kg	58 - 70"	200x200 / 600x400	60kg	■
FCAD1 Twin Column, Back-to-Back Screen Kit (PZX1x2)	723.30	4115 x 765 x 238	36.6kg	58 - 70"	200x200 / 600x400	35kg*	■
FCAVM Twin Column Optional In-Fill Panels	396.00	n/a	13.2kg	n/a	n/a	n/a	■
FCGS1 Goal Post Columns, Single Screen Kits (FCS1)	537.80	4094 x 1160 x 160	28.7kg	58 - 70"	200x200 / 600x400	60kg	■
FCGD1 Goal Post Columns, Back-to-Back Screen Kit (FCS1)	636.20	4094 x 1160 x 160	34.3kg	58 - 70"	200x200 / 600x400	35kg*	■
FCGSH Goal Post Columns, Single Screen Kit (FCS4)	667.50	4094 x 1295 x 160	35.1kg	71 - 110"	300x300 / 1000x600	120kg	■
FCGDH Goal Post Columns, Back-to-Back Screen Kit (FCS4)	832.70	4094 x 1295 x 160	47.3kg	71 - 110"	300x300 / 1000x600	60kg*	■
FCGSH10 Goal Post Columns, Single Screen Kit (FCS10)	756.30	4094 x 1945 x 160	40.5kg	100 - 130"	1500x600 only	150kg	■

*max weight per screen



Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Screen Size	VESA Fixing (Min / Max)	Weight Capacity	Colour
FWUS3 Single Column, Single Screen Kit (PZX3)	316.55	2060 x 540 x 200	11.3kg	40 - 57"	200x200 / 400x400	60kg	■
FWAS1 Twin Column, Single Screen Kit (PZX1)	400.65	2097 x 765 x 240	19.3kg	58 - 70"	200x200 / 600x400	60kg	■
FWAVM Twin Column Optional In-Fill Panels	179.05	n/a	6.4kg	n/a	n/a	n/a	■
FWGS1 Goal Post Columns, Single Screen Kit (FCS1)	470.10	2007 x 1230 x 171	21.5kg	58 - 70"	200x200 / 600x400	60kg	■
FWGSH Goal Post Columns, Single Screen Kit (FCS4)	599.80	2270 x 1365 x 171	28.0kg	71 - 110"	300x300 / 1000x600	120kg	■
FWGSH10 Goal Post Columns, Single Screen Kit (PZX10)	688.60	2270 x 2015 x 171	33.4kg	100 - 130"	1500x600 only	150kg	■

*max weight per screen



Multi-Display Rail Systems

Our ScreenRail™ system allows integrators to mount screens in-line, in any number. Ideal for Digital Menus, Video Walls & Telepresence etc. Can be wall mounted or ceiling suspended.

ScreenRail™ systems comprise a choice of standard rail modules and a range of screen arms to cover all applications. Back-to-back versions are also available.


Choose From Individual Components Listed Below or as Package Kits Opposite (page 21)

UNICOL's modular style allows you to mix and match components to create custom solutions to suit a wide range of requirements.

Installers are advised to call us with details of screen width and VESA fixing sizes to enable us to provide the ideal package solution.



MD2U140



MD9U140

Product Image	Part Code & Description Specification	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Weight Capacity	Colour
	PZF0 330mm High Standard Universal Mount Arms (Pair of) Max VESA height of 200mm. Supplied with M4, M5, M6 & M8 fixings. Incorporates 5mm screen levelling. MD2U compatible.	41.50	332 x 41 x 40.5 (per arm)	1.2kg	60kg	■
	PZF3 440mm High Standard Universal Mount Arms (Pair of) Max VESA height of 400mm. Supplied with M4, M5, M6 & M8 fixings. Incorporates 5mm screen levelling. MD2U compatible.	41.50	440 x 41 x 40.5 (per arm)	1.4kg	60kg	■
	PZF5 640mm High Standard Universal Mount Arms (Pair of) Max VESA height of 600mm. Supplied with M4, M5, M6 & M8 fixings. Incorporates 5mm screen levelling. MD2U compatible.	41.50	640 x 41 x 40.5 (per arm)	1.9kg	60kg	■
	PPZF5 840mm High Standard Universal Mount Arms (Pair of) Max VESA height of 800mm. Supplied with M4, M5, M6 & M8 fixings. Incorporates 5mm screen levelling. MD2U compatible.	55.25	840 x 41 x 40.5 (per arm)	2.4kg	60kg	■
	PZF9 700mm High Heavy Duty Universal Mount Arms (Pair of) Max VESA height of 600mm. Supplied with M4, M5, M6 & M8 fixings. Incorporates 5mm screen levelling. MD9U compatible.	61.50	700 x 41 x 45 (per arm)	2.8kg	150kg	■
	VWA1 Landscape Tool-Less Fully Adjustable Arms (Pair of) Max VESA height of 400mm. Features 15mm in-out adjustment and 15mm of fine levelling adjustment.	139.65	537 x 81 x 63 (per arm)	2.8kg	45kg	■
	VWA2 Portrait Tool-Less Fully Adjustable Arms (Pair of) Max VESA height of 600mm. Features 15mm in-out adjustment and 15mm of fine levelling adjustment.	139.65	740 x 81 x 63 (per arm)	3.6kg	45kg	■
	MD2U35 350mm Standard Rail Module Can be bolted together with other MD2U lengths to suit.**	69.25	350 x 235 x 33	1.6kg	45kg*	■
	MD2U70 700mm Standard Rail Module Can be bolted together with other MD2U lengths to suit.**	88.50	700 x 235 x 33	3.5kg	45kg*	■
	MD2U140 1400mm Standard Rail Module Can be bolted together with other MD2U lengths to suit.**	127.00	1400 x 235 x 33	6.3kg	45kg*	■
	MD9U90 900mm Heavy Duty Rail Module Can be bolted together with other MD9U lengths to suit.**	136.50	900 x 378 x 62	10.1kg	45kg*	■
	MD9U140 1400mm Heavy Duty Rail Module Can be bolted together with other MD9U lengths to suit.**	179.00	1400 x 378 x 62	14.7kg	45kg*	■
	MD9UJ Heavy Duty ScreenRail Joiner Required for combining two MD9U rail modules.	34.00	346 x 335 x 35	3.0kg	45kg*	■
	SR10 10° Fixed Tilt Optional Stand-Off Bracket (Pair of)	36.20	186 x 85 x 85	1.1kg	n/a	■
	SR20 20° Fixed Tilt Optional Stand-Off Bracket (Pair of)	38.40	176 x 85 x 196	1.4kg	n/a	■

**Other lengths of rail are readily available to order, please enquire to find out more.

*max weight per screen



ScreenRail™ Menu Board Kits

- Pre-selected kits for 46", 50" or 55" screens. Please enquire for other sizes.
- Wall mounted or 1.5m column ceiling suspension options.
- All the parts necessary for fixing screens in-line.
- Includes VWA1 landscape tool-less fully adjustable arms.
- Quick and easy to install.
- Ideal for cafes, restaurants & more.

Please state screen make and model when ordering.
Call for any advice or assistance as required.




Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Screen Size	VESA Fixing (Min / Max)	Weight Capacity	Colour
MBW346 3x1 46" Wall Mounted Menu Board Kit	672.95	538 x 2800 x 69	21.1kg	46"	Max. Height: 400	35kg*	■
MBW350 3x1 50" Wall Mounted Menu Board Kit	761.45	538 x 3500 x 69	24.5kg	50"	Max. Height: 400	35kg*	■
MBW355 3x1 55" Wall Mounted Menu Board Kit	716.95	538 x 3600 x 69	25.1kg	55"	Max. Height: 400	35kg*	■
MBW446 4x1 46" Wall Mounted Menu Board Kit	928.60	538 x 4000 x 69	29.1kg	46"	Max. Height: 400	35kg*	■
MBW450 4x1 50" Wall Mounted Menu Board Kit	889.60	538 x 4210 x 69	31.0kg	50"	Max. Height: 400	35kg*	■
MBW455 4x1 55" Wall Mounted Menu Board Kit	972.60	538 x 4800 x 69	33.3kg	55"	Max. Height: 400	35kg*	■
MBC346 3x1 46" Ceiling Suspended Menu Board Kit	1020.95	1798 x 2800 x 287	35.3kg	46"	Max. Height: 400	35kg*	■
MBC350 3x1 50" Ceiling Suspended Menu Board Kit	1109.45	1798 x 3500 x 287	40.0kg	50"	Max. Height: 400	35kg*	■
MBC355 3x1 55" Ceiling Suspended Menu Board Kit	1064.95	1798 x 3600 x 287	40.0kg	55"	Max. Height: 400	35kg*	■
MBC446 4x1 46" Ceiling Suspended Menu Board Kit	1411.45	1798 x 4000 x 287	48.5kg	46"	Max. Height: 400	35kg*	■
MBC450 4x1 50" Ceiling Suspended Menu Board Kit	1372.45	1798 x 4210 x 287	50.5kg	50"	Max. Height: 400	35kg*	■
MBC455 4x1 55" Ceiling Suspended Menu Board Kit	1507.65	1798 x 4800 x 287	55.0kg	55"	Max. Height: 400	35kg*	■

*max weight per screen

ScreenRail™ Video Wall Kits

- Pre-selected kits for 46", 50" or 55" screens. Please enquire for other sizes.
- All the parts necessary for fixing screens in 2x2, 3x3 or 4x4 displays.
- Includes VWA1 landscape tool-less fully adjustable arms.
- Quick and easy to install.
- Ideal for retail and corporate environments.

Please state screen make and model when ordering.
Call for any advice or assistance as required.



Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Screen Size	VESA Fixing (Min / Max)	Weight Capacity	Colour
MV246 2x2 46" Video Wall Kit	856.60	538 x 1800 x 69 (per row)	27.9kg	46"	Max. Height: 400	35kg*	■
MV250 2x2 50" Video Wall Kit	889.60	538 x 2100 x 69 (per row)	30.9kg	50"	Max. Height: 400	35kg*	■
MV255 2x2 55" Video Wall Kit	889.60	538 x 2100 x 69 (per row)	30.9kg	55"	Max. Height: 400	35kg*	■
MV346 3x3 46" Video Wall Kit	2018.85	538 x 2775 x 69 (per row)	63.4kg	46"	Max. Height: 400	35kg*	■
MV350 3x3 50" Video Wall Kit	2284.35	538 x 2398 x 69 (per row)	57.0kg	50"	Max. Height: 400	35kg*	■
MV355 3x3 55" Video Wall Kit	2150.85	538 x 3600 x 69 (per row)	75.4kg	55"	Max. Height: 400	35kg*	■
MV446 4x4 46" Video Wall Kit	3714.40	538 x 3998 x 69 (per row)	116.5kg	46"	Max. Height: 400	35kg*	■
MV450 4x4 50" Video Wall Kit	3558.40	538 x 4195 x 69 (per row)	124.0kg	50"	Max. Height: 400	35kg*	■
MV455 4x4 55" Video Wall Kit	3890.40	538 x 4795 x 69 (per row)	133.0kg	55"	Max. Height: 400	35kg*	■

*max weight per screen



Approved Mounts Specifically Designed for Each Make & Model

Xactmatch™ mounts take all the guesswork out of ordering and installing screen mounts. Whatever the make or model and whether stand, trolley, wall or ceiling fixed, our range covers all popular makes of screen and are available in landscape or portrait versions.

- Factory designed and tested for each screen model.
- Cable entry and cooling vent positions allowed for.
- Correct screen fixings included.

*Please state screen make and model when ordering.
Images are illustrative and final product may vary slightly from what is shown.*



PLX Examples



PLW Examples


Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Screen Size	VESA Fixing (Min / Max)	Weight Capacity	Colour
PLX1 Landscape Flat Dedicated Mount (up to 70")	129.20	variable	variable	33 - 70"	dedicated	80kg	■
PLX3 Landscape Flat Dedicated Mount (up to 110")	205.60	variable	variable	71 - 110"	dedicated	150kg	■
PPX1 Portrait Flat Dedicated Mount (up to 70")	129.20	variable	variable	33 - 70"	dedicated	80kg	■
PLW1 Landscape Tilting Dedicated Mount (up to 70")	148.40	variable	variable	33 - 70"	dedicated	80kg	■
PLW3 Landscape Tilting Dedicated Mount (up to 110")	230.50	variable	variable	71 - 110"	dedicated	150kg	■
PPW1 Portrait Tilting Dedicated Mount (up to 70")	148.40	variable	variable	33 - 70"	dedicated	80kg	■
PPW3 Portrait Tilting Dedicated Mount (up to 110")	230.50	variable	variable	71 - 110"	dedicated	150kg	■

Smoothly Rotate Screens from Landscape to Portrait

Designed to be wall mounted or to fit with most UNICOL stands, trolleys and floor-to-ceiling systems. In-built safety stops allow precise indexing to both landscape and portrait positions. Supplied with screen mount. Use RotaMount™ in conjunction with our range of special Xactmatch™ mounts, stating make and model of screen when ordering. Larger display mounts also available - enquire to discuss.

*Safety Note: Ensure safe cable management when using these units.
Cables should be sheathed or otherwise protected and have sufficient freedom of movement.*

*Please state screen make and model when ordering.
Images are illustrative and final product may vary slightly from what is shown.*



RTM7 Example

RTM110

RTM9003

RTM9004

Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Screen Size	VESA Fixing (Min / Max)	Weight Capacity	Colour
RTM1 Dedicated RotaMount™ inc. PLX Mount (up to 70")	248.20	variable	variable	33 - 70"	dedicated	75kg	■
RTM7 HD Dedicated RotaMount™ inc. PLX mount (up to 110")	428.30	variable	variable	71 - 110"	dedicated	75kg	■
RTM110 Universal Flat-to-Tilt VS1000 RotaMount™ (up to 70")	313.60	625 x 450 x 147	10.3kg	33 - 70"	200x200 / 600x400	75kg	■
RTM150 Universal Flat-to-Tilt Avesta RotaMount™ (up to 70")	313.60	625 x 450 x 147	10.3kg	33 - 70"	200x200 / 600x400	75kg	■
RTM9003 200x200 to 400x400 VESA Rotamount™ (up to 70")	248.20	454 x 366 x 81	6.7kg	33 - 70"	200x200 / 400x400	75kg	■
RTM9004 400x200 to 600x400 VESA Rotamount™ (up to 70")	248.20	490 x 635 x 86	11.7kg	33 - 70"	600x300 / 600x400	75kg	■




Fully Adjustable, Industry Standard Universal Wall Mounts

The Pozimount® range is designed to work as a standalone wall mount or paired with any UNICOL stand, wall arm or ceiling suspension solution. Universal screen fixing kit supplied as standard.

Flat-to-Wall Versions

- Features double aperture and built-in screen levelling as standard.
- Covers VESA's up to 1500x1000!
- Portrait (PPZX) and landscape (PZX) versions available.



Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Screen Size	VESA Fixing (Min / Max)	Weight Capacity	Colour
PZX0 100x100 to 400x200 VESA Universal Mount (up to 40")	98.40	332 x 465 x 45	3.4kg	30 - 40"	100x100 / 400x200	60kg	■
PZX3 200x200 to 400x400 VESA Universal Mount (up to 70")	98.40	440 x 540 x 45	4.1kg	33 - 70"	200x200 / 400x400	60kg	■
PZX1 200x200 to 600x400 VESA Universal Mount (up to 70")	98.40	540 x 765 x 45	5.5kg	33 - 70"	200x200 / 600x400	60kg	■
PZX5 200x200 to 800x600 VESA Universal Mount (up to 75")*	98.40	640 x 870 x 51	4.9kg	33 - 75"	200x200 / 800x600	60kg	■
PZX9 300x300 to 1000x600 VESA Universal Mount (up to 110")	165.20	700 x 1070 x 51	12.1kg	71 - 110"	300x300 / 1000x600	150kg	■
PZX10 400x600 to 1500x1000 VESA Universal Mount (up to 110")	254.00	1055 x 1600 x 52	21.1kg	71 - 110"	400x600 / 1500x1000	150kg	■
PPZX2 400x400 to 400x600 VESA Universal Mount (up to 70")	98.40	700 x 465 x 51	4.6kg	33 - 70"	400x400 / 400x600	60kg	■
PPZX9 300x300 to 600x1000 VESA Universal Mount (up to 110")	165.20	1055 x 765 x 51	9.9kg	71 - 110"	300x300 / 600x1000	150kg	■

*up to 75" when installed as a wall mount or on RH100 ONLY. Otherwise compatible to 70".

Tilting Versions

- Features double aperture and built-in screen levelling as standard.
- Patented finger tip tilt control makes viewing angle adjustment easy to set.
- Variable tilt from 0° to 11°.



Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Screen Size	VESA Fixing (Min / Max)	Weight Capacity	Colour
PZW0 200x100 to 400x200 VESA Universal Mount (up to 40")	118.40	327 x 465 x 64-115	4.0kg	30 - 40"	200x200 / 400x200	60kg	■
PZW3 200x200 to 400x400 VESA Universal Mount (up to 57")	118.40	435 x 540 x 64-115	4.7kg	33 - 57"	200x200 / 400x400	60kg	■
PZW1 200x200 to 600x400 VESA Universal Mount (up to 57")	118.40	535 x 765 x 64-115	6.2kg	33 - 57"	200x200 / 600x400	60kg	■
PZW8 200x200 to 600x400 VESA Universal Mount (up to 70")	150.80	535 x 700 x 64-115	6.2kg	58 - 70"	200x200 / 600x400	60kg	■

Slim Profile Versions

- Please check that your screen has cable connections that allow for the use of a slim style wall mount.




Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Screen Size	VESA Fixing (Min / Max)	Weight Capacity	Colour
VZWC1 Ceiling Mount Version (0-11° Tilt)	93.70	450 x 650 x 109	3.6kg	40 - 57"	200x200 / 600x400	40kg	■
VZWX1 Flat-to-Wall Mount Version	69.40	440 x 490 x 47	2.8kg	40 - 57"	200x200 / 400x400	40kg	■
VZWX5 Flat-to-Wall Mount Version	87.20	640 x 990 x 47	5.1kg	65" +	200x200 / 900x600	100kg	■
VZWW2 Tilting Wall Mount Version (0-11° Tilt)	89.40	440 x 490 x 47	3.4kg	40 - 57"	200x200 / 400x400	40kg	■
VZVW1 VS1000 Trolley Version (0-11° tilt)	96.80	450 x 650 x 67	3.6kg	40 - 57"	200x200 / 600x400	40kg	■



Small Screen Mount Range

Designed for a variety of installation requirements including flat-to-wall, swivel and tilt wall mounts, lectern style and ceiling suspension.

Each mount is easy to use, reliable and caters for a wide variety of small VESA sizes.




Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Screen Size	VESA Fixing (Min / Max)	Weight Capacity	Colour
LVC Slim-Line Flat-to-Wall Mount (up to 21")	17.80	123 x 116 x 11	0.3kg	15 - 21"	75x75 / 100x100	20kg	White
SVC1 Clip-On Slim-Line Flat-to-Wall Mount (up to 32")	45.10	175 x 220 x 22	0.9kg	15 - 32"	75x75 / 200x100	35kg	White
SVC2 Clip-On Slim-Line Flat-to-Wall Mount (up to 32")	55.10	275 x 220 x 23	1.2kg	15 - 32"	75x75 / 200x200	35kg	White
STV1 Adjustable Tilting Wall Mount (up to 32")	59.30	224 x 220 x 48	1.0kg	15 - 32"	75x75 / 200x200	15kg	Black
SMV1V Adjustable Swivel & Tilt Wall Mount (up to 32")	79.10	224 x 220 x 126-151	1.5kg	15 - 32"	75x75 / 200x200	15kg	Black
SEV1 Lectern Style Single Column Mount (up to 32")	86.80	227 x 257 x 136	1.7kg	15 - 32"	75x75 / 200x200	15kg	Black
SCV1 Swivel & Tilt Single Column Suspension (up to 32")	84.30	287 x 220 x 71-106	1.7kg	15 - 32"	75x75 / 200x200	15kg	Black
DCV1 Swivel & Tilt Back-to-Back Suspension (up to 32")	136.50	224 x 220 x 159-232	2.3kg	15 - 32"	75x75 / 200x200	15kg	Black

Concealed Equipment Racks for Neat, Serviceable Device Storage

The VertiSlide™ serviceable cassette mount range incorporates wall fixed screen mounts with vertical or horizontal sliding, detachable slotted racks.

- Enables AV equipment to be concealed securely out of sight behind the screen.
- Allows for single technician servicing of AV equipment without the need to remove the screen.
- Spacious, removable, slotted AV trays that fit a wide variety of AV devices.
- In the event of AV equipment failure or upgrade speedy swap-out the rack can be achieved.
- Video conferencing equipment can be mounted above or below screens (see page 33).



Spacious Removable Racking

- VTS1 rack: 495w x 588h mm
- VTS2 rack: 345w x 452h mm
- HTS1 rack: 599w x 495h mm
- HTS2 rack: 295w x 264h mm




Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Screen Size	VESA Fixing (Min / Max)	Weight Capacity	Colour
VTS1 Vertical Sliding Serviceable Cassette (up to 110")	578.36	666-1184 x 784 x 80	25.2kg	71 - 110"	400x200 / 900x600	110kg	Black
VTS2 Vertical Sliding Serviceable Cassette (up to 70")	384.24	520-886 x 634 x 80	18.1kg	46 - 70"	200x200 / 600x400	60kg	Black
HTS1 Horizontal Sliding Serviceable Cassette (up to 110")	599.30	797 x 1567-2170 x 95	25.0kg	71 - 110"	200x200 / 1000x600	110kg	Black
HTS2 Horizontal Sliding Serviceable Cassette (up to 70")	405.14	568 x 848-1248 x 95	15.2kg	46 - 70"	200x200 / 600x400	60kg	Black




Innovative, Installer Friendly Pull-Out Service Mounts

These pull-out serviceable mounts offer the ability to populate the perforated AV trays with a broad range of devices for a chosen installation, either on-site or remotely.

- Spacious opening depth of 350mm.
- Lockable quick-release latch provides easy access when required and device security when closed.
- Removable AV trays offer easy maintenance and allow for pre-population of devices if required.
- 3 depth adjustment settings allow you to cater for larger AV devices when closed (115 - 135mm).
- 310w x 488h mm AV trays offer ample space for a wide range of AV devices.
- AV trays can be adjusted laterally to any desired position to allow for mains & cable inputs.
- Patented finger tip tilt control from 0° to 11°.
- Compatible with our sound/video bar and video conference camera mounts (see page 32-33).
- 1500 VESA versions available - please enquire.



Universal Behind-Screen Service Mount (ASMW1)



ASMW1




ASMW2



Installation Options

Twin column floor-to-wall and floor-to-ceiling compatible when paired with VWPA5 'U' clamps.



Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Screen Size	VESA Fixing (Min / Max)	Weight Capacity	Colour
ASMW1 Universal Behind-Screen Service Mount	505.60	600 x 952 x 112-352	20.8kg	50 - 90"	200x200 / 800x400	80kg	Black / White
ASMW2 Universal Behind-Screen Service Mount	360.20	600 x 552 x 75-352	15.8kg	50 - 75"	200x200 / 400x400	60kg	Black / White
ASMW9 HD Universal Behind-Screen Service Mount	650.00	-- please enquire for more info --		90 - 110"	300x300 / 800x600	120kg	Black / White
VWPA5 Mount 'U'-Clamps (pack of 4)	82.50	50 x 105 x 63	0.8kg	n/a	n/a	n/a	Black

Under-Desk Cassette Mounts

Our under-desk cassettes incorporate a hinged slotted removable rack for mounting small AV equipment. When installed, AV equipment remains securely hidden under desk. Whenever access or equipment upgrade is required, rack can be unlocked and hinged down for ready access. Unit incorporates neat easy close mechanism.

*Custom versions available in a wide range of sizes



UDM1 (Closed)


UDM1 (Open)

Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Internal Dims (H x W x Dmm)	Weight	Weight Capacity	Colour
UDM1 Universal Under-Desk Serviceable Cassette	256.60	70 x 590 x 400	65 x 585 x 395	3.8kg	10kg	Black




User Adjustable Swivel & Parallel Action Wall Mounts

The extra versatility of our Panarm™ range provides increased viewing flexibility and/or easy AV management when installed in alcoves or corners. These all steel, lasting quality and user adjustable joint tensioning arms extend to allow access to the rear of the screen. Fine level adjustment is featured as standard.



Compact Small Screen Arms

- Compact folding size of just 77mm (SRV) or 84mm (SSV). Fully extend to 230mm (SRV) or 460mm (SSV)
- Fits small screen VESA sizes and offers up to 10° tilt.



SRV (Folded)



SSV (Folded)

Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Screen Size	VESA Fixing (Min / Max)	Weight Capacity	Colour
SRV Compact Single Arm Wall Mount	87.10	190 x 220-335 x 77-230	2.0kg	15 - 32"	75x75 / 200x100	20kg	■
SSV Compact Dual Arm Wall Mount	125.30	190 x 220-322 x 84-460	2.8kg	15 - 32"	75x75 / 200x100	20kg	■

Heavy Duty Single & Dual Arms

- Units fold 115mm (PLS) / 155mm (PLA) to wall and reach 430mm (PLS) / 730mm (PLA).
- Fitted with universal screen mount.
- Offers full swivel and tilt.
- Use PZX3 for 32" or portrait mounting.



PLS1X1 (Extended)



PLA1X1 (Extended)

Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Screen Size	VESA Fixing (Min / Max)	Weight Capacity	Colour
PLS1X1 Heavy Duty Single Arm Wall Mount (PZX1)	206.80	540 x 765 x 123-432	9.9kg	33 - 57"	200x200 / 600x400	35kg	■
PLS1X3 Heavy Duty Single Arm Wall Mount (PZX3)	206.80	440 x 540-654 x 123-432	8.4kg	33 - 57"	200x200 / 400x400	35kg	■
PLA1X1 Heavy Duty Dual Arm Wall Mount (PZX1)	242.10	540 x 765 x 155-728	12.5kg	33 - 57"	200x200 / 600x400	30kg	■
PLA1X3 Heavy Duty Dual Arm Wall Mount (PZX3)	242.10	440 x 540-585 x 155-728	11.0kg	33 - 57"	200x200 / 400x400	30kg	■

Heavy Duty Parallel Action Dual Arms

- PLA2X1 features a PZX1, folds to 155mm and fully extends to 580mm.
- PLA2X9 features a PZX9, folds to 194mm and fully extends to 620mm.
- PLA4 has a build in mount, folds to 120mm and fully extends to 535mm
- PLA4 also features adjustable stops to prevent screens being pushed in.



PLA2X1 (Extended)



PLA4 (Extended)

Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Screen Size	VESA Fixing (Min / Max)	Weight Capacity	Colour
PLA2X1 Heavy Duty Parallel Action Dual Arm (up to 70")	288.10	540 x 765 x 153-579	18.0kg	58 - 70"	200x200 / 600x400	60kg	■
PLA2X9 Heavy Duty Parallel Action Dual Arm (up to 90")	400.70	700 x 1070 x 194-620	27.4kg	71 - 90"	300x300 / 1000x600	60kg	■
PLA4 Heavy Duty Parallel Action Dual Arm (up to 110")	985.25	535 x 870 x 118-535	23.4kg	71 - 110"	400x400 / 900x600	130kg	■



Wall Suspension Arms for Screens, Projectors, Guardboxes & More

These standard wall arm units are designed for use with our signature chrome columns, screen mounts, projector mounts and Guardboxes. There are two versions available;

- Peg ended allows direct connection of mount (using PS1 suspension adapter).
- Socket ended allows for column suspension. They can be fitted with any UNICOL screen or projector mount listed in this catalogue.
- Other arm lengths (mm) are available, please enquire for more details.

See pages 24 & 25 for screen mounts and page 30 for PS1 adapters. Peg ended solutions are also compatible with the KP1CB or KP3CB universal ceiling suspension mounts.



Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Arm Length	Weight	Weight Capacity	Colour
WB0 Small Wall Arm with Peg (356mm Arm Length)	58.20	263 x 117 x 390	356mm	2.8kg	25kg	■ □
WB02 Small Wall Arm with Socket (356mm Arm Length)	62.10	263 x 117 x 390	356mm	3.4kg	25kg	■ □
WB1 Large Wall Arm with Peg (461mm Arm Length)	76.10	391 x 172 x 510	461mm	5.0kg	55kg	■ □
WB2 Large Wall Arm with Socket (461mm Arm Length)	77.55	391 x 172 x 510	461mm	5.5kg	55kg	■ □

Behind-Screen PC Housings

We manufacture screen mounts incorporating housings for small form factor PCs. These units greatly aid simple installation. Ample storage is provided by PC housing up to 320w x 100d x 330h mm, catering for a wide range of form factor and larger PC units.

Units listed below incorporate our Pozimount universal mounts in tilting and non-tilting versions.

Custom PC Housing Solutions

Our in-house manufacturing facilities are constantly developing unique solutions - call us to discuss your next project.

















Universal PC Housing with PZX1 (PCZX1)



Please state screen make and model and PC being housed when ordering.

Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Screen Size	VESA Fixing (Min / Max)	Weight Capacity	Colour
PCZX1 Universal PC Housing with PZX1 Storage Dimensions: 330h x 320w x 100d mm	233.80	540 x 765 x 174	9.7kg	33 - 70"	200x200 / 600x400	60kg	■
PCZX3 Universal PC Housing with PZX3 Storage Dimensions: 330h x 320w x 100d mm	233.80	440 x 540 x 174	8.2kg	33 - 70"	200x200 / 400x400	60kg	■
PCZW1 Universal Flat-to-Tilt PC Housing with PZW1 Storage Dimensions: 330h x 320w x 100d mm	253.80	540 x 765 x 180	10.3kg	33 - 70"	200x200 / 600x400	60kg	■
PCZW3 Universal Flat-to-Tilt PC Housing with PZW3 Storage Dimensions: 330h x 320w x 100d mm	253.80	440 x 540 x 180	8.9kg	33 - 70"	200x200 / 400x400	60kg	■



 <div><div></div><div></div></div>	<div><h3>Standard Ceiling Plate</h3><p>Use with any column length for suspending projectors and single screens up to 57". Has cable entry.</p><p>Plate holes: 120x120mm</p><p>Max Weight Capacity: 60kg</p><p>CP1 £28.70 exc. VAT</p></div>	 <div><div></div><div></div></div>	<div><h3>Large Ceiling Plate</h3><p>For long column or heavy installations typically up to 70" or twin 57" screens. Has cable entry.</p><p>Plate holes: 240x240mm</p><p>Max Weight Capacity: 120kg</p><p>CP2 £42.90 exc. VAT</p></div>																		
 <div><div></div><div></div></div>	<div><h3>Gantry Ceiling Plate</h3><p>Primarily for spider gantry units. The internal safety mechanism allows limited movement & protects fixings.</p><p>Plate holes: 300x300 & 500x500mm</p><p>Max Weight Capacity: 270kg</p><p>CP5 £108.40 exc. VAT</p></div>	 <div><div></div><div></div></div>	<div><h3>Anti-Vibration Ceiling Plate</h3><p>Internal damping system provides floating action to reduce vibration from above.</p><p>Plate holes: 120x185mm</p><p>Max Weight Capacity: 60kg</p><p>CPAV1 £155.56 exc. VAT</p></div>																		
 <div><div></div><div></div></div>	<div><h3>Tube Clamp</h3><p>For suspending screens from lighting gantries, show stands or other structures. Screens up to 57".</p><p>Tube Diameter: up to 50mm</p><p>Max Weight Capacity: 45kg</p><p>TM05 £34.85 exc. VAT</p></div>	 <div><div></div><div></div></div>	<div><h3>Truss Clamp</h3><p>For suspending screens and projectors from standard truss.</p><p>Truss Diameter: 40 - 55mm</p><p>Max Weight Capacity: 120kg</p><p>CT1 (up to 57") £47.40 exc. VAT</p><p>CT2 (with safety hook) £48.60 exc. VAT</p></div>																		
 <div><div></div><div></div></div>	<div><h3>Internal Column Coupler</h3><p>Concealed within the column, this coupler joins columns together via 'through-bolt' holes. For ceiling suspension use only.</p><p>Max Weight Capacity: 120kg</p><p>CC £19.45 exc. VAT</p></div>	 <div><div></div><div></div></div>	<div><h3>Trim Disc</h3><p>TD1 (5cm diameter) £8.65 exc. VAT</p><h3>Retro-Fit Trim Disc</h3><p>TDRF (fits post-install) £14.75 exc. VAT</p><h3>Blanking Disc</h3><p>TDB1 (cover 5cm dia. holes) £8.65 exc. VAT</p></div>																		
 <div><div></div><div></div></div>	<div><h3>Single Column Suspension Adapter</h3><p>Ceiling adapter for dedicated PLX & PLW mounts only (page 23). 360° swivel.</p><p>Max Weight Capacity: 90kg</p><p>PS1 £4.30 exc. VAT</p></div>	 <div><div></div><div></div></div>	<div><h3>Back-to-Back Single Column Suspension Adapter</h3><p>Mount adapter for Pozimount and Xactmatch mounts. 360° swivel. Has cable entry. Typically suits up to 70".</p><p>Max Weight Capacity: 90kg</p><p>PS5 £112.60 exc. VAT</p></div>																		
 <div><div></div><div></div></div>	<div><h3>Single Column Adapters</h3><p>Use in conjunction with Pozimount and Xactmatch mounts. Can also be used for fixing columns to walls.</p><p>Max Weight Capacity: 90kg</p><p>PS3U1 (up to 70") £69.30 exc. VAT</p><p>For back-to-back use PS6UT1</p></div>	 <div><div></div><div></div></div>	<div><h3>Twin Column Adapters</h3><p>Use in conjunction with Pozimount and Xactmatch mounts. Can also be used for fixing twin columns to walls.</p><p>Max Weight Capacity: 120kg</p><p>PS3V1 (33 - 70") £72.95 exc. VAT</p><p>PS8 (back-to-back) £85.00 exc. VAT</p></div>																		
 <div><div></div><div></div></div> <div><p>Add 'C' for ceiling suspension i.e 500C.</p><p>Stainless steel available.</p></div>	<div><h3>Chrome Column Lengths</h3><table><tr><td>500</td><td>(500mm)</td><td>£16.25 exc. VAT</td></tr><tr><td>1000</td><td>(1000mm)</td><td>£32.50 exc. VAT</td></tr><tr><td>1500</td><td>(1500mm)</td><td>£48.75 exc. VAT</td></tr><tr><td>2000</td><td>(2000mm)</td><td>£65.00 exc. VAT</td></tr><tr><td>2500</td><td>(2500mm)</td><td>£81.25 exc. VAT</td></tr><tr><td>3000</td><td>(3000mm)</td><td>£97.50 exc. VAT</td></tr></table></div>	500	(500mm)	£16.25 exc. VAT	1000	(1000mm)	£32.50 exc. VAT	1500	(1500mm)	£48.75 exc. VAT	2000	(2000mm)	£65.00 exc. VAT	2500	(2500mm)	£81.25 exc. VAT	3000	(3000mm)	£97.50 exc. VAT	 <div><div></div><div></div></div>	<div><h3>Compact Bolt Down Bases</h3><p>Minimal footprint for fixed screen stands. M10 floor bolts (not supplied) fully recess into the base.</p><p>ESF (single 290 x 240mm) £85.60 exc. VAT</p><p>VSF (twin 400 x 300mm) £93.20 exc. VAT</p><p>AVF (twin 150mm centres) £93.20 exc. VAT</p></div>
500	(500mm)	£16.25 exc. VAT																			
1000	(1000mm)	£32.50 exc. VAT																			
1500	(1500mm)	£48.75 exc. VAT																			
2000	(2000mm)	£65.00 exc. VAT																			
2500	(2500mm)	£81.25 exc. VAT																			
3000	(3000mm)	£97.50 exc. VAT																			



 <p>Stub Column Ceiling Plates Allows direct connection of UNICOL PSU projector mounts etc. Max Weight Cap: 60kg (CP3) 120kg (CP4)</p> <p>CP3 (120 x 120mm holes) £27.40 exc. VAT CP4 (240 x 240mm holes) £41.60 exc. VAT</p>	 <p>Tilting Ceiling Plate Floor sloping or 'out-of-level' installations. Typically suits projectors and single screens up to 57". Plate holes: 120x120mm Max Weight Capacity: 60kg CP6 £49.00 exc. VAT</p>
 <p>Twin Column Ceiling Plates Typically suspends screens over 50". 110mm between sockets, enquire for 150mm centres. CP9 has 360° swivel. Max Weight Capacity: 200kg</p> <p>CP8 (220 x 180mm holes) £65.70 exc. VAT CP9 (240 x 240mm holes) £122.30 exc. VAT</p>	 <p>Girder Clamps For 75 - 250mm & 75 - 350mm wide girders. Adjust from level to extreme angles of tilt. Wider versions available Max Weight Capacity: 120kg</p> <p>GC25 (250mm span) £78.45 exc. VAT GC35 (350mm span) £82.55 exc. VAT</p>
 <p>Pipe Clamp Available in a wide range of sizes up to 400mm. Please state pipe diameter when ordering. Pipe Diameter: typically 75 - 400mm Max Weight Capacity: 120kg TM530 £68.20 exc. VAT</p>	 <p>Pillar Clamps Please state circular pillar diameter when ordering. Up to 700mm. Max Weight Capacity: 120kg</p> <p>VCC1 (single arm) £330.20 exc. VAT VCC2 (double arm) £360.50 exc. VAT VCC3 (triple arm) £390.80 exc. VAT</p>
 <p>Safety Locking Ring Necessary at the lower end of any ceiling suspension installation using column mounted components, where safety 'through-bolts' are absent. Max Weight Capacity: 120kg LR £6.70 exc. VAT</p>	 <p>Column Tilting Adapters Use with Pozimount and Xactmatch mounts. Variable tilt to 15°. Has cable entry. Back-to-back available. Max Weight Capacity: 60 & 120kg</p> <p>PS7 (single column 60kg) £83.50 exc. VAT PS9 (twin column 120kg) £98.60 exc. VAT</p>
 <p>Twin Column Suspension Adapters Adapter for PLX & PLW mounts only (page 23). Has cable entry. Max Weight Capacity: 120kg</p> <p>PS12 (up to 70") £74.30 exc. VAT PS123030 (up to 110") £96.50 exc. VAT</p>	 <p>Back-to-Back Twin Column Suspension Adapters For heavy installs or where screens are subject to stress or wind loads. Max Weight Capacity: 120kg</p> <p>PS4 (up to 70") £125.60 exc. VAT PS43030 (up to 110") £181.40 exc. VAT</p>
 <p>Floor-to-Ceiling Column Coupler For mounting screens on two part columns. Use with Pozimount and Xactmatch mounts. Max Weight Capacity: 90kg</p> <p>PS6U1 (33 - 70") £98.90 exc. VAT PS6UT1 (back-to-back) £110.60 exc. VAT</p>	 <p>Twin Column Floor-to-Ceiling Coupler For mounting screens on two part columns. Column Centres: 110mm Max Weight Capacity: 120kg PS6V1 (33 - 70") £108.90 exc. VAT</p>
 <p>Floor-to-Ceiling Base Plates Available in single or twin column versions. Columns locate over bushes to give neat appearance. Has fixing holes through bushes.</p> <p>FP1 (use with CP1) £26.50 exc. VAT FP8 (use with CP8) £58.70 exc. VAT</p>	 <p>Custom Made Components We offer a service in making all kinds of special or non-standard components and accessories. Call +44 (0)1865 767676 to enquire when planning your next project!</p>



All-in-One Video Conference Solution

Summit™ Video Conference Walls provide a neat and increasingly popular way of combining all the elements of a video conferencing solution into a neat and aesthetically pleasing unit.

These highly adaptable video conference walls are custom designed to accommodate *your choice of screen, video bar or camera plus speakers*. All neatly packaged within an elegant freestanding unit.

Each unit is designed to support either single or twin screens up to 86". Smaller, larger and stretch display screen versions are available upon request.

- Fully install or service from the front of the unit.
- Incorporates an Accession™ service mount for simple, easy access to behind-screen devices and cabling.
- Ample storage within cabinet, including 4x slotted removable AV trays (310w x 488h mm each).
- Installation options including freestanding, bolt down and floor-to-wall.
- Designed to your choice of screen with ample room for your chosen conference devices.
- Single or twin screen versions available.
- Highly customisable, see below for more details.
- Optimal camera height of 1200mm across all versions.
- Vertical & horizontal zonal air circulation to keep kit running smoothly.
- Wall mounted cabinet version also available - see right (page 31) for more information.



Example Freestanding Summit with 65" screen, oak doors, fabric panel covering, Huddly L1 & Biamp Apprime.



Fully install from the front with secure sliding back panels that offer access to wall-based connectivity.




Built-in Accession™ mount provides efficient and simple access to behind-screen devices and cabling.



Serviceable video conference panel smoothly pulls down to provide access to installed devices.



Custom VC panel options include fabric-wrapping for discrete speaker display.



Custom cut-outs on infill panel allow for touch panels, branding & more.



Custom frame and panel colour options to suit corporate guidelines.



4x removable AV trays offer simple maintenance and can be pre-populated.



Standard Summit™ Versions

The standard Summit™ design offers an all-metal finish in either Sinterflex Black or Sinterflex White, with plain infill panel and screen mount. Video conference camera or sound/video bar mounts are available separately on the following page. Customisation including wooden panel doors, are available at additional cost - please call for info.

*Please state device make and model when ordering.
Images are illustrative and final product may vary slightly from what is shown.*

Recent Installation

Read about how the Summit helped TM Services enhance the visitor experience at the Sutton Hoo National Trust site.



Example 65" Twin Screen
Freestanding Summit with Video Bar

Single Screen

Part Code & Description	Cost £ (Exc. VAT)	Screen Size	Colour
SUM5FS Freestanding Summit (Single)	POA	55"	<input type="checkbox"/> <input type="checkbox"/>
SUM6FS Freestanding Summit (Single)	POA	65"	<input type="checkbox"/> <input type="checkbox"/>
SUM7FS Freestanding Summit (Single)	POA	75"	<input type="checkbox"/> <input type="checkbox"/>
SUM8FS Freestanding Summit (Single)	POA	85/86"	<input type="checkbox"/> <input type="checkbox"/>
SUM5BD Bolt Down Summit (Single)	POA	55"	<input type="checkbox"/> <input type="checkbox"/>
SUM6BD Bolt Down Summit (Single)	POA	65"	<input type="checkbox"/> <input type="checkbox"/>
SUM7BD Bolt Down Summit (Single)	POA	75"	<input type="checkbox"/> <input type="checkbox"/>
SUM8BD Bolt Down Summit (Single)	POA	85/86"	<input type="checkbox"/> <input type="checkbox"/>
SUM5FW Floor-to-Wall Summit (Single)	POA	55"	<input type="checkbox"/> <input type="checkbox"/>
SUM6FW Floor-to-Wall Summit (Single)	POA	65"	<input type="checkbox"/> <input type="checkbox"/>
SUM7FW Floor-to-Wall Summit (Single)	POA	75"	<input type="checkbox"/> <input type="checkbox"/>
SUM8FW Floor-to-Wall Summit (Single)	POA	85/86"	<input type="checkbox"/> <input type="checkbox"/>

Twin Screen

Part Code & Description	Cost £ (Exc. VAT)	Screen Size	Colour
SUM5TFS Freestanding Summit (Twin)	POA	55"	<input type="checkbox"/> <input type="checkbox"/>
SUM6TFS Freestanding Summit (Twin)	POA	65"	<input type="checkbox"/> <input type="checkbox"/>
SUM7TFS Freestanding Summit (Twin)	POA	75"	<input type="checkbox"/> <input type="checkbox"/>
SUM8TFS Freestanding Summit (Twin)	POA	85/86"	<input type="checkbox"/> <input type="checkbox"/>
SUM5TBD Bolt Down Summit (Twin)	POA	55"	<input type="checkbox"/> <input type="checkbox"/>
SUM6TBD Bolt Down Summit (Twin)	POA	65"	<input type="checkbox"/> <input type="checkbox"/>
SUM7TBD Bolt Down Summit (Twin)	POA	75"	<input type="checkbox"/> <input type="checkbox"/>
SUM8TBD Bolt Down Summit (Twin)	POA	85/86"	<input type="checkbox"/> <input type="checkbox"/>
SUM5TFW Floor-to-Wall Summit (Twin)	POA	55"	<input type="checkbox"/> <input type="checkbox"/>
SUM6TFW Floor-to-Wall Summit (Twin)	POA	65"	<input type="checkbox"/> <input type="checkbox"/>
SUM7TFW Floor-to-Wall Summit (Twin)	POA	75"	<input type="checkbox"/> <input type="checkbox"/>
SUM8TFW Floor-to-Wall Summit (Twin)	POA	85/86"	<input type="checkbox"/> <input type="checkbox"/>

VCSB Examples



WBSB Examples



Video Camera & Sound Bar Adapter Plates

We design and manufacture adapter plates for many makes and models. These units allow video conference devices to be fixed to our Summit™ range and more. Need to change the video conference device on an installation? Simply order a replacement adapter plate and fit your new device straight away.

Part Code & Description	Cost £ (Exc. VAT)	Weight Capacity	Colour
WBSB Sound/Video Bar Adapter Plate	71.30	10kg	<input type="checkbox"/> <input type="checkbox"/>
VCSB Video Conference Camera Adapter Plate	71.30	10kg	<input type="checkbox"/> <input type="checkbox"/>

Ask us about...

Our Summit™ wall mounted cabinets - an alternative way to set up your meeting room space whilst offering unrivalled storage capacity and customisation.

Simply pair with your choice of screen mount (pages 24-28) and a video conference mount (pages 34-35).

Example Summit™ Cabinet with Huddly IQ camera on a video conference wall mount (WBVCA) & 65" screen on slim profile wall mount (VZWX5).





Easy to Install, Dedicated Mounts for Video Conferencing

We design and manufacture sound bar and video conference mounts for many makes and models. These units allow video conference devices to be fixed to our stand & trolley ranges and ceiling suspension systems.

Interchangeable Adapter Plates

Need to change the video conference device on an installation? Simply order a replacement adapter plate (WBSB or VCSB, see below) and fix your new device straight to your existing sound/video bar mount.



Sound Bar Mount for Universal Mounts (SBM1)

Sound/Video Bar Mounts

- SBM hook onto our universal mount range.
- SBM can be mounted above or below the screen.
- SBT has 150x150mm centres for twin screen mounting.
- SBC fixes to any UNICOL column length.
- Simple installation and easy to adjust.

Please state device make and model when ordering.
Images are illustrative and final product may vary slightly from what is shown.



Part Code & Description	Cost £ (Exc. VAT)	Compatible with	Weight Capacity	Colour
SBM1 Sound Bar Mount for Universal Mounts	188.00	PZX1, PZX3, PZW1, PZW3, FCS1, KP1, KP3, MD2U, ASMW	10kg	■
SBM9 Sound Bar Mount for Heavy Duty Universal Mounts	188.00	PZX9, FCS4, TCAVT, MD9U	10kg	■
SBT1 Sound Bar Mount for Twin Screen Stands/Trolleys	188.00	ACHP, ACHT, AXC15P, AXC15T, RH200, RH200-UHD	10kg	■
SBC Sound Bar Mount for Ceiling Suspension	145.00	500C, 1000C, 1500C, 2000C, 3000C etc	10kg	■
SB1T Single Column Sound Bar Mount Adapter (add Adapter Plate)	73.70	500, 1000, 1500 etc & 500C, 1000C, 1500C etc	10kg	■

Dual Sound Bar/Video Camera Mounts

- Fits an AV device above and below the screen by hooking onto our universal mount range.
- Select to mount either two sound/video bars, two video conference cameras or one of each!
- Select your DBSM mount and then add the relevant adapter plates to fit your choice of AV device.

Please state device make and model when ordering.
Images are illustrative and final product may vary slightly from what is shown.



Part Code & Description	Cost £ (Exc. VAT)	Compatible with	Weight Capacity	Colour
DSBM1 Dual Sound Bar/Video Camera Mount for Universal Mounts	133.30	PZX1, PZW1, FCS1, KP1, MD2U, ASMW	10kg	■
DSBM9 Dual Sound Bar/Video Camera Mount for HD Universal Mounts	133.30	PZX9, FCS4, TCAVT, MD9U	10kg	■
WBSB Sound/Video Bar Adapter Plate	71.30	SBM / SBT / VCSS / VCTS	10kg	■
VCSB Video Conference Camera Adapter Plate	71.30	SBM / SBT / VCSS / VCTS	10kg	■



Video Conference Sound/Video Bar Mounts

- Designed to hook over our universal mount range.
- VCSS accommodate 1 speaker and a camera.
- VCTS accommodate 2 speakers and a camera.
- VCTST has 150x150mm centres for twin screen installs.
- Can be mounted above or below the screen.

Please state device make and model when ordering.
Images are illustrative and final product may vary slightly from what is shown.



Part Code & Description	Cost £ (Exc. VAT)	Compatible with	Weight Capacity	Colour
VCSS1 Sound Bar & Video Camera Mount for Universal Mounts	225.60	PZX1, PZX3, PZW1, PZW3, FCS1, KP1, KP3, MD2U, ASMW	10kg	■
VCSS9 Sound Bar & Video Camera Mount for HD Universal Mounts	225.60	PZX9, FCS4, TCAVT, MD9U	10kg	■
VCTS1 Twin Sound Bar & Video Camera Mount for Universal Mounts	275.90	PZX1, PZX3, PZW1, PZW3, FCS1, KP1, KP3, MD2U, ASMW	10kg	■
VCTS9 Twin Sound Bar & Video Camera Mount for HD Universal Mounts	275.90	PZX9, FCS4, TCAVT, MD9U	10kg	■
VCTST Twin Sound Bar & Video Camera Mount for Twin Screen	275.90	ACHP, ACHT, AXC15P, AXC15T, RH200, RH200-UHD	10kg	■

Video Conference Camera Mounts

- VCM1 & VCMP slot/hook on to our universal mounts.
- VCMT has 150x150mm centres for large screen installs.
- MCM fixes to any UNICOL column length (page 28).
- Can be mounted above or below the screen.
- 360w x 260d mm universal platform supplied as standard with custom sizes available upon request.

Please state device make and model when ordering.
Images are illustrative and final product may vary slightly from what is shown.




Part Code & Description	Cost £ (Exc. VAT)	Compatible with	Weight Capacity	Colour
VCM1 Standard Video Conference Camera Mount	87.90	PLX1, PLW1, PZX0, PZX1, PZX3, PZW0, PZW1, PZW3	10kg	■
VCMT Heavy Duty Standard Video Conference Camera Mount	87.90	PZX9, PLX3, PLW3	10kg	■
VCMP1 VC Camera Mount for Universal Mounts	87.35	PZX1, PZX3, PZW1, PZW3, FCS1, KP1, KP3, MD2U, ASMW	10kg	■
VCMP9 VC Camera Mount for Heavy Duty Universal Mounts	87.35	PZX9, FCS4, TCAVT, MD9U	10kg	■
VCMV1 VC Camera Mount for VertiSlide Serviceable Cassette Mounts	88.20	VTS1 & VTS2 only.	10kg	■
MCM VC Camera Mount for Ceiling Suspension	95.60	500C, 1000C, 1500C, 2000C, 3000C etc	10kg	■

Wall Mounted Video Conference Camera Shelves

- Universal and dedicated wall-fixed shelves for small video conference cameras or other VC kit.
- WBVC also available as a dedicated option.
- WBVCA is ideal for small 'huddle' cameras such as the Huddly GO series and AVer CAM340+.

Please state device make and model when ordering.
Images are illustrative and final product may vary slightly from what is shown.



Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Weight Capacity	Colour
WBVC Video Conference Metal Shelf (350w x 250d mm)	71.30	157 x 350 x 250	3.2kg	20kg	■
WBVCA Dedicated, Adjustable Video Conference Metal Shelf	98.60	variable	variable	variable	■
WBVG Video Conference Glass Shelf (500w x 400d mm)	86.40	157 x 500 x 430	4.6kg	20kg	■
WBVG1 Video Conference Large Glass Shelf (780w x 390d mm)	108.90	157 x 780 x 410	6.7kg	20kg	■



Wide Ranging Applications in Sales, Room Booking Systems, Reception Areas & Much More

Utilise the flexibility and control offered by touch panels and tablets to streamline your day-to-day activities with our quick and easy to install range of Tap.IT™ mounts.

Each Tap.IT™ version houses your choice of touch panel in a steel shell for anti-tamper protection while allowing for ventilation, control button access, charge points etc.

- Quick and easy to install.
- Anti-tamper screws available upon request.
- PoE adapters can be accommodated.



Dedicated Touch Panel Wall Mount (TBM1)

Tablet/Touch Panel Wall Mounts


Please state tablet make and model when ordering. Device may be required as a part of the design process.

Part Code & Description	Cost £ (Exc. VAT)	Screen Size	VESA Fixing (Min / Max)	Weight Capacity	Colour
TBM1 Dedicated Touch Panel Wall Mount (7 - 11")	120.40	7 - 11"	100x100	10kg	<input checked="" type="checkbox"/> <input type="checkbox"/>
TBM2 Dedicated Touch Panel Wall Mount (12 - 15")	123.50	12 - 15"	100x100	10kg	<input checked="" type="checkbox"/> <input type="checkbox"/>

Tablet/Touch Panel Stands

Add the appropriate tablet mount from table above.

Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Weight Capacity	Colour
TBP1 Touch Panel Stand (exc. TBM mount)	225.65	1060 x 330 x 300	9.5kg	5kg	<input checked="" type="checkbox"/> <input type="checkbox"/>
TBBD1 Touch Panel Bolt Down Stand (exc. TBM mount)	225.65	1065 x 330 x 300	9.6kg	5kg	<input checked="" type="checkbox"/> <input type="checkbox"/>



TBP1 tablet stand shown with TBM1 tablet mount (above)

Configure Your Own 'Tevela™ Style' Single Column Tablet Stand

Add the appropriate tablet mount from the table above.

Product Image	Part Code & Description Specification	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Weight Capacity	Colour
	TBMSCA Single Column LECTERN Mount Secures into a standard UNICOL column. For use with our TBM tablet mount range.	86.80	137 x 119 x 100	0.5kg	15kg	<input checked="" type="checkbox"/> <input type="checkbox"/>
	500 500mm Chrome Column	16.25	500 x 50.8 x 50.8	0.9kg	n/a	<input type="checkbox"/> <input checked="" type="checkbox"/>
	1000 1000mm Chrome Column	32.50	1000 x 50.8 x 50.8	1.8kg	n/a	<input type="checkbox"/> <input checked="" type="checkbox"/>
	LCP Single Column Freestanding Base All cabling can be routed through a column and the base providing a neat finish.	41.50	159 x 520 x 413	10kg	15kg	<input checked="" type="checkbox"/> <input type="checkbox"/>
	KT1 Single Column Trolley Base Wheeled base for easy movement. All cabling can be routed through a column and the base.	162.46	272 x 600 x 560	7.0kg	15kg	<input checked="" type="checkbox"/> <input type="checkbox"/>
	LMB Single Column LECTERN Base All cabling can be routed through a column and base providing a neat finish.	101.50	167 x 500 x 500	9.5kg	15kg	<input checked="" type="checkbox"/> <input type="checkbox"/>
	LBP Single Column Bolt Down Base Fixed position base. All cabling can be routed through a column and the base.	85.10	167 x 295 x 240	4.1kg	15kg	<input checked="" type="checkbox"/> <input type="checkbox"/>





Dedicated Speaker Mounts

Take all the guesswork out of ordering and installing speakers - we manufacture a wide range of custom speaker mounts for wall, trolley or ceiling suspension applications. Versions include side by side or above screen, ceiling suspended or wall mounted.

- Factory designed and tested for each speaker make and model.
- Application and cable entry positions allowed for.
- Correct mount fixings included.

*Please state device make and model when ordering.
Images are illustrative and final product may vary slightly from what is shown.*

Call our sales team to discuss your requirements.



Example mount for placing a Yamaha VXL1B-8 either side of a screen. Attaches to UNICOL's PZX universal mounts.



Example wall mount for Martin Audio SX-112.

Example ceiling suspension mount for Ecler Arqis SB12i

Example wall mount for Yamaha VXL1B-8

UNICOL Mobile Phone Holders

What started out as a one-off promotional giveaway has proved so popular we have been asked to include it in our product range!

- A fun addition to our product range.
- Add your logo for the perfect desk companion that boosts your brand visibility.
- Compatible with most mobile phones in a case and supports small tablets too.
- Minimum order quantity of 25.

Standard versions are available in Sinterflex Black or White with custom branded/coloured versions available where sufficient volumes allow.




Part Code & Description	Cost £ (Exc. VAT)	Colour
UPH1 Mobile Phone Holder (minimum order quantity: 25)	10.99	<input checked="" type="checkbox"/> <input type="checkbox"/>

From bold to classic, we can finish to any RAL colour. *Your mount, your way.*

Looking for a unique finish or want to match your brand guidelines? We can finish your product to any RAL colour! Simply state the required RAL colour when requesting a quote. Custom colour are charged at +18% plus powder purchase cost. Vinyl or illuminated branding are also available on many products to really personalise your mounting solution.

Call our sales team to discuss your requirements.





A Well-Proven & Flexible Range of Digital Signage Mounting Systems

Designed to meet the widely varying needs of corporate, retail display, airport or similar applications, and more.

Choose between our twin chrome column Obelisk™ range, listed below, or EdgeLine™ range listed on pages 40-41. Each range offers a wide choice of styles. All are designed and manufactured to perfectly fit each screen make and model.

- Rapid turnaround.
- Space for players, PC's, video conference cameras etc.
- Polycarbonate protective screen options.
- Finished in standard Sinterflex Black (■) with custom colour finishes and corporate branding at extra cost.
- Cabling can be routed through the columns and the bases/ceiling plates (floor-to-ceiling options only).
- Variety of installation options including freestanding, bolt down and floor-to-ceiling.

Ask us about...

Our hinged cover totems which offer easy access to screens for maintenance via lockable front covers. Available for both single and back-to-back versions.



Please state screen make and model when ordering. Please note: prices quoted are ex-works as this unit is despatched by dedicated courier or may be collected. Images are illustrative and final product may vary slightly from what is shown.



Example 55"
Freestanding Kiosk
(KTC5FS) below

-and-

Example 55"
Floor-to-Ceiling Kiosk
(KTC5FC) right

Flexible Customisation

We pride ourselves on our ability to produce one-off solutions that suit the needs of any AV integrator or end user, and the Obelisk range is one of our most customisable solutions to date. Previous custom examples include;

- Custom colour finishes and vinyl or illuminated branding to align with corporate guidelines.
- Landscape orientation options, pictured right.
- Custom cut-outs for analytics cameras, QR code/receipt scanners, ticketing slots etc.
- Versions that cater for multi-screen, landscape orientation, transparent screens with shelving, high bright screens etc.
- Mobile castor versions (see page 39).
- Single, dual or quad 86" stretch screen totems.
- Installation options to suit any environment.
- Bespoke height requirements, rear/front access, internal storage and so much more!





Freestanding & Bolt Down Kiosks

- Single sided & back-to-back versions listed.
- Quick and simple to install.
- Sinterflex Black as standard.



Part Code & Description	Cost £ (Exc. VAT)	Screen Size
KTC3FS Freestanding Kiosk (Single Sided)	921.20	30 - 39"
KTC3FSB Freestanding Kiosk (Back-to-Back)	1096.15	
KTC3BD Bolt Down Kiosk (Single Sided)	824.30	
KTC3BDB Bolt Down Kiosk (Back-to-Back)	999.40	40 - 49"
KTC4FS Freestanding Kiosk (Single Sided)	1002.52	
KTC4FSB Freestanding Kiosk (Back-to-Back)	1177.52	
KTC4BD Bolt Down Kiosk (Single Sided)	905.78	
KTC4BDB Bolt Down Kiosk (Back-to-Back)	1080.78	50 - 59"
KTC5FS Freestanding Kiosk (Single Sided)	1125.72	
KTC5FSB Freestanding Kiosk (Back-to-Back)	1300.72	
KTC5BD Bolt Down Kiosk (Single Sided)	1027.65	
KTC5BDB Bolt Down Kiosk (Back-to-Back)	1200.72	60 - 69"
KTC6FS Freestanding Kiosk (Single Sided)	1205.85	
KTC6FSB Freestanding Kiosk (Back-to-Back)	1380.85	
KTC6BD Bolt Down Kiosk (Single Sided)	1107.55	
KTC6BDB Bolt Down Kiosk (Back-to-Back)	1380.62	70 - 79"
KTC7FS Freestanding Kiosk (Single Sided)	1518.56	
KTC7FSB Freestanding Kiosk (Back-to-Back)	1693.56	
KTC7BD Bolt Down Kiosk (Single Sided)	1437.56	
KTC7BDB Bolt Down Kiosk (Back-to-Back)	1612.56	

Freestanding & Bolt Down Totems

- Single sided & back-to-back versions listed.
- Quick and simple to install.
- Sinterflex Black as standard.



Part Code & Description	Cost £ (Exc. VAT)	Screen Size
KTC3FST Freestanding Totem (Single Sided)	1413.15	30 - 39"
KTC3FSTB Freestanding Totem (Back-to-Back)	1588.20	
KTC3BDT Bolt Down Totem (Single Sided)	1372.15	
KTC3BDTB Bolt Down Totem (Back-to-Back)	1547.15	40 - 49"
KTC4FST Freestanding Totem (Single Sided)	1494.63	
KTC4FSTB Freestanding Totem (Back-to-Back)	1669.63	
KTC4BDT Bolt Down Totem (Single Sided)	1453.65	
KTC4BDTB Bolt Down Totem (Back-to-Back)	1628.65	50 - 59"
KTC5FST Freestanding Totem (Single Sided)	1559.50	
KTC5FSTB Freestanding Totem (Back-to-Back)	1734.50	
KTC5BDT Bolt Down Totem (Single Sided)	1505.36	
KTC5BDTB Bolt Down Totem (Back-to-Back)	1680.36	60 - 69"
KTC6FST Freestanding Totem (Single Sided)	1616.85	
KTC6FSTB Freestanding Totem (Back-to-Back)	1791.85	
KTC6BDT Bolt Down Totem (Single Sided)	1552.35	
KTC6BDTB Bolt Down Totem (Back-to-Back)	1727.35	70 - 79"
KTC7FST Freestanding Totem (Single Sided)	1865.60	
KTC7FSTB Freestanding Totem (Back-to-Back)	2040.60	
KTC7BDT Bolt Down Totem (Single Sided)	1829.65	
KTC7BDTB Bolt Down Totem (Back-to-Back)	2004.65	

Floor-to-Ceiling Kiosks [pictured left]

- Single sided & back-to-back versions listed.
- Provided with 3m columns as standard with other lengths available if required.
- Sinterflex Black as standard.

Part Code & Description	Cost £ (Exc. VAT)	Screen Size
KTC3FC Floor-to-Ceiling (Single Sided)	1004.20	30 - 39"
KTC3FCB Floor-to-Ceiling (Back-to-Back)	1179.15	
KTC4FC Floor-to-Ceiling (Single Sided)	1085.66	40 - 49"
KTC4FCB Floor-to-Ceiling (Back-to-Back)	1260.66	
KTC5FC Floor-to-Ceiling (Single Sided)	1225.26	50 - 59"
KTC5FCB Floor-to-Ceiling (Back-to-Back)	1400.26	
KTC6FC Floor-to-Ceiling (Single Sided)	1344.55	60 - 69"
KTC6FCB Floor-to-Ceiling (Back-to-Back)	1419.55	
KTC7FC Floor-to-Ceiling (Single Sided)	1555.32	70 - 79"
KTC7FCB Floor-to-Ceiling (Back-to-Back)	1730.32	

Ask us about...

Our Mobile Kiosks & Totems. Neat castor wheeled-base provides freedom of movement for your Obelisk digital signage totem from area to area with ease.

Available in both kiosk and totem styles and suitable for single screen or back-to-back versions. Each unit is designed and manufactured to perfectly fit your choice of screen make and model.

Call our sales team to discuss your requirements.





A Well-Proven & Flexible Range of Digital Signage Mounting Systems

Designed to meet the widely varying needs of corporate, retail display, airport or similar applications, and more.

Choose between our EdgeLine™ range, listed below, or twin chrome column Obelisk™ range listed on pages 38-39. Each range offers a wide choice of styles. All are designed and manufactured to perfectly fit each screen make and model.

Please state screen make and model when ordering. Please note: prices quoted are ex-works as this unit is despatched by dedicated courier or may be collected. Images are illustrative and final product may vary slightly from what is shown.

- Rapid turnaround.
- Space for players, PC's, video conference cameras etc.
- Polycarbonate protective screen options.
- Finished in standard Sinterflex Black (■) with custom colour finishes and corporate branding at extra cost.
- Cabling can be routed through the columns and the bases/ceiling plates (floor-to-ceiling options only).
- Double-sided display versions also available.

Freestanding & Bolt Down Kiosks

- Single sided versions listed with back-to-back versions available.
- Simple to install.
- Sinterflex Black as standard.



Part Code & Description	Cost £ (Exc. VAT)	Screen Size
EKTC3FS Freestanding Kiosk (Single Sided)	971.08	30 - 39"
EKTC3BD Bolt Down Kiosk (Single Sided)	864.30	
EKTC4FS Freestanding Kiosk (Single Sided)	1060.70	40 - 49"
EKTC4BD Bolt Down Kiosk (Single Sided)	954.09	
EKTC5FS Freestanding Kiosk (Single Sided)	1196.46	50 - 59"
EKTC5BD Bolt Down Kiosk (Single Sided)	1088.39	
EKTC6FS Freestanding Kiosk (Single Sided)	1284.77	60 - 69"
EKTC6BD Bolt Down Kiosk (Single Sided)	1174.31	
EKTC7FS Freestanding Kiosk (Single Sided)	1629.37	70 - 79"
EKTC7BD Bolt Down Kiosk (Single Sided)	1540.11	

Freestanding & Bolt Down Totems

- Single sided versions listed with back-to-back versions available.
- Simple to install.
- Sinterflex Black as standard.



Part Code & Description	Cost £ (Exc. VAT)	Screen Size
EKTC3FST Freestanding Totem (Single Sided)	1513.21	30 - 39"
EKTC3BDT Bolt Down Totem (Single Sided)	1468.03	
EKTC4FST Freestanding Totem (Single Sided)	1603.00	40 - 49"
EKTC4BDT Bolt Down Totem (Single Sided)	1557.84	
EKTC5FST Freestanding Totem (Single Sided)	1674.49	50 - 59"
EKTC5BDT Bolt Down Totem (Single Sided)	1614.83	
EKTC6FST Freestanding Totem (Single Sided)	1737.63	60 - 69"
EKTC6BDT Bolt Down Totem (Single Sided)	1666.61	
EKTC7FST Freestanding Totem (Single Sided)	2011.81	70 - 79"
EKTC7BDT Bolt Down Totem (Single Sided)	1972.19	

Ceiling Suspended Kiosks

- Quick and simple to install.
- Single sided versions listed, back-to-back available on request.
- Sinterflex Black as standard.




Part Code & Description	Cost £ (Exc. VAT)	Screen Size
EKTC3CS Ceiling Suspended Kiosk (Single Sided)	POA	30 - 39"
EKTC4CS Ceiling Suspended Kiosk (Single Sided)	POA	40 - 49"
EKTC5CS Ceiling Suspended Kiosk (Single Sided)	POA	50 - 59"
EKTC6CS Ceiling Suspended Kiosk (Single Sided)	POA	60 - 69"
EKTC7CS Ceiling Suspended Kiosk (Single Sided)	POA	70 - 79"

Ask us about...

Our 1x2 Freestanding Edgeline Digital Signage Totems.

These digital signage totems are an ideal solution for retail window displays where ceiling suspension or floor fixing may not be possible.





Effortless LED Displays - Ideal for Retail


Expanding on our popular kiosk and totem ranges to now include LED tile technology. Ideal for retail and exhibition settings, these innovative LED totems unlock a multitude of possibilities where LED tiles are chosen as the medium for digital signage.

Based on our well-proven EdgeLine™ range, these totems deliver an aesthetically pleasing solution. Each are designed to accommodate any desired array of LED tile system.

- Exactly tailored to each LED tile system.
- Easy assembly to aid installation.
- Freestanding or bolt down versions offer mobile or fixed placement as required.
- Finished in standard Sinterflex Black (■) with custom colour finishes and corporate branding available at extra cost.
- Seamless design - no visible fixings.

Please state LED make and model when ordering.

Call our sales team to discuss your requirements.



Example 2x6 LED
EdgeLine™ Totem

Fixed Angle Totems for Captivating, & Interactive Displays

These stylish floor standing totems offer new marketing possibilities for retail, corporate, travel and more. Angled 20° for optimum, eye catching viewing plus maximum ease of use when paired with touch screens. Typical uses, particularly when used with touch screens, include exhibition displays, wayfinding in shops, museums and other public areas, and more.

- 20° fixed tilt for optimum viewing and usage.
- Designed and manufactured to perfectly fit each screen make and model.
- Finished in standard Sinterflex Black (■) with custom colour finishes and branding available at extra cost.



Example 43" FlorSign™
Freestanding Fixed Angle Totem
with Illuminated Branding.

Customisable to Your Branding

Each unit can be designed to match your design specifications including wood effect finishes, logos, RAL finishes and more.

Add an illuminated logo for just £450+VAT.



Part Code & Description	Cost £ (Exc. VAT)	Screen Size
FKTC3FS Freestanding Totem (Single Sided)	2313.21	30 - 39"
FKTC3BD Bolt Down Totem (Single Sided)	2268.03	
FKTC4FS Freestanding Totem (Single Sided)	2403.00	40 - 49"
FKTC4BD Bolt Down Totem (Single Sided)	2357.84	
FKTC5FS Freestanding Totem (Single Sided)	2474.49	50 - 59"
FKTC5BD Bolt Down Totem (Single Sided)	2414.83	



IP53 Outdoor Housings for Displays in Harsh Environments

These outdoor housings are designed for ultra bright screens where brightness levels up to 2500 NITS are commonplace and under certain conditions enclosure temperatures up to 55°C are possible. Our well-proven range of housings can be supplied in this version, from small screen monitors up to the latest 86" large screen sizes.

All are constructed in high grade aluminium for lightness and complete corrosion resistance and utilise high quality temperature control components within. Bonded screen viewing panels in impact resistant polycarbonate are incorporated as standard.

- Tailor made for perfect screen fit every time.
- IP53 rated with vandal resistant screen.
- Corrosion free for long life in all weathers.
- Toughened or laminate glass options available.
- Thermostatic internal heating and cooling.
- User-washable particle filters for longevity.
- CE approved.



Example Outdoor Housing




Coming soon...

Versions that cater for brightness levels over 3000 NITS.

Please Note: prices quoted are ex-works as these are despatched by dedicated courier or may be collected. Please state screen make and model when ordering. Images are illustrative and final product may vary slightly from what is shown.

Part Code & Description	Cost £ (Exc. VAT)	Screen Size	Colour
ODH0 30 - 32" Outdoor Housing	POA	30 - 32"	■
ODH1 33 - 57" Outdoor Housing	POA	33 - 57"	■
ODH2 58 - 70" Outdoor Housing	POA	58 - 70"	■
ODH3 71 - 80" Outdoor Housing	POA	71 - 80"	■
ODH4 81 - 86" Outdoor Housing	POA	81 - 86"	■
ODH5 87" + Outdoor Housing	POA	87"+	■
ODHTWA Tilting Wall Adapter	148.40	n/a	■

Technical Features Include:



Ask us about...

Our bolt down, floor standing outdoor housings. These fixed position units are ideal for large screens in landscape or portrait format. Offering a wide range of uses from train stations to pub gardens and anything in between. *Outdoor 'H' frame accessory coming soon - compatible with all ODH models.*

Call our sales team to discuss your requirements.






Anti-Shatter Protective Covers

5mm thick, clear, anti-shatter screen combine with an all metal bezel to provide a durable protective cover for screens. Available as either clip-on or wall mounted. Each cover is tailor-made for each screen make and model. Colour options, anti-reflective screens, branding and bespoke versions available.

For portrait versions, use prefix 'PCP.'

Ask us about...


Our ligature resistant, chamfered edge covers. Ideal for high security environments with narrow ventilation slots & 10mm polycarbonate.



Please state screen make and model when ordering. Please Note: PCL9 & PCL13 are quoted ex-works as these are despatched by dedicated courier or may be collected. Images are illustrative and final product may vary slightly from what is shown.



Example
Landscape Wall Mounted Cover




Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Screen Size	Weight Capacity	Colour
PCL0 15 - 32" Landscape Clip-On Cover (Square Corners)	255.00	variable	variable	15 - 32"	n/a	■
PCL1 33 - 57" Landscape Clip-On Cover (Square Corners)	288.40	variable	variable	33 - 57"	n/a	■
PCL2 58 - 70" Landscape Clip-On Cover (Square Corners)	346.10	variable	variable	58 - 70"	n/a	■
PCL5 15 - 32" Landscape Wall Mounted Cover (Square Corners)	540.80	variable	variable	15 - 32"	60kg	■
PCL7 33 - 57" Landscape Wall Mounted Cover (Square Corners)	574.40	variable	variable	33 - 57"	60kg	■
PCL8 58 - 70" Landscape Wall Mounted Cover (Square Corners)	632.10	variable	variable	58 - 70"	60kg	■
PCL9 71 - 75" Landscape Wall Mounted Cover (Square Corners)	689.80	variable	variable	71 - 75"	60kg	■
PCL10 15 - 32" Landscape Wall Mounted Cover (Round Corners)	865.20	variable	variable	15 - 32"	60kg	■
PCL11 33 - 57" Landscape Wall Mounted Cover (Round Corners)	898.40	variable	variable	33 - 57"	60kg	■
PCL12 58 - 70" Landscape Wall Mounted Cover (Round Corners)	956.10	variable	variable	58 - 70"	60kg	■
PCL13 71 - 75" Landscape Wall Mounted Cover (Round Corners)	1065.90	variable	variable	71 - 75"	60kg	■

Custom Rear Covers

We design and manufacture custom rear covers for a wide range of screen sizes. These provide a neat appearance so that cables & connections remain hidden when screens are installed in open areas. Full screen versions or partial covers to enclose cables & connections areas are available.

For tilting screen mount versions, use prefix 'BCW.'

Please state screen make and model when ordering. Please Note: BCX3 is quoted ex-works as these are despatched by dedicated courier or may be collected. Images are illustrative and final product may vary slightly from what is shown.



Example
Full Rear Cover

Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Screen Size	Weight Capacity	Colour
BCX1 33 - 57" Full Rear Cover inc. Screen Mount (Landscape or Portrait)	517.50	variable	variable	33 - 57"	n/a	■
BCX2 58 - 70" Full Rear Cover inc. Screen Mount (Landscape or Portrait)	617.60	variable	variable	58 - 70"	n/a	■
BCX3 71 - 75" Full Rear Cover Inc. Screen Mount (Landscape or Portrait)	794.10	variable	variable	71 - 75"	n/a	■




Multi-Screen Ceiling Suspended Gantry Systems

These ceiling mounted units are available for a wide range of screen sizes by partnering with our Pozimount universal tilting screen mounts. The spider style gantries have swivel capability and cable entry ports for neat installation.

For inline gantry solutions, refer to our ScreenRail range on pages 22 & 23 or call to discuss alternative solutions.

- Available in 3, 4 or 5 screen frame options.
- Well-suited for areas with high foot traffic.
- Utilise our universal tilting mounts with patented finger tip tilt control mechanism that makes viewing angle easy to set (0° to 11°).
- Smooth in-out adjustment when aligning screens.
- Alternative screen mount options available.
- Range of heavy duty column lengths to best suit installation environment.
- Suitable for screens up to 57". Please also check screen width requirements before ordering.

Part codes and prices are listed below as a reference guide. We highly recommend discussing gantry installations with our project team to confirm configurations.



Ceiling Suspension
3-Screen Spider Gantry (SG3) Solution

	Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Weight Capacity	Colour
CP5	CP5 Gantry Ceiling Plate (see page 30)	108.40	176 x 540 x 540	4.8kg	270kg	■
	1000HC 1000mm Heavy Duty Ceiling Suspension Chrome Column	43.10	1000 x 50.8 x 50.8	3.0kg	n/a	●
	2000HC 2000mm Heavy Duty Ceiling Suspension Chrome Column	86.20	2000 x 50.8 x 50.8	6.0kg	n/a	●
	3000HC 3000mm Heavy Duty Ceiling Suspension Chrome Column	129.30	3000 x 50.8 x 50.8	9.0kg	n/a	●
SG4	SG3A 3 Screen Spider Gantry Frame (screen width: 800-990mm)	462.90	277 x 490-585 x 424-507	10.6kg	50kg*	■
	SG3B 3 Screen Spider Gantry Frame (screen width: 975-1300mm)	462.90	277 x 576-739 x 499-640	11.6kg	50kg*	■
	SG3C 3 Screen Spider Gantry Frame (screen width: 1160-1615mm)	462.90	277 x 672-897 x 582-777	12.2kg	50kg*	■
SG5	SG4 4 Screen Spider Gantry Frame (screen width: 975-1300mm)	617.20	277 x 868-1348 x 868-1348	17.7kg	50kg*	■
	SG5 5 Screen Spider Gantry Frame (screen width: 975-1300mm)	770.00	277 x 1224-1862 x 1164-1771	24.0kg	40kg*	■
PZW1	PZW1 200x200 to 600x400 VESA Universal Mount (see page 25)	118.40	535 x 765 x 64-115	6.2kg	60kg	■


*max weight per screen

Ask us about...

Our custom gantry options. We understand that sometimes a mount can't be one size fits all, and occasionally you just need something a bit unique. Our in-house project, design and manufacturing allow us to create bespoke pieces all the time.

We've recently worked with a customer to produce a heavy duty nonagon spider gantry (pictured right), to sit above a trading desk within a busy office. The final solution supported 9x 43" Sony screens!

Call our sales team to discuss your requirements.



Example Heavy Duty Nonagon Spider Gantry
- Supported 9x 43" Sony Screens -




Photos: Velden Engineering

The Moving Track System for Digital Displays in Retail & More

Ideal for retail and other applications. Displays can be tracked either in & out or side to side depending on application. Give your digital signage complete mobility and total flexibility when changing window displays or simply carrying out maintenance or periodic window cleaning.

AV Roller Trak™ systems consist of standardised track lengths, standard UNICOL column lengths & screen mounts. Kiosk versions available, see page 38-41.

- Smooth, easy operation.
- Single/multi-screen and LED solutions also available.
- Range of installation options including ceiling suspended, floor-to-ceiling and floor mounted.
- Wide choice of track lengths with in-out and side-to-side movement options.
- Swivel or RotaMount™ options available.
- Highly adaptable solution with a wide range of custom opportunities available.



Example Floor Mounted LED Video Wall with In-Out Roller-Trak

Smooth Moving

Smooth running ball bearing trolley units allow you to effortlessly track single or multi-screen displays in-out or side-to-side.



Example Ceiling Suspended EdgeLine Kiosk with Side-to-Side Roller Trak.



Example Floor-to-Ceiling 5 Screen Display with In-Out Roller Trak



Example Floor Mounted Portrait Display with In-Out Roller Trak



Example Ceiling Suspended RotaMount with Side-to-Side Roller Trak

In-situ example

The end user wanted to be able to alter the screen in their window display to suit each unique design. Utilising a side-to-side moving AV Roller Trak™ with a dedicated rotating mount, the end user is able to move the screen around mannequins and window stickers and also smoothly transition from portrait to landscape.

Offers a plethora of window advertising and layout opportunities, easy to use with finger tip adjustment.

Call our sales team to discuss your requirements.






NEW! Spirit™ dvLED Mount

For over 60 years, UNICOL has been at the forefront of reliable engineering, delivering innovative mounting solutions designed and manufactured in the UK. Our NEW Spirit™ dvLED Mount combines decades of expertise with modern ingenuity, offering a premium LED video wall solution, for less.

Engineered with simplicity in mind, this mount provides an uncomplicated and timely installation for any make and model of LED panel. Whether for corporate settings, retail environments, control rooms and more our dvLED mount is the dependable choice for high-quality video wall installations.

- Wall mounted, freestanding, mobile trolley, floor-to-ceiling and floor-to-wall mount kits available.
- Easy ordering and fast turnaround available.
- Utilising aluminium extrusion ensures each video wall has high precision tolerances.
- Supports all the leading brands such as Absen, INFILED, Leyard, Samsung, Unilumin and more.
- Stylish outer frame options available to provide a neat finish to any size video wall.
- Installer friendly design for an uncomplicated installation.

We are so confident in the value provided, that we are pledging to beat or match any like-for-like LED video wall quote, ensuring you receive the best solution at a competitive price. T&C's apply.



Please state LED tile make and model when ordering.



Exclusive Launch Offer!

We will **price match** or **beat** any like-for-like LED quotes. Call us today!

**T&C's apply.*



Installer friendly design for easy assembly.



Offers wide ranging adaptability to cover all leading dvLED panels.



Outer edge frame options available for all sizes of installations.



Designed and manufactured in the UK offering rapid turnaround.



Each solution is easily storable and convenient to transport.



Our design team check each project ensuring a perfect fit every time.



All-In-One LED Mounts

Dedicated to all-in-one LED displays from 110" up to 200" and available in floor-to-wall and floor-to-ceiling versions.

These mounts embody many innovative design features including concealed cable management, precise screen alignment, and in the case of the floor-to-ceiling versions, ability to cope with high or even sloping ceilings.


- Floor-to-wall & floor-to-ceiling versions available.
- Easy ordering & fast turnaround available.
- For all-in-one LED displays from 110" to 200".
- Simple installation.
- Adaptable for custom add-ons, speakers & more.
- Supports all the leading brands such as Optoma, LG, Viewsonic, Samsung and more.

Simple to Install

Utilising many standard UNICOL components, alongside our well regarded modular connectivity, these solutions are easy to install and adaptable to suit your needs - add video conference cameras, shorten columns and more.



Please state LED tile make and model when ordering.



Example Floor-to-Ceiling All-in-One Mount with Sample All-In-One LED Screen (FCUHD)


Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Screen Size	Colour
FCUHD Floor-to-Ceiling All-In-One LED Mount	POA	4120 x 2800 x 261	135.8kg	110 - 200"	■
FWUHD Floor-to-Wall All-In-One LED Mount	POA	2597 x 2800 x 242	110.1kg	110 - 200"	■

Looking for something bespoke?

Taking any project, big or small, through to a successful conclusion is what UNICOL does best! Our special project department ensures that each LED project always receives:

- Close client support between integrator, end user and our design team, from concept to delivery.
- Short lead times with a design philosophy that ensures easy installation.
- Dedicated manufacturing to your choice of LED panel, providing a precise fit every time.
- Opportunities for branding, colour options and more.

Call our sales team to discuss your requirements.





Installer Friendly, Innovative Pop-Out Mounts

The Adapta-Wall® encourages ease when installing, maintaining or changing screens with its micro-adjustment arms and pop-out operation. These installer friendly pop-out video wall mounts utilise 'push-to-close – push-to-open' action as standard.

When fully open, this range offers ample room to adjust and maintain screens, cabling and positioning. These mounts offer horizontal and vertical fine adjustment to allow for accurate levelling post-installation.

Remote latching also available for thin or delicate displays, please call or enquire for more information.

Patent Pending. Registered Design®



Standard Adapta-Wall® Pop-Out Mount - Open (VWP1)

Hassle-Free Access for Easy Maintenance

Easily access any devices located behind the screen with the 'push-to-close - push-to-open' pop-out action. Ideal for screens that are installed in alcoves, tight places, or as a part of a video wall display. Gently push on both sides of the screen bezel to unlatch the pop-out mechanism.

Accurate Fine Screen Levelling

Each Adapta-Wall® mount comes with tool-less fully adjustable arms as standard. These arms feature 15mm in-out adjustment and 15mm of fine levelling adjustment. Side-to-side adjustment included and varies on width of screen mount.



Example 2x2 Adapta-Wall® Video Wall in a Corporate Environment




VWP0



VWP1



VWP2



VWP3

Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Screen Size	VESA Fixing (Min / Max)	Weight Capacity	Colour
VWP0 Compact Adapta-Wall® Pop-Out Mount	318.50	300 x 410 x 70-262	7.7kg	33 - 40"	100x100 / 200x200	45kg	■
VWP1 Standard Adapta-Wall® Pop-Out Mount	347.80	500 x 800 x 103-340	14.5kg	33 - 70"	300x300 / 600x400	45kg	■
VWP2 Large Portrait Adapta-Wall® Pop-Out Mount	354.60	716 x 500 x 103-340	13.0kg	33 - 70"	300x300 / 400x600	45kg	■
VWP4 Small Portrait Adapta-Wall® Pop-Out Mount	354.60	500 x 500 x 103-340	12.2kg	33 - 70"	300x300 / 400x400	45kg	■
VWP3 Large Adapta-Wall® Pop-Out Mount	362.20	500 x 800 x 132-370	14.1kg	33 - 70"	300x300 / 800x400	45kg	■
VWPHD Heavy Adapta-Wall® Duty Pop-Out Mount	565.30	500 x 800 x 73-340	16.3kg	71 - 90"	300x300 / 600x400	80kg	■












Pop-Out Video Wall Structures

The Adapta-Wall® video structure system is designed for use with our Adapta-Wall® pop-out mounts (left) where direct wall fixing is not applicable. Ceiling, floor-to-ceiling and floor-to-wall structures can be easily constructed using multiples of the parts listed below.

Simple Installation

Utilises UNICOL's modular connectivity, offering quick and simple installation with easy customisation options.



Product Image	Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Colour
	VWPA10 Quad Column Ceiling Plate	145.50	117 x 424 x 315	4.9kg	Black
	VWPA11 Quad Column Floor Plate	140.50	160 x 424 x 315	6.0kg	Black
	VWPA1 Column Tie Brace Units (pack of 2)	98.20	120 x 262 x 72	3.2kg	Black
	VWPA2 Twin Column Ceiling Plate	86.80	117 x 400 x 160	2.9kg	Black
	VWPA4 Twin Column Floor Plate	92.30	207 x 400 x 150	4.4kg	Black
	VWPA9 Twin Column Wall Plate	97.50	72 x 410 x 129	1.6kg	Black
	VWPA5 Mount 'U'-Clamps (pack of 4)	82.50	50 x 105 x 63	0.8kg	Black
	2000 2000mm Chrome Column	65.00	2000 x 50.8 x 50.8	3.6kg	Chrome
	3000 3000mm Chrome Column	97.50	3000 x 50.8 x 50.8	5.4kg	Chrome

Part codes and prices are listed as a reference guide only. We highly recommend discussing video wall structures with our project team to confirm configurations.

Freestanding Video Wall System


The V-Wall is ideal for situations when quick, easy and accurate assembly is required such as in hire and retail, where regular change is inevitable.

This robust modular structure is made of individual mast units that are joined with cross members enabling a 3 or 4-high display unit to have infinite width. Cable management runs are catered for and there is adequate space for PC's and other devices.

- Robust modular construction.
- Easy to assemble and install.
- Range of installation options inc. floor-to-wall, freestanding and bolt down.
- Discreet cable management with ample storage space.
- Tool-less fine adjustment levelling.
- Max. weight capacity of 45kg per screen.
- Typically suits 40 - 55" screens.

Please note: prices quoted are ex-works as this unit is despatched by dedicated courier or may be collected. Please state screen make and model when ordering.

Call our sales team to discuss your requirements.





Single Screen Table Stands

These table stands provide a small footprint for table-top screens up to 110". Provided with a universal Pozimount mount as standard, this solution covers a wide range of VESA fixings allowing you to easily change/replace screens when necessary. The stand mast features multiple fixing points to provide adjustment for screen size variation.

Dedicated versions are available upon request.

- Feature resilient non-marking feet.
- Universal mount supplied as standard.
- Height adjustment built-in to each mast.
- Caters for a wide range of VESA fixings.

Please state screen make and model when ordering.
Call for any advice or assistance as required.



Universal Table Stand
Including PZX1 (PFT1)

Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Screen Size	VESA Fixing (Min / Max)	Weight Capacity	Colour
PFT3 Universal Stand inc. PZX3 (Screen Centre: 420-520mm)	225.60	620 x 626 x 270	14.8kg	32 - 57"	200x200 / 400x400	60kg	■
PFT1 Universal Stand inc. PZX1 (Screen Centre: 420-520mm)	225.60	620 x 626 x 270	16.6kg	40 - 70"	200x200 / 600x400	60kg	■
PFT9 Universal Stand inc. PZX9 (Screen Centre: 750mm)	289.35	1096 x 1300 x 430	44.0kg	71 - 110"	300x300 / 1000x600	60kg	■
PFT10 Universal Stand inc. PZX10 (Screen Centre: 750mm)	490.36	1275 x 1600 x 430	53.1kg	71 - 110"	400x600 / 1500x600	60kg	■

Seated or Standing Collaborative Huddle-Style Meeting Tables

The Huddle and Stand-to-Meet collaborative tables are designed to integrate seamlessly with meeting technology. The Huddle can be powered up and down at the push of a button. Transition between seated or standing meetings seamlessly. Whilst the Stand-to-Meet is a fixed height collaborative table, perfect for brief meetings/hot-desking.

Both styles offer ample capacity for cabling and integration with other systems, all accessible through a cable well and locking door. Built in 4-way power socket as standard.



Flexible Customisation

Branding, alternative table top finishes and custom cut-outs on the table top available upon request.



Huddle Single Screen
Height Adjustable Table (RHO1)

Please note: prices quoted are ex-works as this unit is despatched by dedicated courier or may be collected. Please state screen make and model when ordering.

Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Screen Size	VESA Fixing (Min / Max)	Weight Capacity	Primary Colour	Desk Top Colours
RHO1 Huddle Single Screen Height Adjustable Table	3850.00	variable	33 - 70"	200x200 / 600x400	60kg	■	■ □
RHO2 Huddle Twin Screen Height Adjustable Table	4150.00	variable	33 - 70"	200x200 / 600x400	35kg*	■	■ □
RS01 Stand-to-Meet Twin Screen Fixed Height Table	3978.30	variable	33 - 70"	200x200 / 600x400	35kg*	■	■ □

*max weight per screen



Stylish, Free Standing Lecterns

The Canterbury™ is a versatile lectern that provides secure storage for media electronics with 19" 16U rack mounting as standard. Stylish oval cabinet has concealed castors with jacking feet for extra stability on uneven surfaces. The range of durable desk tops are available in a choice of sizes and incorporate a control panel housing for standard & custom apertures together with power outlets.

High quality monitor arm is fully adjustable, desk top has generous room for keyboard and visualiser (if required). All are available in 1000, 1250 & 1500mm widths, 750mm deep with a choice of wood effect finishes.

In addition to the standard units offered we are able to customise for a wide range of requirements plus colour options and branding.

- Customised control housing options.
- Secure front and rear installation access.
- Lockable, with key alike options.
- Concealed castors, plus levelling feet.
- 19" 16U rack supplied as standard.
- Quality wood finish, 36mm thick work surface.
- Includes articulated screen arm as standard.

Please note: prices quoted are ex-works as this unit is despatched by dedicated courier or may be collected.



Example 1000mm Desk Top
Canterbury™ Lectern (UFCL10)

Small Room? Big Impact!

With its compact design, custom options, generous storage space and effortless mobility, this lectern is the ideal product for small lecture theatres.



Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Lectern Cabinet Colour Options	Desk Top Colour Options
UFCL10 1000mm Desk Top Canterbury™ Lectern	2810.60	987 x 1000 x 750	■ □	Oak, Beech, Grey, Black, White
UFCL12 1200mm Desk Top Canterbury™ Lectern	2890.30	987 x 1200 x 750	■ □	Oak, Beech, Grey, Black, White
UFCL15 1500mm Desk Top Canterbury™ Lectern	3020.10	987 x 1500 x 750	■ □	Oak, Beech, Grey, Black, White

Wall-Mounted Control Desks

The Presentor™ is ideal for small lecture theatres or anywhere where space is limited. Folding work surface is ideal for laptop, notes etc. Unit is designed to be functional yet compact, with many control panel options.

Lockable cabinet (with key alike options) is provided for a PC with access to PC ports and power through the side of the unit. A 3U rack strip is also built in. Options include standard UK two gang aperture, plus any other control panel features required.

Please enquire to discuss requirements.

Please note: prices quoted are ex-works as this unit is despatched by dedicated courier or may be collected.



Example
Wall Mounted
Presentor™ Desk (UFPL08)

Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Lectern Cabinet Colour Options	Work Surface Colour Options
UFPL08 Wall Mounted Presentor™ Desk	1130.80	796 x 800 x 605	variable	■ □	■ □



The Lecturer's Teaching Aid Desk

The Principal™ Series

Provides lecturer's with a central desk facility to control AV lecture content, screen or projector video sources, audio, lighting levels and more. Cabinets have 19" removable 12U racks. The desk powers up and down for standing or seated operation using the manual switch or remote fob.

- 19" removable 12U racks to allow for pre-installation.
- Full cable management, accomodating bulky connectors.
- Motorised desk top in a range of widths and finishes.
- Screen mount has left/right or multi-screen options.
- Control housing has standard and custom apertures.
- Quick release doors for ease of installation.
- Generous desk top space for visualiser if required.
- Castor mobile for access through standard doorways.
- Rapid turnaround.

To order, choose from the models and finish options listed below. Please include preference for left or right monitor arm and control panel housing requirements.

Please note: prices quoted are ex-works as this unit is despatched by dedicated courier or may be collected.



Example
1850mm Desk Top
Principal™ Desk (UFPD18)

Flexible Customisation

Make each unit yours by adding optional extras such as; custom cut-outs, illuminated logos, bespoke finishes and more.



Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Desk Cabinet Colour Options	Desk Top Colour Options
UFPD15 1550mm Desk Top Principal™ Desk	POA	884-1544 x 1550 x 700	variable	■ □	Oak, Beech, Grey, Black, White
UFPD18 1850mm Desk Top Principal™ Desk	POA	884-1544 x 1850 x 700	variable	■ □	Oak, Beech, Grey, Black, White
UFPD24 2400mm Desk Top Principal™ Desk	POA	884-1544 x 2400 x 700	variable	■ □	Oak, Beech, Grey, Black, White

The Mentor™ Series

Provides lecturer's with a central desk facility to control AV lecture content, screen or projector video sources, audio, lighting levels and more.

- 19" removable 12U racks with additional 1U rack.
- Full cable management with lockable storage.
- Concealed castors plus levelling feet.
- Neat quick release door mechanism.
- Optional extras include illuminated branding & more.

Hassle-Free Maintenance

The hinged desktop and quick-release doors provide easy access to AV devices, ensuring efficient servicing with minimal downtime.



To order, choose from the models and finish options listed below. Please include preference for left or right monitor arm and control panel housing requirements.



Example
1300mm Desk Top
Mentor™ Desk (UFMD13)

Please note: prices quoted are ex-works as this unit is despatched by dedicated courier or may be collected.

Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Desk Cabinet Colour Options	Desk Top Colour Options
UFMD13 1300mm Desk Top Mentor™ Desk	POA	790-1196 x 1300 x 700	variable	■ □	Oak, Beech, Grey, Black, White



Rack & Screen Cabinets

Our AV Media Cabinets provide secure, lockable storage for a wide range of electronics. Available in a variety of styles and sizes, these solutions offer integrators a wide flexibility of choice to meet the requirements of end users. Single and twin cabinets have ready provision to accept mast assemblies (M1X1 or M2X1).

Please note: prices quoted are ex-works as this unit is despatched by dedicated courier or may be collected.

Single & Twin Cabinet Versions

- 19" rack mounting as standard.
- Variety of shelves & racking available - please enquire.
- Two depth versions available; 442mm or 642mm.
- Incorporate screens via the single and twin screen mast assemblies.
- Custom versions available.

Please state screen make and model when ordering a mast assembly or the AVRT7-PZX9.




Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Screen Size	VESA Fixing (Min / Max)	Weight Capacity	Colour
AVR5 Standard Single Rack Cabinet (442mm rack depth)	449.20	890 x 580 x 565	47.2kg	n/a	n/a	n/a	Black
AVR7 Extended Single Rack Cabinet (642mm rack depth)	468.50	890 x 580 x 765	61.0kg	n/a	n/a	n/a	Black
AVR9 Oval Style Single Rack Cabinet (442mm rack depth)	496.50	890 x 775 x 590	58.3kg	n/a	n/a	n/a	Black
M1X1 Single Screen Mast Assembly (Including mount)	304.55	1546 x 765 x 172	18.6kg	33 - 57"	200x200 / 600x400	40kg	Black
AVRT5 Standard Twin Rack Cabinet (442mm rack depth)	946.30	896 x 1200 x 640	88.3kg	n/a	n/a	n/a	Black
AVRT7 Extended Twin Rack Cabinet (642mm rack depth)	984.90	896 x 1200 x 840	107.2kg	n/a	n/a	n/a	Black
M2X1 Twin Screen Mast Assembly (Including mount)	647.20	1546 x variable x 172	variable	33 - 57"	200x200 / 600x400	35kg*	Black
AVRT7-PZX9 Twin Rack Cabinet inc. Universal Mount & Mast	3818.80	2177 x 1180 x 800	151.1kg	71-110"	300x300 / 1000x600	150kg	Black

*max weight per screen

Triple Cabinet Versions

- Offers heavy duty twin screen mounting up to 110".
- Includes cabinet, mast assemblies, screen mounts and 3x12U racks.
- Features standard rack depth (442mm). Extended versions also available upon request.
- 19" rack mounting as standard.
- Range of cabinet top finishes.
- Various shelves & racking available - please enquire.

Please state screen make and model when ordering.



Example Triple Cabinet, Twin Screen Credenza with 2x110" Screens (AVRTHD3)

Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Screen Size	VESA Fixing (Min / Max)	Weight Capacity	Colour
AVRHD3 Triple Cabinet, Twin Screen Credenza (up to 75")	4085.20	variable	variable	57 - 75"	300x300 / 1000x600	60kg*	Black
AVRTHD3 Triple Cabinet, Twin Screen Credenza (up to 110")	POA	variable	variable	76 - 110"	400x600 / 1500x1000	100kg*	Black

*max weight per screen



The Preferred Method of Projector Mounting

All our PSU™ mounts are designed to align accurately with the projector mounting holes and take account of cooling or lamp access needs. This is what makes our projector suspension units the preferred method of projector mounting.

The cradle versions (PSC) offer an alternative method of projector mounting, either to meet a projectors optical needs or to give protection to projectors when used in location-to-location or hire circumstances.

All PSU™ mounts are now available as micro adjustable versions with 2 axis and precision adjustment for level and tilt. Call to discuss.

Custom Versions Available

Including mounting downward/upward, multiple projectors, 3D rigs and more. Get in touch for your next installation.



Please state projector make and model when ordering.

Images are illustrative and final product may vary slightly from what is shown. Call for any advice or assistance.



Example Ceiling Suspended Vertical Aspect (VSU) Projector Suspension Unit



PSU1 Example



PSC Example



PSU2 Example



PSM Example




VSU Example



PPSU Example

Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Weight Capacity	Colour
PSU1 Standard Projector Suspension Unit	151.80	variable	variable	40kg	<input checked="" type="checkbox"/> <input type="checkbox"/>
PSU2 Heavy Duty Projector Suspension Unit	187.00	variable	variable	70kg	<input checked="" type="checkbox"/> <input type="checkbox"/>
PSC Cradle Style Projector Suspension Unit	189.20	variable	variable	40kg	<input checked="" type="checkbox"/> <input type="checkbox"/>
VSU Vertical Aspect Projector Suspension Unit	181.50	variable	variable	40kg	<input checked="" type="checkbox"/> <input type="checkbox"/>
PPSU Portrait Projector Suspension Unit	298.32	variable	variable	40kg	<input checked="" type="checkbox"/> <input type="checkbox"/>
PSM Micro-Adjustable Style Projector Suspension Unit	227.48	variable	variable	40kg	<input checked="" type="checkbox"/> <input type="checkbox"/>

Accessories

Product Image	Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Weight Capacity	Colour
	TD1 Trim Disc (Ceiling Finisher)	8.65	25 x 90 x 90	0.04kg	n/a	<input checked="" type="checkbox"/> <input type="checkbox"/>
	TDRF Retro Fit Trim Disc (Post-Install)	14.75	variable	variable	n/a	<input checked="" type="checkbox"/> <input type="checkbox"/>
	TDB1 Blanking Disc (Blanks Ceiling Holes)	8.65	16 x 90 x 90	0.08kg	n/a	<input checked="" type="checkbox"/> <input type="checkbox"/>



Anti-Theft Projector Enclosures

Aid security of your projector with our Guardbox® range. Gives added reassurance particularly where projectors are used in public areas, education, sports facilities and more. Six sizes available covering a wide range of projectors. Constructed from heavy gauge steel and incorporating many innovative features including 0-10° tilt.

Each Guardbox® incorporates our unique anti-hacksaw bar system which allows variable positioning to ensure lens clearance for any make and model of projects. Adjustable levelling bars to ensure perfect image positioning are incorporated in the base of each Guardbox®.

Stand Out: Colour Options Available

We can finish your solution to any RAL colour, deterring thieves from tampering and matching your brand guidelines.




Example Ceiling Suspended Guardbox®



Ask us about...

Our Single Column Trolley Guardbox® range. Ideal for moving projectors from room to room or to secure in storage.






PGM



PGL



PGG

Product Image	Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Weight Capacity	Colour
	PGX 180h x 390w x 320d mm Projector Guardbox®	279.80	330 x 405 x 375	12.4kg	n/a	<input type="checkbox"/>
	PGS 180h x 400w x 430d mm Projector Guardbox®	282.60	330 x 405 x 475	14.4kg	n/a	<input type="checkbox"/>
	PGM 180h x 490w x 420d mm Projector Guardbox®	341.70	330 x 500 x 475	17.2kg	n/a	<input type="checkbox"/>
	PGL 180h x 400w x 520d mm Projector Guardbox®	343.50	330 x 405 x 575	14.9kg	n/a	<input type="checkbox"/>
	PGG 250h x 560w x 620d mm Projector Guardbox®	352.60	411 x 565 x 680	27.9kg	n/a	<input type="checkbox"/>
	PGW 250h x 600w x 550d mm Projector Guardbox®	350.20	411 x 605 x 613	27.5kg	n/a	<input type="checkbox"/>
	1000C 1000mm Ceiling Suspension Chrome Column	32.50	1000 x 50.8 x 50.8	1.8kg	n/a	<input type="checkbox"/>
	2000C 2000mm Ceiling Suspension Chrome Column	65.00	2000 x 50.8 x 50.8	3.7kg	n/a	<input type="checkbox"/>
	3000C 3000mm Ceiling Suspension Chrome Column	97.50	3000 x 50.8 x 50.8	5.5kg	n/a	<input type="checkbox"/>
	CP1 Standard Ceiling Plate (See page 30 for more info)	28.70	121 x 160 x 160	1.1kg	60kg	<input type="checkbox"/>
	CP2 Large Ceiling Plate (See page 30 for more info)	42.90	122 x 272 x 272	2.7kg	120kg	<input type="checkbox"/>
	CPSC1 Locking Ceiling Plate (Compatible with CP1 only)	45.40	82 x 181 x 181	1.1kg	n/a	<input type="checkbox"/>

Accessories

Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Weight Capacity	Colour
TLK Taglock Kit (Additional Security for Guardbox® Range)	25.10	n/a	0.05kg	n/a	n/a
TDB1 Blanking Disc (Blanks Ceiling Holes)	8.65	16 x 90 x 90	0.08kg	n/a	<input type="checkbox"/>



Award Winning, Installer Friendly Projector Mounts

Over 20 years of award winning design with over 400,000 Gyrolock® mounts sold - the Gyrolock® range is the industry standard for AV integrators when mounting projectors up to 20kg.

- Wide range of styles and suspension lengths to suit headroom specifications in your installation.
- Column suspension versions allow for increased compatibility with other UNICOL products.
- Over 20 years of award winning design.
- Full tilt and turn adjustment for easy set up.
- Available in Sinterflex Black as standard with Sinterflex White as a no cost option.

*These products are the subject of UK and USA design rights.
UK Registered Design 3011575. UK Trade Mark 2244062. US Patent 10/049390.
EU Registered Design 00221072-0001 (GAPU Universal Adapter Plate)*

Universal & Dedicated Mount Options

Both mounting options are available to ensure you get the best fit for your projector. Universal mounts offer a weight capacity of 12kg, whilst dedicated mounts cater for projectors up to 20kg.



Example Dedicated 230-700mm Length Projector Mount (GK2-GAP)

Trilok® Universal & Dedicated Docking System

The Trilok® docking system uses a standardised 'bayonet style' fitting to carry dedicated projector mounting plates made specifically to fit each make & model of projector (universal version also listed). The docking system allows easy projector set up, removal for routine maintenance and for future model change.

- Full tilt and turn adjustment for easy set up.
- Standardised 'bayonet style' fitting.
- Telescopic style for use in any headroom situation.
- Parts & Accessories available on page 51 (right).

Please state projector make and model when ordering. Images are illustrative and final product may vary slightly from what is shown. Call for any advice or assistance.



Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Weight Capacity	Colour
GKC-GAP Dedicated Close Ceiling Mount (Dedicated Trilok® Adapter (GAP))	149.38	variable	variable	20kg	■ □
GKC-GAPU Universal Close Ceiling Mount (Universal Trilok® Adapter (GAPU))	149.38	90 x 220-430 x 220-430	1.4kg	12kg	■ □
GK1-GAP Dedicated 230-300mm Length Mount (Dedicated Trilok® Adapter (GAP))	164.56	variable	variable	20kg	■ □
GK1-GAPU Universal 230-300mm Length Mount (Universal Trilok® Adapter (GAPU))	164.56	230-300 x 220-430 x 220-430	1.9kg	12kg	■ □
GK2-GAP Dedicated 230-700mm Length Mount (Dedicated Trilok® Adapter (GAP))	184.58	variable	variable	20kg	■ □
GK2-GAPU Universal 230-700mm Length Mount (Universal Trilok® Adapter (GAPU))	184.58	230-700 x 220-430 x 220-430	2.8kg	12kg	■ □
GK4-GAP Dedicated Column Suspension Mount (Dedicated Trilok® Adapter (GAP))	142.12	variable	variable	20kg	■ □
GK4-GAPU Universal Column Suspension Mount (Universal Trilok® Adapter (GAPU))	142.12	188 x 220-430 x 220-430	1.2kg	12kg	■ □




Gyrolock® Universal Docking System

These universal mounts offer a wide range of adjustment not only to cover widely differing projector screw fixing centres but also allow clearance for contour variations often found in projector design. A universal screw pack to cover most projectors is included.

- Telescopic style for use in any headroom situation.
- Offer a wide range of adjustment to accommodate different screw fixing centres and contour variations.
- Parts & Accessories available below.

Please state projector make and model when ordering.



Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Weight Capacity	Colour
GK0 Camera Screw 230-300mm Length Mount	73.59	230-300 x 183 x 183	1.0kg	12kg	<input type="checkbox"/> <input type="checkbox"/>
GKU1 Universal 230-300mm Length Mount (Incorporated GAPU)	98.78	230-300 x 220-430 x 220-430	1.5kg	12kg	<input type="checkbox"/> <input type="checkbox"/>
GKU2 Universal 230-700mm Length Mount (Incorporated GAPU)	118.91	230-700 x 220-430 x 220-430	2.3kg	12kg	<input type="checkbox"/> <input type="checkbox"/>
GKUX Universal Compact Close Ceiling Mount (Incorporated GAPU)	76.01	134 x 220-430 x 220-430	0.9kg	12kg	<input type="checkbox"/> <input type="checkbox"/>
GKU3 Universal 700-1200mm Length Mount (Incorporated GAPU)	126.39	700-1200 x 220-430 x 220-430	3.8kg	12kg	<input type="checkbox"/> <input type="checkbox"/>
GKUT1 Truss Clamp Style Universal 230-300mm Mount (Incorporated GAPU)	120.78	230-300 x 220-430 x 220-430	1.7kg	12kg	<input type="checkbox"/> <input type="checkbox"/>
GKUT3 Truss Clamp Style Universal 700-1200mm Mount (Incorporated GAPU)	142.28	230-700 x 220-430 x 220-430	3.9kg	12kg	<input type="checkbox"/> <input type="checkbox"/>
GKU4 Column Suspension Mount (Incorporated GAPU)	76.45	169 x 220-430 x 220-430	0.9kg	12kg	<input type="checkbox"/> <input type="checkbox"/>
HDGKU4 Heavy Duty Column Suspension Mount (Incorporated GAPU)	151.80	169 x 220-430 x 220-430	1.3kg	30kg	<input type="checkbox"/> <input type="checkbox"/>

Trade Packs

- Combines all the necessary components for a typical ceiling suspended projector installation.
- Available in Sinterflex Black as standard with Sinterflex White as a no cost option.
- Offer a wide range of adjustment to accommodate different screw fixing centres and contour variations.
- Utilises modular connectivity with other UNICOL parts.
- Other column lengths available upon request.

Please state projector make and model when ordering.



Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Weight Capacity	Colour
KPR15CB Universal 500mm Column Suspension Projector Trade Pack (Includes GKU4)	121.40	630 x 220-430 x 220-430	2.9kg	12kg	<input type="checkbox"/> <input type="checkbox"/>
KPR110CB Universal 1000mm Column Suspension Projector Trade Pack (Includes GKU4)	137.65	1130 x 220-430 x 220-430	3.8kg	12kg	<input type="checkbox"/> <input type="checkbox"/>
KPR120CB Universal 2000mm Column Suspension Projector Trade Pack (Includes GKU4)	170.15	2130 x 220-430 x 220-430	5.6kg	12kg	<input type="checkbox"/> <input type="checkbox"/>
KPR130CB Universal 3000mm Column Suspension Projector Trade Pack (Includes GKU4)	202.65	3130 x 220-430 x 220-430	7.5kg	12kg	<input type="checkbox"/> <input type="checkbox"/>

Accessories

Product Image	Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Weight Capacity	Colour
	GAP Dedicated Gyrolock® Adapter Plate	48.73	variable	variable	20kg	<input type="checkbox"/> <input type="checkbox"/>
	GAPU Universal Gyrolock® Adapter Plate	48.73	27 x 220-430 x 220-430	0.5kg	12kg	<input type="checkbox"/> <input type="checkbox"/>
	GKTD Gyrolock® Trim Disc	8.65	31 x 90 x 90	0.06kg	n/a	<input type="checkbox"/> <input type="checkbox"/>
	GT40 400mm Tetherloc Gyrolock® Anti-Theft Kit	78.80	444 x 154 x 37	0.8kg	n/a	<input type="checkbox"/>
	GT80 800mm Tetherloc Gyrolock® Anti-Theft Kit	84.80	844 x 154 x 37	1.0kg	n/a	<input type="checkbox"/>
	GT130 1300mm Tetherloc Gyrolock® Anti-Theft Kit	91.50	1344 x 154 x 37	1.3kg	n/a	<input type="checkbox"/>



The Original UNICOL System

These single column solutions have supported Education and the AV industry for over 60 years.

Supporting *AV* Since 1963



Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Weight Capacity	Colour
SS/45/PA Flat Platform Projector Trolley	184.53	1314 x 450 x 550	10.9kg	35kg	■
MS/24/PB General Purpose, Flat Platform Trolley	166.38	787 x 460 x 460	8.1kg	35kg	■
MG/45/PE Fixed Angle Lectern Stand	197.52	1320 x 460 x 460	7.9kg	10kg	■
LS/2533/PC Flat Platform, Telescopic Trolley	236.03	730-948 x 650 x 550	11.5kg	35kg	■
LS/3350/TGA Tilting Platform, Telescopic Trolley	273.58	935-1375 x 650 x 550	12.1kg	35kg	■
T1B/24/PB Flat Platform Equipment Trolley	193.39	870 x 767 x 645	15.0kg	35kg	■
CS1000 Telescopic Camera Stand	602.95	1623 x 767 x 647	23.9kg	6kg	■
CS2000 Studio Camera Stand	602.95	2135 x 767 x 647	26.7kg	6kg	■

Configure Your Own Single Column Solution Below

Product Image	Part Code & Description	Cost £ (Exc. VAT)	Dimensions (H x W x Dmm)	Weight	Weight Capacity	Colour
	PA 300w x 450d mm Flat Platform	82.40	151 x 310 x 460	2.9kg	35kg	■
	PB 450w x 450d mm Flat Platform	95.17	151 x 460 x 460	3.7kg	35kg	■
	PC 450w x 550d mm Flat Platform	107.74	151 x 460 x 560	4.3kg	35kg	■
	PE 450w x 450d mm 15° Fixed Angle Lectern Platform	108.54	220 x 460 x 460	3.0kg	10kg	■
	TGA 300w x 450d mm Adjustable Tilting (0-10°) Platform	126.99	191 x 310 x 460	3.3kg	35kg	■
	TGB 450w x 450d mm Adjustable Tilting (0-10°) Platform	140.79	191 x 460 x 460	4.1kg	35kg	■
	TGC 450w x 550d mm Adjustable Tilting (0-10°) Platform	152.77	191 x 460 x 560	4.7kg	35kg	■
	PAS 300w x 200d All Metal Flat Platform	126.50	135 x 306 x 206	2.2kg	20kg	■
	PES 450 x 450mm All Metal Lectern Platform	89.70	396 x 455 x 450	5.6kg	10kg	■
	16 410mm Standard Chrome Column	13.45	410 x 50.8 x 50.8	0.8kg	n/a	●
	24 610mm Standard Chrome Column	18.85	610 x 50.8 x 50.8	1.1kg	n/a	●
	30 760mm Standard Chrome Column	25.05	760 x 50.8 x 50.8	1.4kg	n/a	●
	36 900mm Standard Chrome Column	40.50	900 x 50.8 x 50.8	1.7kg	n/a	●
	45 1140mm Standard Chrome Column	37.50	1140 x 50.8 x 50.8	2.1kg	n/a	●
	2533 640 - 840mm Telescopic Column	60.80	569-787 x 70 x 70	2.8kg	n/a	■
	3350 840 - 1280mm Telescopic Column	79.10	762-1202 x 70 x 70	4.4kg	n/a	■
	AP 300w x 300d mm Accessory Shelf	90.70	113 x 310 x 350	2.4kg	15kg	■
	AD 400w x 400d mm Accessory Shelf	101.88	113 x 410 x 450	3.2kg	15kg	■
	MS 400w x 400d mm Trolley Base	52.36	183 x 410 x 410	3.2kg	60kg	■
	MG 400w x 400d mm Stand Base	51.48	156 x 410 x 410	2.8kg	60kg	■
	SS 450w x 550d mm Trolley Base with Jacking Feet	64.63	183 x 450 x 550	3.9kg	60kg	■
	LS 550w x 650d mm Trolley Base with Jacking Feet	67.49	183 x 550 x 650	4.4kg	60kg	■
	T1B Heavy Duty Trolley Base with 10cm Rubber Tyre Castors	79.37	277 x 767 x 645	10.1kg	80kg	■



	<p>Allen Key(s) A staple for any AV integrator. Standard 3/16th size to fit grub screws & through bolts.</p> <p>AK316 £0.70 exc. VAT</p>		<p>Grub Screw A spare grub screw that is compatible with most UNICOL products.</p> <p>GS38F £0.25 exc. VAT</p>																																							
	<p>Hand Wheel Spare individual hand wheels. Ideal for any AV installers tool kit.</p> <p>HW38F £1.05 exc. VAT</p>		<p>Safety Through Bolt Spare safety through bolt for ceiling suspended solutions.</p> <p>TB38F £1.15 exc. VAT</p>																																							
	<p>Socket Cap Provide a tighter fit when combining adapters, mounts & more to UNICOL's columns.</p> <p>SC £3.50 exc. VAT</p>		<p>Replacement Lock & Key Typically used in Guardbox, Rhobus, AV Media Cabinet and Locking Cabinet ranges.</p> <p>LK £25.10 exc. VAT</p>																																							
	<p>Locking Ring Necessary at the bottom of any ceiling suspension installation using column mounted components, where safety 'through-bolts' are absent.</p> <p>LR £6.70 exc. VAT</p>		<p>Screen Security Kit Protect your screen by utilising the 2200mm tough steel cable system with special fittings that shield access to fixing screws.</p> <p>PSK £89.97 exc. VAT</p>																																							
	<p>Locking Ceiling Plate Designed to fit securely around the CP1 Standard Ceiling Plate, to shield the fixings and prevents unauthorised access.</p> <p>CPSC1 £45.40 exc. VAT</p>		<p>Column Drilling Jig Trim columns down and drill through-bolt holes in the right place to ensure that your modular installation fits together perfectly.</p> <p>CDJ1 £42.10 exc. VAT</p>																																							
	<p>Remote Wall Holders Reflects the remotes infrared beam direct to the projector or screen. No need to hard wire!</p> <p>RGHW (Universal) £58.60 exc. VAT RGH1W (Dedicated) £65.00 exc. VAT</p>	 <p>Columns In standard chrome finish and stainless steel. Also available in colour finishes to special order. In addition to the sizes listed we can supply non-standard lengths.</p> <p>For ceiling suspension, add 'C' to end of order code. Please note that safety 'through-bolt' holes must be specified for suspension applications.</p> <table><tr><th colspan="3">Chrome</th></tr><tr><td>500</td><td>(500mm)</td><td>£16.25 exc. VAT</td></tr><tr><td>1000</td><td>(1000mm)</td><td>£32.50 exc. VAT</td></tr><tr><td>1500</td><td>(1500mm)</td><td>£48.75 exc. VAT</td></tr><tr><td>2000</td><td>(2000mm)</td><td>£65.00 exc. VAT</td></tr><tr><td>2500</td><td>(2500mm)</td><td>£81.25 exc. VAT</td></tr><tr><td>3000</td><td>(3000mm)</td><td>£97.50 exc. VAT</td></tr></table> <table><tr><th colspan="3">Stainless Steel</th></tr><tr><td>500SS</td><td>(500mm)</td><td>£31.45 exc. VAT</td></tr><tr><td>1000SS</td><td>(1000mm)</td><td>£62.85 exc. VAT</td></tr><tr><td>1500SS</td><td>(1500mm)</td><td>£124.30 exc. VAT</td></tr><tr><td>2000SS</td><td>(2000mm)</td><td>£155.70 exc. VAT</td></tr><tr><td>3000SS</td><td>(3000mm)</td><td>£218.55 exc. VAT</td></tr></table>		Chrome			500	(500mm)	£16.25 exc. VAT	1000	(1000mm)	£32.50 exc. VAT	1500	(1500mm)	£48.75 exc. VAT	2000	(2000mm)	£65.00 exc. VAT	2500	(2500mm)	£81.25 exc. VAT	3000	(3000mm)	£97.50 exc. VAT	Stainless Steel			500SS	(500mm)	£31.45 exc. VAT	1000SS	(1000mm)	£62.85 exc. VAT	1500SS	(1500mm)	£124.30 exc. VAT	2000SS	(2000mm)	£155.70 exc. VAT	3000SS	(3000mm)	£218.55 exc. VAT
Chrome																																										
500	(500mm)			£16.25 exc. VAT																																						
1000	(1000mm)	£32.50 exc. VAT																																								
1500	(1500mm)	£48.75 exc. VAT																																								
2000	(2000mm)	£65.00 exc. VAT																																								
2500	(2500mm)	£81.25 exc. VAT																																								
3000	(3000mm)	£97.50 exc. VAT																																								
Stainless Steel																																										
500SS	(500mm)	£31.45 exc. VAT																																								
1000SS	(1000mm)	£62.85 exc. VAT																																								
1500SS	(1500mm)	£124.30 exc. VAT																																								
2000SS	(2000mm)	£155.70 exc. VAT																																								
3000SS	(3000mm)	£218.55 exc. VAT																																								
	<p>Spray Paint 400ml touch-up paint cans.</p> <p>SPB (Sinterflex Black) £35.60 exc. VAT SPW (Sinterflex White) £35.60 exc. VAT SPS (Diamond Silver) £35.60 exc. VAT</p>																																									
	<p>Castor Sets Spare or replacement castors for our stand and trolley range.</p> <p>5cm Castors (Orbit) C05X4 (Set of 4) £14.00 exc. VAT</p> <p>7.5cm Castors (2 Plain, 2 Braked) C074X4 (Set of 4) £28.20 exc. VAT</p> <p>10cm Castors (Plain) C10X4 (Set of 4) £34.60 exc. VAT</p> <p>10cm HD Castors (Braked)* BC10X4 (Set of 4) £94.00 exc. VAT</p>																																									

*Please note: Our 10cm Heavy Duty castors (BC104) are bolt fixed for added strength and to prevent swivel as well as rotation of the wheel, they are intentionally not interchangeable with our 10cm (C104) castors.



Supporting *AV* Since 1963

+44 (0)1865 767676

sales@unicol.com

unicol.com

UNICOL Engineering, Green Road, Oxford, OX3 8EU



**Summit™ All-in-One
Video Conference Walls**
pages 32-33



Tap.IT™ Touch Panel Mounts
page 36



Outdoor Housings
page 42



**Mentor
Teaching
Aid Desks**
page 52



Projector Suspension Units
page 54



**Articulated & Pop-Out
Wall Mounts**
page 28