

General Catalogue 2024/25



Empowering Independence



VARTA	4	Lights	54
VARTA AG		Night Cutter Indestructible Pro Outdoor Sports	
Primary Batteries	12	Work Flex Aluminium Lights Home Lights	
Ultra Lithium Longlife Max Power Longlife Power		Day Light Multi LED Kids Light Special Lights	
Longlife Super Heavy Duty			
Rechargeable and Chargers	24	Portable Power	90
Power Recycled LCD Chargers Eco Chargers Recycled		Energy Power Banks Wireless Power Banks	
Easy Chargers		Mag Pro Wireless Power Banks Wireless Chargers	
Special Batteries	40	Accessories Mobile Power Solutions	
Lithium Coin Lithium Cylindrical Alkaline Special		Product Displays	110
Silver Coin		Individually Composed POS Solutions	
Hearing Aid Batteries	50	Assortment Overview	114

All mentioned products and specifications are subject to change. In case of non-availability of any product or item, VARTA AG cannot be held responsible. This catalogue is for international use. Some of the products shown may not be available in all countries. The pictures might be different to the original products. Technical changes and errors reserved.

Innovation, Competence, Quality

Highest quality "Made in Germany"
- for over 130 years



Mark Munz
General Manager
Sales & Marketing

VARTA can look back on a long, successful history: as a leading manufacturer of household batteries "Made in Germany", we have stood for the highest quality, best performance and reliability for well over a century. We want to maintain this tradition in the coming years with a clear commitment to Germany as a business location.

We are taking big steps towards a modern, more sustainable future: our primary batteries, the flagship of the product range, which also includes powerbanks, torches, rechargeable batteries and hearing aid batteries, can now be offered completely in plastic-free packaging. We have already reduced our plastic consumption in production by 35% since 2020 and aim to increase this proportion to over 50% by the end of 2025. We are not only using more sustainable materials for packaging, but also for the production of the products themselves. For example, our VARTA Recharge Accu Recycled now even consists of 25% recycled materials.

To underline our efforts in the area of sustainability, VARTA launched a communication campaign on battery recycling in autumn 2023, which has already reached more than 500 million people across Europe. Consumers were encouraged to recycle their household batteries and become "game changers" who actively contribute to reducing the carbon footprint, conserving valuable resources and promoting the circular economy. Together with you, we want to make a positive contribution to the environment and raise awareness of the importance of battery recycling.


Our experienced teams of experts are constantly working to further improve our products with dedication and passion. Thanks to our strict quality standards in our own development laboratories and test facilities, we can also guarantee the outstanding quality, reliability and durability of our products in the future.

As the leading manufacturer of batteries in Europe, we at VARTA Consumer Batteries continuously strive to offer you the best service in the industry and to cater to your individual needs. With more than 130 years of expertise, quality and innovation, we will continue to be your reliable partner in the coming year.


Let's shape a sustainable future together!

Global Presence

4.200 dedicated employees - around 200 of them in central research & development - are the foundation of VARTA's success.



Business Areas



VARTA AG produces and markets a comprehensive battery portfolio ranging from micro batteries, household batteries, energy storage systems to customised battery solutions for a variety of applications and sets the industry standards as a technology leader in key areas. As the parent company of the Group, it is divided into the segments "Micro Batteries", "Lithium-Ion CoinPower", "Consumer Batteries", "Energy Storage Systems" and "Other". The "Micro Batteries" segment includes micro and hearing aid batteries, "Lithium-Ion CoinPower" small-format lithium-ion round cells for OEM applications. "Consumer Batteries" represents the business with household batteries, rechargeable batteries, chargers, portable power (powerbanks) and lights.

"Energy Storage Systems" includes energy storage solutions for primarily private, but also for commercial applications. The "Other" segment includes the "Lithium-Ion Battery Packs" and "Lithium-Ion Large Cells" business units (high-performance lithium-ion round cells for industrial applications in the automotive and non-automotive sectors). Through intensive research and development, VARTA sets global standards in many areas of lithium-ion technology and in micro batteries, making it a recognised innovation leader in the important growth markets of lithium-ion technology and in primary hearing aid batteries. The VARTA AG Group currently employs around 4,200 people. With five production and manufacturing facilities in Europe and Asia as well as distribution centres in Asia, Europe and the USA, VARTA AG's operating subsidiaries are currently active in over 100 countries worldwide.

Quality “Made in Germany”

BATTERY EXPERTS
SINCE 1887

Our best Alkaline Batteries ever

Powerful, Sustainable, Independent



New energy mix with improved anode and cathode formula.
More active mass for more independence.



Our Best
Alkaline Battery
Performance Ever!*

* VARTA AA/Mignon/LR6 and AAA/Micro/LR03 alkaline batteries LONGLIFE Max Power, LONGLIFE Power, LONGLIFE.
Performance in average according to IEC norm 60086-2 Ed. 14, 2022-01 vs. former product quality, based on internal testing.
Performance may vary by device.

Sustainability Strategy

The world is facing grave, environmental and social challenges. VARTA addresses these challenges by providing solutions empowering independent life and supporting the energy and mobility transition.

As a change-maker and an innovator operating in accordance with social, ecological, and economic values, VARTA strives to ensure fair and just business practices. Conserving resources through economical material use, recyclability, and reusability without compromising on product performance and safety is of utmost importance to VARTA.



Eco-Friendly Packagings

The reduction of plastic consumption is a big step towards a modern, sustainable future. Not least thanks to our new sustainable big packs, our Primary Batteries portfolio can now be offered completely plastic-free.

Next to that, our products in the Portable Power category, consisting of power banks and associated accessories, will be offered in 100% plastic-free cardboard boxes. For our Special Batteries packagings we managed to use up to 60% less plastic in child-resistant packagings and thus reduce plastic to the minimum possible level while ensuring child safety in accordance with legal requirements and (IEC) industry standards.



In total we have already reduced the plastic consumption in our production by 35% since 2020 and aim to increase this proportion to over 50% by the end of 2025. However, we not only use more sustainable materials for the packagings, but also for the manufacturing of the products themselves. For example, our VARTA Recharge Accu Recycled is now made from recycled materials by even 25%.

All this demonstrates VARTA's long-term commitment to a sustainable packaging and product strategy.



Energy for your Independence

VARTA Primary Batteries



Scan for more information

<https://www.varta-ag.com/en/batteries>



Live your life as independent as you want to – with VARTA batteries. Our selection of batteries is designed to provide you with the most efficient power for your everyday devices, enabling a new level of flexibility. From cameras and toys to remote controls and more we offer the optimal power solution for your independence.



Ultra Lithium

Independent in every situation

With up to 38 % reduced weight in comparison to alkaline VARTA Ultra Lithium batteries are perfect for sport and outdoor usage and work exceptionally well under extreme conditions. You can rely on them whether you're playing with your kids using walkie talkies or take pictures with your digital camera on an adventure trip with extreme temperatures. They also work perfectly with safety devices like smoke detectors. Highest quality for high-energy demands to keep you independent in all areas of life.



Up to **38%**  reduced weight in comparison to alkaline: perfect for sport and outdoor usage.




VARTA Ultra Lithium batteries are available in different sizes so that the maximum performance can be reached for every type of application.

Logistical Data

Type	Voltage (V)	Electro-chemical	Width (mm)	Height (mm)	Depth (mm)	Diameter (mm)	Weight (g)	IEC	Others
6103	1.5	Lithium	-	44.5	-	10.5	7.7	FR10G445	Micro, AAA
6106	1.5	Lithium	-	50.5	-	14.5	14.5	FR14505	Mignon, AA
6122	9.0	Lithium	26.5	48.5	17.5	-	41.0	-	9V, E-Block

For extreme outdoor conditions and high-tech devices





Longlife Max Power

Maximum power for
more independence

Many digital devices such as a digital camera or a gaming controller need precise energy in changing requirements. VARTA Longlife Max Power is the most powerful of the VARTA batteries.



VARTA Longlife Max Power batteries are available in different sizes so that the maximum performance can be reached for every type of application.


Our Best
Alkaline Battery
Performance Ever! **



Logistical Data

Type	Voltage (V)	Electro-chemical	Width (mm)	Height (mm)	Depth (mm)	Diameter (mm)	Weight (g)	IEC	Others
4703	1.5	Alkaline	-	44.5	-	10.5	11.5	LR03	Micro, AAA, MN2400, Ministilo
4706	1.5	Alkaline	-	50.5	-	14.5	23.8	LR6	Mignon, AA, MN1500, Stilo
4714	1.5	Alkaline	-	50.0	-	26.2	65.8	LR14	Baby, C, MN1400, ½ Torcia
4720	1.5	Alkaline	-	61.5	-	34.2	136.9	LR20	Mono, D, MN1300, Torcia
4722	9.0	Alkaline	26.5	48.5	17.5	-	46.0	6LR61	E-Block, PP3, MN1604, Transistor

For digital devices with changing
energy requirements



*AA, AAA, C and D batteries are produced in Germany.
**VARTA AA/Mignon/LR6 and AAA/Micro/LR03 alkaline batteries LONGLIFE Max Power, LONGLIFE Power, LONGLIFE.
Performance in average according to IEC norm 60086-2 Ed. 14, 2022-01 vs. former product quality, based on internal testing.
Performance may vary by device.



Longlife Power

Stay flexible with efficient power

If you need as much power as you can get – this is the one! VARTA Longlife Power is developed especially for devices with high energy consumption. Stay independent with high performance power when using power hungry devices, such as remote controlled toys, computer equipment or LED flashlights.



VARTA Longlife Power batteries are available in different sizes so that the maximum performance can be reached for every type of application.


Our Best Alkaline Battery Performance Ever! **



Logistical Data

Type	Voltage (V)	Electro-chemical	Width (mm)	Height (mm)	Depth (mm)	Diameter (mm)	Weight (g)	IEC	Others
4903	1.5	Alkaline	-	44.5	-	10.5	11.4	LR03	Micro, AAA, MN2400, Ministilo
4906	1.5	Alkaline	-	50.5	-	14.5	23.8	LR6	Mignon, AA, MN1500, Stilo
4914	1.5	Alkaline	-	50.0	-	26.2	65.8	LR14	Baby, C, MN1400, ½ Torcia
4920	1.5	Alkaline	-	61.5	-	34.2	136.9	LR20	Mono, D, MN1300, Torcia
4922	9.0	Alkaline	26.5	48.5	17.5	-	46.0	6LP3146	E-Block, PP3, MN1604, Transistor
4912	4.5	Alkaline	62.0	67.0	22.0	-	174.0	3LR12	Normal, MN1203

For devices with high energy consumption



*AA, AAA, C and D batteries are produced in Germany.
**VARTA AA/Mignon/LR6 and AAA/Micro/LR03 alkaline batteries LONGLIFE Max Power, LONGLIFE Power, LONGLIFE. Performance in average according to IEC norm 60086-2 Ed. 14, 2022-01 vs. former product quality, based on internal testing. Performance may vary by device.



Longlife

Flexibility for the long run

Keep all your liberties every day with VARTA Longlife, our long-lasting batteries for devices with constant and low energy need, such as remote controls, wall clocks or radios. Standing out with long run times and reliable energy delivery to keep you independent in every second.



VARTA Longlife batteries are available in different sizes so that the maximum performance can be reached for every type of application.


Our Best Alkaline Battery Performance Ever! **



Logistical Data

Type	Voltage (V)	Electro-chemical	Width (mm)	Height (mm)	Depth (mm)	Diameter (mm)	Weight (g)	IEC	Others
4103	1.5	Alkaline	-	44.5	-	10.5	11.3	LR03	Micro, AAA, MN2400, Ministilo
4106	1.5	Alkaline	-	50.5	-	14.5	23.2	LR6	Mignon, AA, MN1500, Stilo
4114	1.5	Alkaline	-	50.0	-	26.2	65.8	LR14	Baby, C, MN1400, ½ Torcia
4120	1.5	Alkaline	-	61.5	-	34.2	135.1	LR20	Mono, D, MN1300, Torcia
4122	9.0	Alkaline	26.5	48.5	17.5	-	46.0	6LP3146	E-Block, PP3, MN1604, Transistor

For low-drain devices



*AA, AAA, C and D batteries are produced in Germany.
**VARTA AA/Mignon/LR6 and AAA/Micro/LR03 alkaline batteries LONGLIFE Max Power, LONGLIFE Power, LONGLIFE. Performance in average according to IEC norm 60086-2 Ed. 14, 2022-01 vs. former product quality, based on internal testing. Performance may vary by device.

Super Heavy Duty

Energy for your basic needs

Wall clocks, alarm clocks or remote controls - VARTA Super Heavy Duty zinc carbon batteries provide you with reliable performance for all sorts of low-energy devices.





VARTA Super Heavy Duty batteries are available in different sizes so that the maximum performance can be reached for every type of application.

Logistical Data

Type	Voltage (V)	Electro-chemical	Width (mm)	Height (mm)	Depth (mm)	Diameter (mm)	Weight (g)	IEC	Others
2003	1.5	Zinc Carbon	-	44.5	-	10.5	7.8	R03	Micro, AAA
2006	1.5	Zinc Carbon	-	50.5	-	14.5	16.8	R6P	Mignon, AA
2014	1.5	Zinc Carbon	-	50.0	-	26.2	47.1	R14P	Baby, C
2020	1.5	Zinc Carbon	-	61.5	-	34.2	99.2	R20P	Mono, D
2022	9.0	Zinc Carbon	26.5	48.5	17.5	-	36.0	6F22	E-Block, 9V
2012	4.5	Zinc Carbon	62.0	67.0	22.0	-	109.0	3R12P	Normal, 4.5V

For devices with basic energy requirements



Innovative products, supreme performance

VARTA rechargeable batteries
& chargers

Recharge and contribute to a better tomorrow – with VARTA rechargeables. Our assortment combines innovative products with market-leading performance and optimized charging solutions to provide the most efficient power supply for a broad scope of applications. VARTA rechargeable batteries and chargers are the best choice for consumers enabling them to contribute to a more sustainable future.



Scan for more
information



<https://www.varta-ag.com/en/rechargeables>

Recharge Accu Power

Powerful energy

The most powerful product line with the widest assortment of rechargeable batteries offering superior performance for any application.



READY-TO-USE



LASTS UP TO
LONGER*



VARTA Recharge Accu Power rechargeable batteries provide the best energy solution for any device of everyday usage. From low drain devices with basic energy needs up to high drain devices with highest energy requirements.

Logistical Data

Type	Voltage (V)	Electro-chemical	Typical capacity (mAh)	Width (mm)	Height (mm)	Depth (mm)	Diameter (mm)	Weight (g)	IEC	Others
56743	1.2	NiMH	550	-	44.5	-	10.5	10.2	HR03	Micro, AAA
56703	1.2	NiMH	800	-	44.5	-	10.5	13.0	HR03	Micro, AAA
05703	1.2	NiMH	1000	-	44.5	-	10.5	14.0	HR03	Micro, AAA
56746	1.2	NiMH	1350	-	50.5	-	14.5	24.0	HR6	Mignon, AA
56706	1.2	NiMH	2100	-	50.5	-	14.5	30.0	HR6	Mignon, AA
05716	1.2	NiMH	2600	-	50.5	-	14.5	31.0	HR6	Mignon, AA
56714	1.2	NiMH	3000	-	50.0	-	26.0	62.0	HR14	Baby, C
56720	1.2	NiMH	3000	-	61.5	-	34.2	73.0	HR20	Mono, D
56722	9.0	NiMH	200	26.6	48.5	15.7	-	36.0	HR9V	9V, E-Block



Recharge Accu Phone

58397	1.2	NiMH	550	-	44.5	-	10.5	10.0	HR03	Micro, AAA
58398	1.2	NiMH	800	-	44.5	-	10.5	12.0	HR03	Micro, AAA
58399	1.2	NiMH	1600	-	50.5	-	14.5	26.0	HR6	Mignon, AA



Recharge Accu Solar

56733	1.2	NiMH	550	-	44.5	-	10.5	10.0	HR03	Micro, AAA
56736	1.2	NiMH	800	-	50.5	-	14.5	16.0	HR6	Mignon, AA

*for AA 2600 mAh in digital cameras vs. VARTA Energy. Based on IEC 60086-2 (ed. 14.0) HDA-Test (high drain application). May vary by device.

Details on pages 144-149

Recharge Accu Recycled

Sustainable energy

The innovative and environmentally-friendly product line made from 25% recycled materials.



25%
RECYCLED
MATERIAL



The product line combines best battery performance including very low self-discharge with high sustainable value due to 25 % recycled materials.
The rechargeable batteries come 'ready to use' and in plastic-free packaging.

8x
LASTS UP TO
LONGER*



READY-TO-USE

Logistical Data

Type	Voltage (V)	Electro-chemical	Typical capacity (mAh)	Height (mm)	Diameter (mm)	Weight (g)	IEC	Others
56813	1.2	NiMH	800	44.5	10.5	13.0	HR03	Micro, AAA
56816	1.2	NiMH	2100	50.5	14.5	30.0	HR6	Mignon, AA

*for AA 2100 mAh in digital cameras vs. VARTA Energy. Based on IEC 60086-2 (ed. 14.0) HDA-Test (high drain application). May vary by device. Details on pages 150–151

Chargers

Designed for highest demands

The broad assortment of VARTA ranges from easy chargers with best value for money to high-end products with innovative housing materials and latest technologies.

VARTA offers a holistic assortment of basic and high-performance chargers for every energy need. Sophisticated features guarantee optimized charging of rechargeable batteries at maximum speed. Multiple safety features ensure proper charge termination and reliable results. All chargers are tested against international standards.



3
YEARS
GUARANTEE

Designed with **ADVANCED SAFETY TECHNOLOGY**



**TIMER
CUT OFF**

A safety timer is triggered after a specified time, regardless of the charging status.



**MINUS DELTA V
CUT OFF**

The charger detects if the battery is fully charged by measuring the voltage (-Delta V) and stops the charging process.



**BAD CELL &
ALKALINE
DETECTION**

Detection of faulty, unsuitable or incorrectly inserted battery types.



**TEMPERATURE
CONTROL**

If the battery temperature exceeds a certain limit the charger switches off the charging process automatically.



**SHORT CIRCUIT
PROTECTION**

Defective and short circuited cells will not be charged and not harm the charger.



**WRONG POLARITY
PROTECTION**

Protection against incorrectly inserted cells.

Scan for
more information


<https://www.varta-ag.com/en/chargers>



LCD Chargers

Ease of use and modern design

Premium chargers with user optimized LCD display, single slot charging and advanced safety technology for best charging results.



Simplified LCD display for ease of use

Individual VARTA design for an exceptional product look and immediate brand recognition. The increased LCD display indicates the charging status. Single slot charging guarantees best results.



LCD Ultra Fast Charger⁺ Type 57685

- Charges up to 4 AA, AAA
- Single slot charging for highest flexibility
- Simplified LCD display indicates the charging status
- Display indication of V, mA and min
- 12 V car adapter & AC adapter
- Advanced safety features

*Based on 2 AA 1600 mAh. Approximately 70% of full charge. Performance may vary.

3 MODES

**QUICK CHARGE
CHARGE
REFRESH**

**INDIVIDUAL
CHARGING
CHANNELS**

**SMART
SWITCH
OFF**

**TRICKLE
CHARGE**

Available in the following versions:
- with 4x AA 2100 mAh 56706



LCD Plug Charger⁺ Type 57687

- Charges up to 4 AA, AA or 1x 9 V
- Single slot charging for highest flexibility
- Simplified LCD display indicates the charging status
- USB out port for charging external devices
- Advanced safety features

INDIVIDUAL CHARGING CHANNELS

SMART SWITCH OFF

Available in the following versions:
- with 4x AA 2100 mAh 56706
- with 4x AA 2600 mAh 05716

*New products with USB Type C Input and incl. USB C cable

Details on page 188



1,5h*
*2AA 1600 mAh

UPDATE
SPRING
2025*

LCD Smart Charger+

Type 57684

- Charges up to 4 AA, AAA
- Single slot charging for highest flexibility
- Simplified LCD display indicates the charging status
- Display indication of V, mA and min
- USB out port for charging
- AC adapter
- Advanced safety features

2 MODES



CHARGE
REFRESH

INDIVIDUAL
CHARGING
CHANNELS



SMART
SWITCH
OFF



TRICKLE
CHARGE

Available in the following versions:

- with 4x AA 2100 mAh 56706



4h*
*4AA 1600 mAh

UPDATE
SPRING
2025*

LCD Multi Charger+

Type 57681

- Charges up to 8 AA, AAA
- Single slot charging for highest flexibility
- Simplified LCD display indicates the charging status
- AC adapter
- Advanced safety features



INDIVIDUAL
CHARGING
CHANNELS

SMART
SWITCH
OFF

Available in the following versions:

- without batteries



4h*
*4AA 1600 mAh

UPDATE
SPRING
2025*

LCD Universal Charger+

Type 57688

- Charges up to 4 AA, AAA, C, D or 1x 9V
- Single slot charging for highest flexibility
- Simplified LCD display indicates the charging status
- USB out port for charging external devices
- AC adapter
- Advanced safety features



INDIVIDUAL
CHARGING
CHANNELS

SMART
SWITCH
OFF

Available in the following versions:

- without batteries




4h*
*4AA 1600 mAh

LCD Dual Tech Charger

Type 57676

- Charges up to 4 Li-Ion or NiMH cells
- 4 modes for NiMH: charge, discharge, capacity test and refresh
- USB out port for charging external devices
- Advanced safety features



COMPATIBLE
WITH
NiMH & LI-ION

INDIVIDUAL
CHARGING
CHANNELS

SMART
SWITCH
OFF

Available in the following versions:

- without batteries



2h*
*4AA 1600 mAh

LCD Charger

Type 57070

- Charges 2 or 4 AA, AAA
- High-quality blue LCD display
- LCD display indicates charging status
- USB charging (via Laptop, USB cable included)
- USB In, AC and 12 V car adapter



SMART
SWITCH
OFF

TRICKLE
CHARGE

Available in the following versions:

- with 4x AA 2600 mAh 5716

- without batteries

Eco Chargers Recycled


This is how attractive sustainability can be

The most eco-friendly product line in the market!
Sustainable chargers with housing made from recycled materials.



Eco Charger Multi Recycled Type 57682

- Charges up to 8 AA, AAAs
- USB Type C input
- Green LEDs for charging indication
- Trickle charge
- Advanced safety features




Available in the following versions:
- with 8x AA 2100 mAh
- without batteries



Eco Charger Pro Recycled Type 57683

- Charges up to 4 AA, AAA
- USB Type C input
- Green LEDs for charging indication
- Trickle charge
- Advanced safety features



Available in the following versions:
- with 4x AA 2100 mAh
- with 4x AAA 800 mAh
- without batteries

Easy Chargers

Offering best value for money

Modern chargers with reliable features for daily use that are easy to handle, compact and convenient.



Available in the following versions:
- without batteries

Universal Charger Type 57658

- Charges 2 or 4 AA, AAA, C, D or 1x 9V
- USB Type C Input
- Green LEDs for charging indication
- Easy to use and exceptional VARTA product design
- Including USB Type C cable
- Advanced safety features



Available in the following versions:
- without batteries

Multi Charger Type 57659

- Charges 2,4,6 or 8 AA, AAA
- USB Type C Input
- Green LEDs for charging indication
- Easy to use and exceptional VARTA product design
- Including USB Type C cable
- Advanced safety features



Available in the following versions:
- 2x AAA 800 mAh 56703
- 2x AA 2100 mAh 56706
- without batteries

Mini Charger Type 57656

- Charges 2 AA, AAA
- Green LEDs for charging indication
- Easy to use and exceptional VARTA product design
- Advanced safety features



Available in the following versions:
- with 4x AA 2100 mAh 56706
- with 4x AA 2600 mAh 05716

Plug Charger Type 57657

- Charges 2 or 4 AA, AAA
- Green LEDs for charging indication
- Easy to use and exceptional VARTA product design
- Advanced safety features

Special Batteries

Comprehensive high-quality assortment

VARTA offers the most comprehensive premium range of lithium, silver and alkaline special batteries on the market.

Focused on the energy requirements of standard applications like key fobs, cameras, watches as well as all Smart Home applications and many more modern electronic consumer devices.



Scan for
more information

<https://www.varta-ag.com/en/special-batteries>



Lithium Coin

Empower the smart world of tomorrow

VARTA premium Lithium coin cells have been designed to provide reliable power for small electronic devices and are perfect for various basic & smart applications like key fobs, remote controls, scales, smart home devices and many more small electronic devices. Best quality and duration guaranteed.



UP TO **55% MORE ENERGY***
CR2016

UP TO **70% MORE ENERGY***
CR2025, CR2032

VARTA Lithium Coin cells are available in a wide variety of cell sizes and provide highest performance for pulse and continuous discharge applications. Best quality and extra runtime guaranteed for the most demanded sizes.

CHILD SAFETY PACKAGING

VARTA Lithium Coin cell blisters are especially designed to meet the highest safety standards for a child proof packaging. We developed and patented safe and easy opening cavities to avoid short-circuiting the cell and accidents by using scissors. Our new blister card packaging structure comes with 60% less plastic and more than 80% recycled material.**



TOP 5 most demanded Lithium Coin cells***:

Battery size	Type	Voltage (V)	Electro-chemical	Height (mm)	Diameter (mm)	Weight (g)	IEC
CR2032	06032	3.0	Lithium	3.2	20.0	3.0	CR2032
CR2025	06025	3.0	Lithium	2.5	20.0	2.5	CR2025
CR2016	06016	3.0	Lithium	1.6	20.0	1.8	CR2016
CR2430	06430	3.0	Lithium	3.0	24.0	4.0	CR2430
CR2450	06450	3.0	Lithium	5.0	24.0	6.2	CR2450

For devices with high energy requirements in continuous- and pulse discharge



*vs. IEC 60086-2 Ed. 14.0 service output test MAD for CR2016. Performance may vary according to use.
*vs. IEC 60086-2 Ed. 14.0 electronic key test MAD for CR2032 & CR2025. Performance may vary according to use.
60% less plastic vs. prior packaging. *Internal EMEA EIS Analysis for all packaging variants.

Lithium Cylindrical

Capture every moment with precise energy

VARTA Lithium Cylindrical are professional lithium round cells with long-lasting, supreme performance. The market potential for these batteries rises enormous, due to the new use in Smart Applications. We offer the excellent energy source to protect your family and to capture every moment of your life.



**+60
°C
-20**
**WITHSTANDS
EXTREME
TEMPERATURES**



VARTA Lithium Cylindrical cells are designed to withstand extreme temperatures while delivering quick and reliable energy supply. The batteries are available in different sizes for the operation in high-tech and photo applications. Perfectly suitable for today's modern life and for the use in Smart Home & Smart Security devices, ideal for cameras, photo flashes and flashlights.

Most demanded Lithium Cylindrical cells:

Battery size	Type	Voltage (V)	Electro-chemical	Typical capacity (mah)	Width (mm)	Height/depth (mm)	Depth (mm)	Diameter (mm)	Weight (g)	IEC
2CR5	06203	6.0	Lithium	1400	17.0	45.0	34.0	-	42.0	2CR5
CR-P2	06204	6.0	Lithium	1450	19.5	36.0	35.0	-	38.0	CR-P2
CR123A	06205	3.0	Lithium	1430	-	34.5	-	17.0	16.0	CR17345
CR2	06206	3.0	Lithium	930	-	27.0	-	15.6	11.0	CR15H270
CR½AA	06127	3.0	Lithium	670	-	25.1	-	14.5	9.0	CR14250

Excellent performance for the highest demands.




Alkaline Special

High energy for basic & smart devices

VARTA offers the widest premium assortment in alkaline special batteries - designed to provide maximum safety in combination with reliable power for various small electronic devices of the daily life.



The VARTA Alkaline Special Batteries are premium, mercury-free batteries of special formats, which are ideal for electronic devices requiring a sustained energy supply. Perfect to power your daily energy demand in applications like toys, medical devices, calculators, remote controls and many more small electronic devices. Best quality and duration guaranteed.



MERCURY
FREE



LEAK
PROOF

All products are mercury free, leak-proof and compliant with the latest button cell legislation.

TOP 5 most demanded Alkaline Special Batteries*:

Battery size	Type	Voltage (V)	Electro-chemical	Height (mm)	Diameter (mm)	Weight (g)	IEC
V13GA	04276	1.5	Alkaline	5.4	11.6	2.0	LR44
V23GA	04223	12	Alkaline	28.5	10.3	8.1	-
N/Lady	04001	1.5	Alkaline	30.2	12.0	10.0	LR1
V10GA	04274	1.5	Alkaline	3.05	11.6	1.1	LR54
V27A	04227	12	Alkaline	28.2	8.0	4.85	LR27

A wide assortment of Alkaline Special Batteries to power devices of the daily use.



*Internal EMEA EIS Analysis for all packaging variants

Details on pages 204-207


Silver Coin

The comprehensive assortment keeps you up to date

The VARTA Silver Coin cells are well known as watch batteries. The wide variety of battery sizes deliver reliable, long-lasting energy and meet highest quality and performance demands.



VARTA Silver Oxide Batteries supply constant and stable energy, withstand shock, vibration and acceleration. The cells are mercury-free and suitable for a broad scope of watches, toys, calculators, remote controls and to power all your other small and everyday precision electronic equipment.



MERCURY
FREE



LEAK
PROOF



STABLE
VOLTAGE

All products are mercury free and compliant with the latest button cell legislation. The premium batteries are leak-proof and have a constant and stable voltage level.

VARTA Watch Batteries are available in different packaging formats to meet individual requirements of retailers and wholesalers.



TOP 5 most demanded Silver Coin Batteries*:

Battery size	Type	Voltage (V)	Electrochemical System	Height (mm)	Diameter (mm)	Weight (g)	IEC
V377	00377	1.55	Silver oxide	2.6	6.8	0.34	SR66
V364	00364	1.55	Silver oxide	2.15	6.8	0.31	SR60
V371	00371	1.55	Silver oxide	2.1	9.5	0.57	SR69
V395	00395	1.55	Silver oxide	2.7	9.5	0.68	SR57
V392	00392	1.55	Silver oxide	3.6	7.9	0.62	SR41

Silver Coin cells to power various devices



*Internal EMEA EIS Analysis for all packaging variants

Details on pages 208-210

Hearing Aid Batteries

The ideal power supply
for hearing aid devices

The VARTA Hearing Aid Batteries assortment offers premium zinc-air button cells which are the ideal power supply for standard and the latest high-performance hearing aid devices.



Scan for
more information

<https://www.varta-ag.com/en/consumer/product-categories/hearing-aid-batteries>



Hearing Aid Batteries


Maximum performance for your independence

VARTA Hearing Aid Batteries provide reliable, long-lasting energy with highest quality and superior performance so hearing aid users are able to hear clearly and enjoy their independence.



**UP TO 110%
MORE
ENERGY***

The premium VARTA Hearing Aid Batteries provide stable voltage for wireless streaming, enabling a more efficient connection and clear sound with audio devices. All VARTA hearing aid batteries are mercury-free and have a high-quality, leak-proof design ensuring safe performance.



**MERCURY
FREE**



**WIRELESS
APPROVED**



**STABLE
VOLTAGE**

PACKAGING DESIGN

The packaging of the VARTA Hearing Aid Batteries comes with a premium appearance and attracts attention at first sight. The boldly communicated size designation and strong color coding on the blister and battery tab help consumers to find the right battery. In addition, the convenient storage pack with turnable dial and recloseable battery door is very easy to handle.



Logistical Data

Battery size	Type	Voltage (V)	Electro-chemical	Height (mm)	Diameter (mm)	Weight (g)	IEC
312	24607	1.45	Zinc-air	3.6	7.9	0.5	PR41
13	24606	1.45	Zinc-air	5.4	7.9	0.8	PR48
10	24610	1.45	Zinc-air	3.6	5.8	0.3	PR70
675	24600	1.45	Zinc-air	5.4	11.6	1.8	PR44

*up to 110% more energy for hearing aid battery type 312 vs. IEC 60086-2 Ed. 14.0 wireless streaming test MAD. Performance may vary according to use.

Details on pages 216-217

Lights

Brighten up your life

VARTA lights - your everyday companion. Our lights are the perfect choice no matter the occasion. We offer high quality products for work situations, family activities as well as for outdoor sports and travelling. For more independence at home or on the go.

Scan for more
information

<https://www.varta-ag.com/en/lights>



Flashlights

Our flashlights are perfectly complementing our battery assortment.




3 YEARS GUARANTEE

Reliability and durability are the #1 criteria for flashlight purchases - and VARTA lights are perceived particularly reliable¹.

Safe and reliable products tested with renowned testing institutes and claims following international ANSI standards. Reliable lights in proven VARTA Quality – 3 years or even more years guaranteed.



We offer a comprehensive range with different types of lights: flashlights, headlights, lanterns, motion sensor lights, special working formats etc.



Our packaging is focusing on key features: Lumens, runtime and beam range for more consumer convenience.



Our lights come along with well thought-out features for convenient user experience e. g. shock proof, water resistance, different light modes...

¹VARTA Online Consumer Study, EU 2017, 2019

Night Cutter

Premium materials – premium features

The Night Cutter Pro series with powerful lumen output and extraordinary beam range are literally „cutting“ the night. Well-thought out features like precision focus, hidden USB Type C, battery capacity indication and several light modes are combined with aviation-grade aluminium and high robustness (IP67 + 2m impact resistance).



**UP TO 2M
SHOCK PROOF**



**4 LIGHT
LEVELS**



**PRECISION
FOCUS**



**CREE
LED**

Rechargeable premium flashlights with integrated USB-IN, works with all Micro-USB cables. With device self discharge protection. High-grade aluminium casing. Water resistant (IPX4) and shock proof (2m drop test). With fixing clip. Up to 500 charges. Premium packaging.

Night Cutter F40 Type 18902



1000 LUMENS



240 METERS



65 HOURS



6x AA
Batteries included

- Battery driven premium flashlight
- High-grade aluminium casing
- IPX4 water resistant
- Low battery indicator
- Integrated fixing clip



Night Cutter F30R Type 18901



700 LUMENS



300 METERS



24 HOURS



**RECHARGEABLE
ACCU**



**INCL. MICRO
USB CABLE**

- Can be used as an emergency power bank due to the integrated USB-Out (2600mAh), e.g. to charge the mobile phone
- Blue charging indicator light and red low battery indicator at the back of the flashlight





**EMERGENCY
POWER BANK
(F30R)**

Night Cutter F20R Type 18900



400 LUMENS



147 METERS



22 HOURS



**RECHARGEABLE
ACCU**



**INCL. MICRO
USB CABLE**

- Charging and low battery indicator light integrated in the on/off button

Indestructible Pro

Tougher than life

No matter how big the challenges are, the VARTA Indestructible Pro lights will survive. Due to their rugged construction with rubberized elements, anodized aluminium, water, dust and shock proof features they are extremely robust and are designed for maximum durability. This way they can provide high light output even under toughest circumstances.

7


**YEARS
GUARANTEE**



- Extremely robust (9m drop test) flashlight with a shock-absorbing rubberized head and end cap
- Anodized type II aluminium body
- Impact resistant lens and reflector
- Impact resistant rating IK08 (IEC 62262)
- Water and dust proof (IP67)
- Bright high performance LED
- 2 light levels: high and low


Indestructible F30 Pro

Type 18714




Indestructible F20 Pro

Type 18711



Indestructible F10 Pro

Type 18710



varta-ag.com/en/tougherthanlife

Details on page 219

Indestructible BL20 Pro
Type 18751

- 400 LUMENS
- 400 METERS
- 85 HOURS
- 6x AA
Batteries included

- Extremely robust (4m drop test) beam lantern with shock-absorbing rubberized elements
- Impact resistant lens and reflector
- Impact resistant rating IK08 (IEC 62262)
- Bright high performance LED



7 YEARS GUARANTEE

Indestructible H20 Pro
Type 17732

- 350 LUMENS
- 100 METERS
- 23 HOURS
- 3x AAA
Batteries included

- Extremely robust (3m drop test) flashlight with shock-absorbing rubberized elements
- Impact resistant lens and reflector
- Impact resistant rating IK08 (IEC 62262)
- Bright high performance LED
- 2 light levels: high and low
- Adjustable washable head strap with middle strap




Details on pages 219–220

Indestructible L30 Pro
Type 18761

- 450 LUMENS
- 20 METERS
- 360 HOURS
- 6x AA
Batteries NOT included

- Extremely robust (4m drop test) lantern with shock-absorbing rubberized elements
- Impact resistant lens and reflector
- Impact resistant rating IK08 (IEC 62262)
- Night light mode to be activated by double click
- 360° light distribution
- Removable head and a hook integrated into the base for hanging up the lantern
- Extra-wide and convenient handle on the top



Indestructible Key Chain Light
Type 16701

- 12 LUMENS
- 10 METERS
- 3.5 HOURS
- 1x AAA
Battery included

- White 5mm LED provides an improved light beam
- Highly robust (9m drop test) and water resistant (IPX4)
- Rubber head and end cap for maximum durability
- Including key ring



7 YEARS GUARANTEE

Details on page 220

Outdoor Sports

Let's go outdoors


VARTA's Outdoor Sports Lights series offer the perfect light for every adventure. Great outdoor features such as water and impact resistance, bright colours and useful features are characteristic for these lights. Modern lanterns enable to create cosy atmosphere with multi color LEDs or act as a perfect companion with an integrated emergency power bank.

Outdoor Sports H30R Wireless Pro Type 18650

- ☀️ **400 LUMENS**
- 📏 **80 METERS**
- 🕒 **50 HOURS**



- 3 light modes: Spot, flood and combined mode (all dimmable)
- Dimming function for infinitely adjustable light intensity
- Including red LED, non-glaring, for night vision
- Low battery indicator integrated in the reflector
- Innovative charging technique: Wireless charging via contact charging



Dynamo Lantern L10RH Type 17670

- ☀️ **50 LUMENS**
- 📏 **6 METERS**
- 🕒 **12 HOURS**

- Two charging options:
via cranking or via USB Type C
- Warm white and red LED
- 3 light modes (High/Low/Night)
- Flexible installation via integrated hook



🕒 1 MIN = ☀️ 15 MIN (LOW MODE)

Details on pages 222-223

Outdoor Sports H10 Pro
Type 16650

- 100 LUMENS**
- 45 METERS**
- 35 HOURS**
- 3x AAA**
Batteries included

- Stylish sport accessory for outdoor adventures
- Convenient and high wearing comfort due to adjustable, removable and washable head strap



Outdoor Sports H20 Pro
Type 17650

- 200 LUMENS**
- 50 METERS**
- 52 HOURS**
- 3x AAA**
Batteries included

- Including red LED, non-glaring, for night vision
- Low battery indicator in red LED



Details on page 221




REFLECTIVE LOGO ○

47g



● **LOGO GLOWS IN THE DARK**



Outdoor Sports Ultralight H30R
Typ 18631

- 300 LUMENS**
- 91 METERS**
- 21 HOURS**

- Extremely lightweight head light
- Rechargeable Li-Polymer accu
- Water resistant (IPX4) and shock proof (1,5m)
- Charging and battery indicator light (red, yellow, green)
- Adjustable and washable head strap
- Separable mounting clip included for use as clip light
- Key lock mode - protection against incidental turn on
- Up to 500 charges

Details on page 221



Bottle opener at end cap

Outdoor Sports F30
Type 18629

- 350 LUMENS
- 145 METERS
- 120 HOURS
- 3x C
Batteries included

- UP TO 2M SHOCK PROOF
- WATER RESISTANT
- 2 LIGHT LEVELS
- GLOW IN THE DARK

- High performance LED
- Anodized aluminium (Type II)
- Comfortable rubber grip handle
- Lanyard included

Outdoor Sports F20
Type 18628

- 290 LUMENS
- 153 METERS
- 33 HOURS
- 2x AA
Batteries included

Outdoor Sports F10
Type 17627

- 250 LUMENS
- 130 METERS
- 40 HOURS
- 3x AAA
Batteries included



Details on page 222

Outdoor Ambiance Lantern L30RH
Type 18666

- 500 LUMENS
- 20 METERS
- 370 HOURS
- RECHARGEABLE BATTERY or 3x AA
Batteries NOT included
- WATER RESISTANT
- HYBRID POWER
- DIMMABLE
- NIGHT LIGHT MODE
- EMERGENCY POWER BANK

- High performance Cree LEDs
- Dimmable
- Removable lens
- IPX54 water resistant
- Two integrated hooks
- Low battery indication
- Own VARTA product design



Outdoor Ambiance Lantern L20
Type 17666

- 400 LUMENS
- 16 METERS
- 300 HOURS
- 3x or 6x AA
Batteries NOT included
- VARIOUS COLOR MODES

Outdoor Ambiance Lantern L10
Type 16666

- 150 LUMENS
- 8 METERS
- 250 HOURS
- 3x AA
Batteries NOT included
- VARIOUS COLOR MODES



Details on page 223

Work Flex

From zero to hero with our Work Flex lights

The Work Flex range offers different lights for every work situation. Splash-water and dust protection enable working in almost all DIY environments. With their various features they are reliable helpers for all DIY-fans.



Work Flex Stadium Light Type 18647

- 1450 LUMENS**
- 45 METERS**
- 15 HOURS**

- RECHARGEABLE ACCU**
- INCL. MICRO USB CABLE**

- Li-Ion rechargeable battery
- COB LED technology
- Low battery indicator light (red and blue)
- Adjustable stand (7 positions) for hanging or standing
- Integrated hook in handle



Work Flex Motion Sensor H20 Type 18648

- 150 LUMENS**
- 78 METERS**
- 20 HOURS**

- 3x AAA**
Batteries included



- Motion sensor function (high mode) by hand wave in front of the light
- COB LED technology and 3W LED
- 2m shock proof
- Adjustable washable head strap with middle strap
- Swiveling head for ideal illumination of the surroundings

Details on pages 224-225






Work Flex® Telescope Light Type 18646

☀️ **250 LUMENS**
🔦 **125 METERS**
🕒 **30 HOURS**

🔋 **4x AA**
Batteries included

COB LED technology for area illumination

- COB LED technology for ideal area illumination
- Frosted lens for better diffusion of light - non-glaring (area light)
- Telescoping feature exposes area light
- Multiple mounting options through magnet on the back and adjustable hook for hands-free working
- Non-slip rubber coated handle
- Triangular VARTA shape - not rolling



Work Flex® Area Light Type 17648

☀️ **230 LUMENS**
🔦 **22 METERS**
🕒 **35 HOURS**

🔋 **3x AA**
Batteries included



- Splash-water and dust protected (IP54)
- COB LED technology for ideal area illumination
- Frosted lens for better diffusion of light - non-glaring
- Magnet integrated in the bottom of light
- Adjustable lighting area for ideal room illumination
- Multiple fixing options - hanging, standing, magnet for hands-free working
- Easy to carry, ideal size for tool boxes



Details on pages 224-225



Multifunction Light F20R Type 18649

Spotlight | Side Floodlight | Mainlight (2 Light levels)

	50	100	100 LUMENS
🔦	20	12	12 METERS
🕒	6	3	3 HOURS

- 3 Light Sources
- 180° foldable design
- Compact and Lightweight
- Multiple magnets
- Integrated clip
- Low Battery and Charging indicator
- VARTA Safety Features
- Including USB Type C cable



Work Flex® Pocket Light Type 17647

☀️ **110 LUMENS**
🔦 **40 METERS**
🕒 **6 HOURS**

🔋 **3x AAA**
Batteries included

- COB LED technology for ideal area illumination
- Frosted lens for better diffusion of light - non-glaring (area light)
- Pocket clip with magnetic mounting feature for hands-free working
- Non-slip rubber coated handle
- Triangular VARTA shape - not rolling
- Easy to carry - pocket rule size



Details on pages 224-225



Work Flex BL30R

Type 18684

-  **550 LUMENS**
-  **460 METERS**
-  **16 HOURS**

-  **RECHARGEABLE ACCU**
-  **INCL. MICRO USB CABLE**

- High-performance Cree LED and multiple mid-power LEDs
- With removable carrying strap
- Can be recharged up to 500 times
- Charging and low battery indicator LED next to on/off button
- USB-In slot protected against dust with a rubber cap



Work Light BL40

Type 18660

-  **300 LUMENS**
-  **320 METERS**
-  **270 HOURS**

- Beam lantern with Cree 4 Watt high performance LED
- Two light modes: 100% and energy-saving
- 145° height-adjustable head
- Carry strap for optimum comfort during use
- Includes VARTA Longlife Power alkaline battery with a runtime of up to 270 hours
- Spare parts: Battery - order no. 00435 101 111



Details on page 225

Aluminium Lights

Elegant everyday solution

Timeless, modern and robust at the same time. The new VARTA Aluminium Lights Pro flashlights are the perfect choice for everyday.



Aluminium Light Pro F10 Type 16606

- 150 LUMENS
- 45 METERS
- 25 HOURS
- 2x AAA Batteries included

Aluminium Light Pro F20 Type 16607

- 250 LUMENS
- 70 METERS
- 35 HOURS
- 2x AA Batteries included

Aluminium Light Pro F30 Type 17608

- 400 LUMENS
- 150 METERS
- 50 HOURS
- 3x AAA Batteries included



- ANODIZED ALUMINIUM
- CLIP
- SHOCK PROOF
- Anodized Aluminium
- Textured housing
- Timeless, modern design

Metal Key Chain Light Type 16603

- 15 LUMENS
- 11 METERS
- 6 HOURS
- 2x CR2016 Batteries included




- 2 LIGHT LEVELS
- 5 MIN AUTO SHUT OFF

- Ultra compact key chain light made of high grade, chrome-plated zinc alloy

Home Lights

Designed to make life easier and safer

The products of VARTA's home range brighten up any place in and around your home. Well thought-out features make these products particularly user-friendly and convince with our VARTA safety features. For optimal support in- and outdoors in your busy everyday life!



Motion Sensor Slim Light
Type 17624

- 80 LUMENS
- 10 METERS
- 3.5 HOURS

- Motion detection
- Aluminium housing
- Warm white LED for pleasant illumination
- Auto shut off (20 seconds)
- 2 installing options: 3M adhesive tape, or magnet
- Incl. USB Type-C cable



LASTS UP TO
250
ACTIVATIONS



RECHARGEABLE
ACCU



30 SEC.
AUTO
SHUT OFF

LASTS UP TO
365
DAYS*

HOOK HOLE
MAGNET & TAPE



2 LIGHT
LEVELS

IP 44

Motion Sensor Night Light Type 16624

- 17 LUMENS
- 4.8 METERS
- 28 HOURS
- 3x AAA
Batteries included
in single pack

- Motion recognition within 3m and an angle of 120°
- Warm white LED for pleasant illumination
- 3 operation modes: On/Off/Auto

Motion Sensor Outdoor Light Type 16634

- 40 LUMENS
- 7 METERS
- 60 HOURS
- 3x AAA
Batteries included
in single pack

- Both available in the following versions:
- Single Pack with 3xAAA
 - Twin Pack (Batteries not included)



Motion Sensor Plug Light Type 18624

- 18 LUMENS
- 5 METERS
- ∞ HOURS
- 100%
DIMMABLE
- 90 SEC.
AUTO SHUT OFF

- Convenient plug light
- Motion recognition within 3m and an angle of 120°
- Warm white LED for pleasant illumination
- Seamless dimming function
- 3 operation modes: On/Off/Auto

*Based on assumption that light turns on 5 times per day in auto shut off mode

Details on page 231

Day Light Multi LED

Your reliable everyday companion

Designed for everyday usage the VARTA Multi LED Day Lights are equipped with multiple LEDs and shock resistant three component casing. A lanyard ensures convenient handling.



Day Light Multi LED F30 Type 17612

- 90 LUMENS**
- 32 METERS**
- 130 HOURS**
- 2x D**
Batteries included

Day Light Multi LED F20 Type 16632

- 60 LUMENS**
- 45 METERS**
- 40 HOURS**
- 2x AA**
Batteries included

Day Light Multi LED F10 Type 16631

- 30 LUMENS**
- 20 METERS**
- 9 HOURS**
- 1x AA**
Battery included



Including
key ring



Multi LED technology. Shock-resistant three-component casing (aluminium, rubber, ABS plastic).

Day Light Key Chain Light Type 16605

- 12 LUMENS**
- 22 METERS**
- 6.5 HOURS**
- 1x AAA**
Battery included

Details on page 226

Kids Light

The safe companion for every adventure

VARTA's Kids Light fulfills highest safety standards according to EU Toy Safety Directive. Its eye-protective lens, safe light intensity and child-proof opening mechanism ensure a safe usage. A colorful companion for kids on every adventure.



Kids Flashlight

Type 15650

-  **10 LUMENS**
-  **4 METERS**
-  **70 HOURS**

 **2x AA**
Batteries included

- Colorful unisex design
- Eye-catching packaging
- Long lasting operation time



Focus on Safety:

EU TOY SAFETY DIRECTIVE

By fulfilling the EU Toy Safety Directive, we make sure children can play safely with our kids light:

- **Chemical-Free:** Our kids light is made of safely materials
- **Safe Electronics:** We ensure our kids light is safe to use, with no risk of electric shocks
- **Design:** The battery compartment design makes sure the batteries are not accessible for children as it can only be opened by a screw driver.
- **Safe Lens:** Our specially designed lens limits the light intensity and output to prevent harmful effects on children's eyes



Child-safe opening
mechanism



Eye-protecting lens
Safe Light Intensity

Details on page 231

Special Lights

Useful helpers for various moments

Our gadget lights provide a reliable lighting solution for special usage occasions.

Multi-Use:



Safety Light

Type 16621

25 LUMENS

45 HOURS*

*Red Blinking (on to off)

- Compact and lightweight
- With reflective elements
- 5 light levels, Red: High/Blinking
White: High/Low/Blinking



White light mode



Red light mode



Book Light

Type 16618

9 LUMENS

4 METERS

26 HOURS

2x CR2032
Batteries included

- The flexible light for a relaxing reading experience
- Provides full and even illumination of the page
- Flexible 150mm neck enables the head to be positioned to suit the user's requirements
- With practical attachment clip

Details on page 229



Dynamo Light

Type 17680

28 LUMENS
 24 METERS
 1.5 HOURS

- Dynamo light provides light at all times
- One minute of cranking provides 30 minutes of light
- Shock-resistant and water resistant (IPX4) ABS plastic casing
- Incl. 120 mAh high performance rechargeable lithium-ion battery
- 3x white 5mm LEDs provide an improved light beam

UV Light

Type 15638

UV 395 – 400nm
 8.5 HOURS
 3x AAA
Batteries included

CHECK
 VERIFY

- UV flashlight to make the invisible visible
- Detects and identifies residues of dirt, pets urine, etc.
- Checks and verifies banknotes, fingerprints and fluorescents
- Multi LED technology: 14pcs UV LED (UV A)
- Aluminium housing and rubber grip



SHOCK PROOF
 HYGIENE HELPER

Palm Light

Type 16645

15 LUMENS
 75 METERS
 3.5 HOURS

4.5V
Battery included



CLIP

- Stylish metal all-purpose flashlight
- Slide switch (on/off)
- Practical hanging clip

Lipstick Light

Type 16617

19 LUMENS
 25 METERS
 3 HOURS

1x AA
Batteries included

LANYARD
 GLOW IN THE DARK
 WATER RESISTANT



- Elegant and handy LED flashlight with aluminium casing and a ribbed rubber grip
- 0.5 Watt high performance LED provides a high light output
- Fluorescent parts on the grip for hassle-free finding in the dark

Available in:
 Light Blue and Light Pink

Pen Light

Type 16611

3 LUMENS
 11 METERS
 15 HOURS

1x AAA
Battery included

- Extremely slim and lightweight flashlight with aluminium casing
- White 5mm LED provides an improved light beam
- Practical attachment clip



LED
 CLIP

Silver Light

Type 16647

28 LUMENS
 41 METERS
 12 HOURS

3x AAA
Batteries included

CLIP
 MULTI LED

- Compact and handy flashlight in a stylish design with 3x 5mm LEDs
- Three separate magnifying lenses provide a wide light beam
- Robust ABS plastic casing with rubberized grip insert
- Practical hanging clip



Portable Power

Empowering the independent lifestyle

Wherever mobile energy is required, VARTA grants maximum convenience and offers premium product solutions empowering consumer's daily lives.



Scan for
more information

<https://www.varta-ag.com/en/portable-power>

Power Banks

Award-winning safety empowering you

All VARTA Power Banks are equipped with the innovative Advanced Safety Technology.



VARTA
Europe's official winner of the
EU Product Safety Gold Award
Awarded by the EU Commission for the outstanding safety
standards of our Power Banks.



UN38.3
COMPLIANT
TRANSPORT
SAFETY



TESTED
LITHIUM CELLS
ACC. TO.
UL1642

Designed with awarded
ADVANCED SAFETY TECHNOLOGY



TEMPERATURE
CONTROL

An internal NTC sensor
interrupts the charging
process at high temperatures.



OVERCURRENT
PROTECTION

The Power Banks' batteries
are protected against over-
current to avoid damage of
the cells.



OVERCHARGE
PROTECTION

The Power Banks' batteries
are protected against over-
charging to avoid damage of
the cells.



INPUT-OVERVOLTAGE
PROTECTION

A detector protects the
Power Banks against
overvoltage from external
power.



DEEP DISCHARGE
PROTECTION

The protection against
deep-discharging of the
batteries avoids cell
damage and increases the
batteries longevity.



SHORT CIRCUIT
PROTECTION

The Power Bank is short
circuit proof due to a
resettable safety fuse.


Energy Power Banks

Reliable power supplier
empowering any adventure

Compact and powerful mobile energy source with USB Type C input and output available in 4 capacities. Ideal for the on the go user.



**ADVANCED
SAFETY
TECHNOLOGY**



**INCL. TYPE C
CABLE**



Power Bank Energy 5000 Type 57975

The suitable capacity for
everyday's energy need

- Technology trend:
USB Type C 5 V/ 2.4 A input and
output for speed charging



**+26
HOURS
TALK TIME****



**2X USB
2.4 A OUT**



**1X USB TYPE C
2.4 A
IN-/OUT**



**+55
HOURS
TALK TIME****



**+83
HOURS
TALK TIME****



**+114
HOURS
TALK TIME****



**2X USB
2.4 A OUT**



**1X USB TYPE C
3.0 A IN-/OUT**

Power Bank Energy 10 000 Type 57976

The suitable capacity for
a weekend getaway

Power Bank Energy 15 000 Type 57977

The suitable capacity for
a longer trip

Power Bank Energy 20 000 Type 57978

The suitable capacity for
a high energy need

- Technology trend: USB Type C 5 V/ 3 A input and output for speed charging

*Hours based on the Samsung Galaxy S9 battery specification on [samsung.com](https://www.samsung.com). May vary by device.

Details on page 232

Wireless Power Banks

2in1 products for maximum flexibility

The premium VARTA Wireless Power Banks offer Power Delivery, Quick Charge and Wireless Charging in one product solution to charge up to 4 devices at once.



ADVANCED
SAFETY
TECHNOLOGY



INCL. TYPE C
CABLE



Wireless Power Bank 10 000 Type 57913

The suitable capacity for
a weekend getaway



+55
HOURS
TALK TIME*



2X USB QC
2.4 A OUT

PD



1X USB TYPE C
3.0 A
IN-/OUT

USB Type C PD port and Quick Charge for ultra-fast and intelligent charging with up to 20W

2 in 1
WIRELESS
CHARGER
+
POWER
BANK



10W
FAST WIRELESS
CHARGING



+83
HOURS
TALK TIME*



2X USB QC
2.4 A OUT

PD



1X USB TYPE C
3.0 A IN-/OUT

Wireless Power Bank 15 000 Type 57908

The suitable capacity for
a longer trip



+114
HOURS
TALK TIME*



Wireless Power Bank 20 000 Type 57909

The suitable capacity for
a high energy need

*Hours based on the Samsung Galaxy S9 battery specification on samsung.com. May vary by device.

Details on page 233

Mag Pro Wireless Power Banks

Say hello to effortless charging

Power Banks in 2 capacities with an easy snap and go mechanism.
Snap it onto your device and let the magnetic magic take care of the rest.



USB TYPE C
12W IN & OUT

Mag Pro Wireless Power Bank 5 000 Type 57903

- Capacity: 5 000 mAh
- Magnetic charging
- 1x USB Type C port
- Illuminated logo for power indication
- Soft touch surface
- Advanced safety technology
- Compatible with MagSafe and Qi-Standard

7.5W
WIRELESS
OUTPUT

Mag Pro Wireless Power Bank 10 000 Type 57904

- Capacity: 10 000 mAh
- Magnetic charging
- 2x USB Type C port
- Illuminated logo for power indication
- Soft touch surface
- Advanced safety technology
- Compatible with MagSafe and Qi-Standard

10W
WIRELESS
OUTPUT*



USB TYPE C
18W OUT

USB TYPE C
18W IN
20W OUT

*7.5W for Apple devices

Details on page 234

Wireless Chargers

The convenient way to charge

The VARTA Wireless Chargers offer fast wireless charging for qi-enabled devices and convince with clean and modern design that fits any interior. The premium choice for power supply at home.



**INCL. TYPE C
CABLE**



Wireless Charger Pro

Type 57905

- Fast wireless charging with up to 15 W*
- Centered coil for various charging positions
- Multicolor LED for charging indication
- USB Type C input
- Incl. USB Type C charging cable
- High quality materials: aluminium housing and fabric surface

*By using 18 W adapter (or higher) and speed charging cable



**CHARGES
EARPHONES**



**15W
FAST WIRELESS
CHARGING***



**20W
FAST WIRELESS
CHARGING****



Wireless Charger Multi

Type 57906

- Fast wireless charging with up to 20 W: 10 W + 10 W**
- 2 charging areas to charge 2 devices at once
- Multicolor LED for charging indication
- USB Type C input
- Incl. USB Type C charging cable
- High quality materials: aluminium housing and fabric surface

**By using 27 W adapter (or higher) and speed charging cable



**CHARGES
2 DEVICES AT ONCE**



**CHARGES
EARPHONES**

Details on page 210

Accessories

Essential gadgets for optimized charging experience

The VARTA accessories include wall chargers, car chargers, adapters and cables with useful features in modern and timeless design to satisfy all daily charging needs.



High Speed Charger Type 57956

- Extremely powerful charger
- Total power output: 65 W max.
- Designed with latest GaN technology
- Charges 3 devices at once including laptops
- Fast & intelligent charging
- Supports Power Delivery & Quick Charge
- Lightweight, handy & compact
- Modern and premium VARTA design that fits any modern interior

65W
TOTAL
OUTPUT



**CHARGES
LAPTOPS**

**GaN
TECH**

Speed Charger Type 57955

- Total power output: 38 W max.
- 1x USB Type C PD and 1x USB A QC Output
- Designed with latest GaN technology
- Charges 2 devices at once
- Supports Power Delivery & Quick Charge
- Fast & intelligent charging
- Supports Power Delivery & Quick Charge
- Modern and premium VARTA design that fits any modern interior

38W
TOTAL
OUTPUT

**GaN
TECH**



PD
1X USB TYPE C
3.0 A OUT

**1X USB
QC 3.0 A OUT**

Details on pages 210



LED for charging indication

Aluminium housing

Car Charger Type 57933

- Compact and powerful 12-24 V car adapter
- Charges 2 devices at once

45W
TOTAL
OUTPUT

PD
1X USB TYPE C
3.0 A OUT

1X USB A
QC 3.0 A OUT



Charge & Sync Adapter Adapter with USB A to USB Type C Connector Type 57946



Charge & Sync Adapter Adapter with Micro USB to USB Type C Connector Type 57945



Details on pages 212

2 METERS

NYLON
CABLE

ALUMINIUM

Speed Charge & Sync Cable USB A to USB Type C Type 57935

USB A

Power &
data transfer

USB TYPE C

- Charge & sync
- Power transfer: 60 W
- Data transfer: 5 Gbit/s

Speed Charge & Sync Cable USB Type C to USB Type C Type 57936

USB TYPE C

Power &
data transfer

USB TYPE C

- Charge & sync
- Power transfer: 100 W
- Data transfer: 10 Gbit/s

Speed Charge & Sync Cable 3in1 USB A to Micro USB | USB Type C | Lightning Type 57937



3in1 Made for
iPhone | iPad | iPod

- Charge & sync
- Power transfer: 12 W
- Data transfer: 480 Mbit/s



Details on pages 212-213

Mag Pro Accessories

Snap, charge & go

VARTA's Mag Pro Accessories are compatible with Apple's MagSafe technology. Mobile devices snap effortlessly and perfectly aligned into place via magnetic attraction. Thanks to Qi compatibility, our VARTA products charge any device that supports wireless charging!



15W
FAST
CHARGING*




MAGSAFE
COMPATIBLE



Qi
COMPATIBLE**

Mag Pro Wireless Car Charger

Type 57902



**INCL. CAR
FIXATION**



**INCL. TYPE C
CABLE**

- Wireless charging with up to 15 W*
- Compatible with MagSafe
- Compatible with all qi-enabled devices**
- USB Type C input
- Gentle materials to protect phone and car interior



*7.5 W for Apple devices

**by using the respective accessory e.g. magnetic ring, magnetic case or comparable

Details on page 237

Mobile Power Solutions

Enjoy endless energy – anywhere

Embrace the freedom of unlimited power with our new VARTA Mobile Power Solutions. Perfect for any adventure, travel, or emergency situation. The Mobile Power Station & Solar Panel ensure you're always connected and powered up, simply using the energy of the sun.



200 W SOLAR PANEL

IP 65

EASY TO CARRY
8.0KG with built-in handles

NEW
PRODUCTS
AVAILABLE
UPON
REQUEST

Solar Panel VS200 Type 57995*

- 200W Solar Panel to recharge a Power Station with solar energy
- Foldable for easy storage and transport
- Adjustable angle thanks to flexible stands
- One full charge of VARTA's Mobile Power Station VP500 after 2.5 hours
- Built-in MC4 connection



Mobile Power Station VP500 Type 57994*

- 2500 cycles
- Chargeable via socket, car or solar panel
- VARTA safety features and UL qualified cell
- Incl. AC adapter, car charging cable & solar charging cable (MC4 to DC)

537 Wh BATTERY CAPACITY

LCD DISPLAY

Capacity indication
Provided power
Input / Output

2x DC Output
1x Cigarette Output
1x USB Type C Output
On/Off Button
4x USB Type A Output

1x DC Input
1x PV Input
2x AC Output



*Final product design may vary

Details on page 238

Product displays

Different solutions composed for you individually

VARTA offers a great assortment of individually customized solutions to attract consumers and present products in a perfect and even customized appearance.



High quality solutions for secondary placements

Battery purchase is strongly impulse driven - use multilocations to remind your consumers about batteries

- Place displays at high frequency areas, at checkout and close to battery operated devices e.g. multimedia/ electro & toys
- Multiplacement strategy will leverage your business and bring up to 80% sales increase
- Use various & also customized displays for different locations to attract consumers

Perfectly harmonized product portfolio

- All secondary placements are optimized based on our VARTA assortment & placement principles
- Guaranteed stability due to VARTA display expertise
- 90 % of our display solutions are ready-to-sell
- Modular display parts for maximum flexibility across broad display range
- Our displays are 100 % recyclable



Category Management

Benefit from the expertise of the battery expert!

VARTA is continuously setting new impulses for the portable battery market with innovative products, premium quality and attractive trade promotions.

Multilocations

The key to a successful battery business!

In addition, we support our retail partners with professional and pragmatic advice in the exploitation of all sales potential at the point of sale: following an omni-channel approach, we advise across channels (offline & online) in the optimization of assortment, shelf and secondary placements, trade promotions, catalogues, but also in the optimization of visibility and presentation of our products in customer web stores and marketplaces.



Scan to find
more details

[www.varta-ag.com/en/industry/
service/category-management](http://www.varta-ag.com/en/industry/service/category-management)

Assortment overview

All products at a glance



Ultra Lithium



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging

Type	6103	6103	6106	6106	6122
Others	AAA, Micro	AAA, Micro	AA, Mignon	AA, Mignon	9V, E-Block
Order-No. / consumer unit	06103 301 402	06103 301 404	06106 301 402	06106 301 404	06122 301 401
Batteries / consumer unit	2	4	2	4	1
Width (mm) Blister	80	80	80	80	80
Height (mm) Blister	120	120	120	120	120
Depth (mm) Blister	12.3	12.3	15.8	15.8	19
Weight (g) Blister	24	39	38	67	46
Minimum pieces / shipment unit	10	10	10	10	10
Innercarton	10	10	10	10	10
Mastercarton	50	50	100	100	50
Voltage (V)	1.5	1.5	1.5	1.5	9.0
Electrochemical System	Lithium	Lithium	Lithium	Lithium	Lithium
Width (mm) Battery	—	—	—	—	26.5
Height (mm) Battery	44.5	44.5	50.5	50.5	49.0
Depth (mm) Battery	—	—	—	—	17.5
Diameter (mm) Battery	10.5	10.5	14.5	14.5	—
Weight (g) Battery	7.7	7.7	14.5	14.5	41.0
IEC	FR10G445	FR10G445	FR14505	FR14505	—
Details	Page 15	Page 15	Page 15	Page 15	Page 15
EAN/GTIN/ consumer unit	4 008496 1680399	4 008496 1680436	4 008496 1680474	4 008496 1680511	4 008496 1675265

*UL certified. Underwriters Laboratories www.ul.com

Longlife Max Power

	Plastic-free packaging	Plastic-free packaging	Plastic-free packaging	Plastic-free packaging	
Type	4703	4703	4703	4703	4703
Others	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
Order-No. / consumer unit	04703 101 412	04703 101 404	04703 101 446	04703 101 746	04703 101 436
Batteries / consumer unit	2	4	6	6	4+2
Width (mm) Blister	80	80	80	64.6	80
Height (mm) Blister	120	120	120	120	120
Depth (mm) Blister	12.3	12.3	12	11.2	12
Weight (g) Blister	32	55	73	76	73
Minimum pieces / shipment unit	10	10	10	20	10
Innercarton	10	10	10	-	10
Mastercarton	50	50	50	20	50
Voltage (V)	1.5	1.5	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—	—	—
Height (mm) Battery	44.5	44.5	44.5	44.5	44.5
Depth (mm) Battery	—	—	—	—	—
Diameter (mm) Battery	10.5	10.5	10.5	10.5	10.5
Weight (g) Battery	11.5	11.5	11.5	11.5	11.5
IEC	LR03	LR03	LR03	LR03	LR03
Details	Page 17	Page 17	Page 17	Page 17	Page 17
EAN/GTIN/ consumer unit					

Plastic-free packaging	Plastic-free packaging	Plastic-free packaging
4703	4703	4703
AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
04703 101 418	04703 101 428	04703 101 448
8	5+3	6+2
167	167	167
120	120	120
12.3	12.3	12.3
110	110	110
20	20	20
—	—	—
20	20	20
1.5	1.5	1.5
Alkaline	Alkaline	Alkaline
—	—	—
44.5	44.5	44.5
—	—	—
10.5	10.5	10.5
11.5	11.5	11.5
LR03	LR03	LR03
Page 17	Page 17	Page 17

Longlife Max Power







Plastic-free packaging


Plastic-free packaging

Type	4703	4703	4703
Others	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
Order-No. / consumer unit	04703 101 410	04703 101 710	04703 101 462
Batteries / consumer unit	8+2	8+2	8+4
Width (mm) Blister	167	106.6	167
Height (mm) Blister	120	120	120
Depth (mm) Blister	12	11.2	12
Weight (g) Blister	128	127	151
Minimum pieces / shipment unit	20	20	20
Innercarton	—	—	—
Mastercarton	20	20	20
Voltage (V)	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—
Height (mm) Battery	44.5	44.5	44.5
Depth (mm) Battery	—	—	—
Diameter (mm) Battery	10.5	10.5	10.5
Weight (g) Battery	11.5	11.5	11.5
IEC	LR03	LR03	LR03
Details	Page 17	Page 17	Page 17
EAN/GTIN/ consumer unit			

4703
AAA, Micro, MN2400, Ministilo
04703 101 762
8+4
127.6
120
11.2
152
20
—
20
1.5
Alkaline
—
44.5
—
10.5
11.5
LR03
Page 17

Longlife Max Power

					
	 Plastic-free packaging	 Plastic-free packaging	 Plastic-free packaging	 Plastic-free packaging	
Type	4706	4706	4706	4706	4706
Others	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
Order-No. / consumer unit	04706 101 412	04706 101 404	04706 101 446	04706 101 746	04706 101 436
Batteries / consumer unit	2	4	6	6	4+2
Width (mm) Blister	80	80	80	87.2	80
Height (mm) Blister	120	120	120	120	120
Depth (mm) Blister	15.8	15.8	28	15.4	28
Weight (g) Blister	57	104	148	153	148
Minimum pieces / shipment unit	20	20	10	20	10
Innercarton	20	20	10	—	10
Mastercarton	100	100	50	20	50
Voltage (V)	1.5	1.5	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—	—	—
Height (mm) Battery	50.5	50.5	50.5	50.5	50.5
Depth (mm) Battery	—	—	—	—	—
Diameter (mm) Battery	14.5	14.5	14.5	14.5	14.5
Weight (g) Battery	23.8	23.8	23.8	23.8	23.8
IEC	LR6	LR6	LR6	LR6	LR6
Details	Page 17	Page 17	Page 17	Page 17	Page 17
EAN/GTIN/ consumer unit					

		
 Plastic-free packaging	 Plastic-free packaging	 Plastic-free packaging
4706	4706	4706
AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
04706 101 418	04706 101 428	04706 101 448
8	5+3	6+2
167	167	167
120	120	120
15.8	15.8	15.8
209	209	209
20	20	20
—	—	—
20	20	20
1.5	1.5	1.5
Alkaline	Alkaline	Alkaline
—	—	—
50.5	50.5	50.5
—	—	—
14.5	14.5	14.5
23.8	23.8	23.8
LR6	LR6	LR6
Page 17	Page 17	Page 17
		

Longlife Max Power



Plastic-free packaging

Plastic-free packaging

Type	4706	4706	4706
Others	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
Order-No. / consumer unit	04706 101 410	04706 101 710	04706 101 462
Batteries / consumer unit	8+2	8+2	8+4
Width (mm) Blister	167	143.6	167
Height (mm) Blister	120	120	120
Depth (mm) Blister	16	15.4	16
Weight (g) Blister	257	254	304
Minimum pieces / shipment unit	20	20	20
Innercarton	—	—	—
Mastercarton	20	20	20
Voltage (V)	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—
Height (mm) Battery	50.5	50.5	50.5
Depth (mm) Battery	—	—	—
Diameter (mm) Battery	14.5	14.5	14.5
Weight (g) Battery	23.8	23.8	23.8
IEC	LR6	LR6	LR6
Details	Page 17	Page 17	Page 17
EAN/GTIN/ consumer unit			

4706
AA, Mignon, MN1500, Stilo
04706 101 762
8+4
172
120
15.4
305
20
—
20
1.5
Alkaline
—
50.5
—
14.5
23.8
LR6
Page 17

Longlife Max Power



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging

Type	4714	4720	4722
Others	C, Baby, MN1400, 1/2 Torcia	D, Mono, MN1300, Torcia	9V, E-Block, PP3, MN1604, Transistor
Order-No. / consumer unit	04714 101 422	04720 101 422	04722 101 401
Batteries / consumer unit	2	2	1
Width (mm) Blister	80	90	80
Height (mm) Blister	120	120	120
Depth (mm) Blister	27.4	35	19
Weight (g) Blister	142	285	51
Minimum pieces / shipment unit	6	6	10
Innercarton	6	6	10
Mastercarton	60	30	50
Voltage (V)	1.5	1.5	9.0
Electrochemical System	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	26.5
Height (mm) Battery	50.0	61.5	48.5
Depth (mm) Battery	—	—	17.5
Diameter (mm) Battery	26.2	34.2	—
Weight (g) Battery	65.8	136.9	46.0
IEC	LR14	LR20	6LR61
Details	Page 17	Page 17	Page 17
EAN/GTIN/ consumer unit			

Longlife Power



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging

Type	4903	4903	4903	4903	4903
Others	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
Order-No. / consumer unit	04903 121 412	04903 121 414	04903 121 415	04903 121 446	04903 121 746
Batteries / consumer unit	2	4	4+1	6	6
Width (mm) Blister	80	80	80	80	64.6
Height (mm) Blister	120	120	120	120	120
Depth (mm) Blister	12.3	12.3	12	12	11.2
Weight (g) Blister	32	54	62	73	76
Minimum pieces / shipment unit	10	10	10	10	20
Innercarton	10	10	10	10	-
Mastercarton	50	50	50	50	20
Voltage (V)	1.5	1.5	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—	—	—
Height (mm) Battery	44.5	44.5	44.5	44.5	44.5
Depth (mm) Battery	—	—	—	—	—
Diameter (mm) Battery	10.5	10.5	10.5	10.5	10.5
Weight (g) Battery	11.4	11.4	11.4	11.4	11.4
IEC	LR03	LR03	LR03	LR03	LR03
Details	Page 19	Page 19	Page 19	Page 19	Page 19
EAN/GTIN/ consumer unit					

Longlife Power



Plastic-free packaging

Type	4903	4903	4903	4903
Others	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
Order-No. / consumer unit	04903 121 436	04903 121 496	04903 121 438	04903 121 418
Batteries / consumer unit	4+2	5+1	8	8
Width (mm) Blister	80	80	80	167
Height (mm) Blister	120	120	120	120
Depth (mm) Blister	12	12	22	12.3
Weight (g) Blister	73	73	96	109
Minimum pieces / shipment unit	10	10	10	20
Innercarton	10	10	10	—
Mastercarton	50	50	30	20
Voltage (V)	1.5	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—	—
Height (mm) Battery	44.5	44.5	44.5	44.5
Depth (mm) Battery	—	—	—	—
Diameter (mm) Battery	10.5	10.5	10.5	10.5
Weight (g) Battery	11.4	11.4	11.4	11.4
IEC	LR03	LR03	LR03	LR03
Details	Page 19	Page 19	Page 19	Page 19
EAN/GTIN/ consumer unit				



Plastic-free packaging

Plastic-free packaging

Plastic-free packaging

4903	4903	4903	4903
AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
04903 121 428	04903 121 448	04903 121 461	04903 121 761
6+2	4+4	10	10
167	167	167	106.6
120	120	120	120
12.3	12.3	12	11.2
109	109	127	126
20	20	20	20
—	—	—	—
20	20	20	20
1.5	1.5	1.5	1.5
Alkaline	Alkaline	Alkaline	Alkaline
—	—	—	—
44.5	44.5	44.5	44.5
—	—	—	—
10.5	10.5	10.5	10.5
11.4	11.4	11.4	11.4
LR03	LR03	LR03	LR03
Page 19	Page 19	Page 19	Page 19

Longlife Power



♻️ Plastic-free packaging

Type	4903	4903	4903
Others	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
Order-No. / consumer unit	04903 121 410	04903 121 710	04903 121 482
Batteries / consumer unit	8+2	8+2	12
Width (mm) Blister	167	106.6	167
Height (mm) Blister	120	120	120
Depth (mm) Blister	12	11.2	12
Weight (g) Blister	127	126	150
Minimum pieces / shipment unit	20	20	20
Innercarton	—	—	—
Mastercarton	20	20	20
Voltage (V)	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—
Height (mm) Battery	44.5	44.5	44.5
Depth (mm) Battery	—	—	—
Diameter (mm) Battery	10.5	10.5	10.5
Weight (g) Battery	11.4	11.4	11.4
IEC	LR03	LR03	LR03
Details	Page 19	Page 19	Page 19
EAN/GTIN/ consumer unit			



♻️ Plastic-free packaging

♻️ Plastic-free packaging

4903	4903	4903
AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
04903 121 782	04903 121 432	04903 121 732
12	10+2	10+2
127.6	167	127.6
120	120	120
11.2	12	11.2
151	150	151
20	20	20
—	—	—
20	20	20
1.5	1.5	1.5
Alkaline	Alkaline	Alkaline
—	—	—
44.5	44.5	44.5
—	—	—
10.5	10.5	10.5
11.4	11.4	11.4
LR03	LR03	LR03
Page 19	Page 19	Page 19

Longlife Power



♻️ Plastic-free packaging



♻️ Plastic-free packaging



♻️ Plastic-free packaging



♻️ Plastic-free packaging



Type	4903	4903	4903	4903
Others	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
Order-No. / consumer unit	04903 121 472	04903 121 772	04903 121 416	04903 121 716
Batteries / consumer unit	8+4	8+4	16	16
Width (mm) Blister	167	127.6	167	87.1
Height (mm) Blister	120	120	120	127
Depth (mm) Blister	12	11.2	22	11.2
Weight (g) Blister	150	151	199	194
Minimum pieces / shipment unit	20	20	14	10
Innercarton	—	—	—	—
Mastercarton	20	20	14	10
Voltage (V)	1.5	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—	—
Height (mm) Battery	44.5	44.5	44.5	44.5
Depth (mm) Battery	—	—	—	—
Diameter (mm) Battery	10.5	10.5	10.5	10.5
Weight (g) Battery	11.4	11.4	11.4	11.4
IEC	LR03	LR03	LR03	LR03
Details	Page 19	Page 19	Page 19	Page 19
EAN/GTIN/ consumer unit				

4903	4903	4903	4903
AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
04903 121 466	04903 121 766	04903 121 420	04903 121 720
12+4	12+4	20	20
167	87.1	167	106.6
120	127	120	127
22	11.2	22	11.2
199	194	244	242
14	10	10	10
—	—	—	—
14	10	10	10
1.5	1.5	1.5	1.5
Alkaline	Alkaline	Alkaline	Alkaline
—	—	—	—
44.5	44.5	44.5	44.5
—	—	—	—
10.5	10.5	10.5	10.5
11.4	11.4	11.4	11.4
LR03	LR03	LR03	LR03
Page 19	Page 19	Page 19	Page 19

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT/DISPLAY SYSTEMS

ASSORTMENT OVERVIEW

Longlife Power



♻️ Plastic-free packaging

♻️ Plastic-free packaging

♻️ Plastic-free packaging

Type	4903	4903	4903
Others	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
Order-No. / consumer unit	04903 121 490	04903 121 790	04903 121 492
Batteries / consumer unit	10+10	10+10	14+6
Width (mm) Blister	167	106.6	167
Height (mm) Blister	120	127	120
Depth (mm) Blister	22	11.2	22
Weight (g) Blister	244	242	244
Minimum pieces / shipment unit	10	10	10
Innercarton	—	—	—
Mastercarton	10	10	10
Voltage (V)	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—
Height (mm) Battery	44.5	44.5	44.5
Depth (mm) Battery	—	—	—
Diameter (mm) Battery	10.5	10.5	10.5
Weight (g) Battery	11.4	11.4	11.4
IEC	LR03	LR03	LR03
Details	Page 19	Page 19	Page 19
EAN/GTIN/ consumer unit			

4903	4903	4903
AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
04903 121 792	04903 121 495	04903 121 795
14+6	16+4	16+4
106.6	167	106.6
127	120	127
11.2	22	11.2
242	244	242
10	10	10
—	—	—
10	10	10
1.5	1.5	1.5
Alkaline	Alkaline	Alkaline
—	—	—
44.5	44.5	44.5
—	—	—
10.5	10.5	10.5
11.4	11.4	11.4
LR03	LR03	LR03
Page 19	Page 19	Page 19

Longlife Power



Plastic-free packaging

Type	4903	4903	4903
Others	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
Order-No. / consumer unit	04903 301 112	04903 121 132	04903 301 118
Batteries / consumer unit	12	12	18
Width (mm) Blister	54	66.6	55
Height (mm) Blister	22	23.5	33
Depth (mm) Blister	77	48.4	77
Weight (g) Blister	142	144	211
Minimum pieces / shipment unit	24	24	18
Innercarton	—	—	—
Mastercarton	24	24	18
Voltage (V)	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—
Height (mm) Battery	44.5	44.5	44.5
Depth (mm) Battery	—	—	—
Diameter (mm) Battery	10.5	10.5	10.5
Weight (g) Battery	11.4	11.4	11.4
IEC	LR03	LR03	LR03
Details	Page 19	Page 19	Page 19
EAN/GTIN/ consumer unit			



Plastic-free packaging

Plastic-free packaging

4903	4903	4903	4903
AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
04903 121 138	04903 301 124	04903 121 224	04903 121 134
18	24	24	24
66.6	54	76	66.6
34.6	42	49	43.9
48.4	77	60	48.4
214	279	282	284
18	12	12	16
—	—	—	—
18	12	12	16
1.5	1.5	1.5	1.5
Alkaline	Alkaline	Alkaline	Alkaline
—	—	—	—
44.5	44.5	44.5	44.5
—	—	—	—
10.5	10.5	10.5	10.5
11.4	11.4	11.4	11.4
LR03	LR03	LR03	LR03
Page 19	Page 19	Page 19	Page 19

Longlife Power



Plastic-free packaging



Type	4903	4903	4903
Others	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
Order-No. / consumer unit	04903 121 154	04903 121 194	04903 121 884
Batteries / consumer unit	4	40	4
Width (mm) Blister	44	48	80
Height (mm) Blister	45	149	120
Depth (mm) Blister	11	49	12.3
Weight (g) Blister	46	480	54
Minimum pieces / shipment unit	80	8	16
Innercarton	10	—	—
Mastercarton	80	8	16
Voltage (V)	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—
Height (mm) Battery	44.5	44.5	44.5
Depth (mm) Battery	—	—	—
Diameter (mm) Battery	10.5	10.5	10.5
Weight (g) Battery	11.4	11.4	11.4
IEC	LR03	LR03	LR03
Details	Page 19	Page 19	Page 19
EAN/GTIN/ consumer unit			

4903	4903
AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
04903 121 354	04903 121 394
4	40
44	114
45	46
11	47
46	471
10	12
10	-
120	12
1.5	1.5
Alkaline	Alkaline
—	—
44.5	44.5
—	—
10.5	10.5
11.4	11.4
LR03	LR03
Page 19	Page 19

Longlife Power



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging

Type	4906	4906	4906	4906	4906
Others	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
Order-No. / consumer unit	04906 121 412	04906 121 414	04906 121 415	04906 121 446	04906 121 746
Batteries / consumer unit	2	4	4+1	6	6
Width (mm) Blister	80	80	80	80	87.2
Height (mm) Blister	120	120	120	120	120
Depth (mm) Blister	15.8	15.8	16	28	15.4
Weight (g) Blister	57	104	127	148	153
Minimum pieces / shipment unit	20	20	10	10	20
Innercarton	20	20	10	10	-
Mastercarton	100	100	50	50	20
Voltage (V)	1.5	1.5	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—	—	—
Height (mm) Battery	50.5	50.5	50.5	50.5	50.5
Depth (mm) Battery	—	—	—	—	—
Diameter (mm) Battery	14.5	14.5	14.5	14.5	14.5
Weight (g) Battery	23.8	23.8	23.8	23.8	23.8
IEC	LR6	LR6	LR6	LR6	LR6
Details	Page 19	Page 19	Page 19	Page 19	Page 19
EAN/GTIN/ consumer unit					

4906	4906	4906	4906
AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
04906 121 436	04906 121 496	04906 121 438	04906 121 418
4+2	5+1	8	8
80	80	80	167
120	120	120	120
28	28	28	15.8
148	148	197	209
10	10	10	20
10	10	10	—
50	50	40	20
1.5	1.5	1.5	1.5
Alkaline	Alkaline	Alkaline	Alkaline
—	—	—	—
50.5	50.5	50.5	50.5
—	—	—	—
14.5	14.5	14.5	14.5
23.8	23.8	23.8	23.8
LR6	LR6	LR6	LR6
Page 19	Page 19	Page 19	Page 19

Longlife Power



♻️ Plastic-free packaging



♻️ Plastic-free packaging



♻️ Plastic-free packaging



♻️ Plastic-free packaging

Type	4906	4906	4906
Others	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
Order-No. / consumer unit	04906 121 428	04906 121 448	04906 121 461
Batteries / consumer unit	6+2	4+4	10
Width (mm) Blister	167	167	167
Height (mm) Blister	120	120	120
Depth (mm) Blister	15.8	15.8	16
Weight (g) Blister	209	209	257
Minimum pieces / shipment unit	20	20	20
Innercarton	—	—	—
Mastercarton	20	20	20
Voltage (V)	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—
Height (mm) Battery	50.5	50.5	50.5
Depth (mm) Battery	—	—	—
Diameter (mm) Battery	14.5	14.5	14.5
Weight (g) Battery	23.8	23.8	23.8
IEC	LR6	LR6	LR6
Details	Page 19	Page 19	Page 19
EAN/GTIN/ consumer unit			

4906	4906	4906
AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
04906 121 761	04906 121 410	04906 121 710
10	8+2	8+2
143.6	167	143.6
120	120	120
15.4	16	15.4
254	257	254
20	20	20
—	—	—
20	20	20
1.5	1.5	1.5
Alkaline	Alkaline	Alkaline
—	—	—
50.5	50.5	50.5
—	—	—
14.5	14.5	14.5
23.8	23.8	23.8
LR6	LR6	LR6
Page 19	Page 19	Page 19

Longlife Power



Plastic-free packaging

Plastic-free packaging

Type	4906	4906	4906
Others	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
Order-No. / consumer unit	04906 121 482	04906 121 782	04906 121 432
Batteries / consumer unit	12	12	10+2
Width (mm) Blister	167	172	167
Height (mm) Blister	120	120	120
Depth (mm) Blister	16	15.4	16
Weight (g) Blister	304	305	304
Minimum pieces / shipment unit	20	20	20
Innercarton	—	—	—
Mastercarton	20	20	20
Voltage (V)	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—
Height (mm) Battery	50.5	50.5	50.5
Depth (mm) Battery	—	—	—
Diameter (mm) Battery	14.5	14.5	14.5
Weight (g) Battery	23.8	23.8	23.8
IEC	LR6	LR6	LR6
Details	Page 19	Page 19	Page 19
EAN/GTIN/ consumer unit			

4906
AA, Mignon, MN1500, Stilo
04906 121 732
10+2
172
120
15.4
305
20
—
20
1.5
Alkaline
—
50.5
—
14.5
23.8
LR6
Page 19

Longlife Power



♻️ Plastic-free packaging

Type	4906	4906	4906
Others	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
Order-No. / consumer unit	04906 121 472	04906 121 772	04906 121 416
Batteries / consumer unit	8+4	8+4	16
Width (mm) Blister	167	172	167
Height (mm) Blister	120	120	120
Depth (mm) Blister	16	15.4	28
Weight (g) Blister	304	305	400
Minimum pieces / shipment unit	20	20	10
Innecarton	—	—	—
Mastercarton	20	20	10
Voltage (V)	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—
Height (mm) Battery	50.5	50.5	50.5
Depth (mm) Battery	—	—	—
Diameter (mm) Battery	14.5	14.5	14.5
Weight (g) Battery	23.8	23.8	23.8
IEC	LR6	LR6	LR6
Details	Page 19	Page 19	Page 19
EAN/GTIN/ consumer unit			



♻️ Plastic-free packaging



♻️ Plastic-free packaging

4906	4906	4906	4906
AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
04906 121 716	04906 121 466	04906 121 766	04906 121 420
16	12+4	12+4	20
116	167	116	167
127	120	127	120
15.4	28	15.4	30
398	400	398	492
10	10	10	10
—	—	—	—
10	10	10	10
1.5	1.5	1.5	1.5
Alkaline	Alkaline	Alkaline	Alkaline
—	—	—	—
50.5	50.5	50.5	50.5
—	—	—	—
14.5	14.5	14.5	14.5
23.8	23.8	23.8	23.8
LR6	LR6	LR6	LR6
Page 19	Page 19	Page 19	Page 19

Longlife Power



Plastic-free packaging



Plastic-free packaging

Type	4906	4906	4906
Others	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
Order-No. / consumer unit	04906 121 720	04906 121 490	04906 121 790
Batteries / consumer unit	20	10+10	10+10
Width (mm) Blister	143.6	167	143.6
Height (mm) Blister	127	120	127
Depth (mm) Blister	15.4	30	15.4
Weight (g) Blister	497	492	497
Minimum pieces / shipment unit	10	10	10
Innercarton	—	—	—
Mastercarton	10	10	10
Voltage (V)	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—
Height (mm) Battery	50.5	50.5	50.5
Depth (mm) Battery	—	—	—
Diameter (mm) Battery	14.5	14.5	14.5
Weight (g) Battery	23.8	23.8	23.8
IEC	LR6	LR6	LR6
Details	Page 19	Page 19	Page 19
EAN/GTIN/ consumer unit			



Plastic-free packaging



Plastic-free packaging



4906	4906	4906	4906
AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
04906 121 492	04906 121 792	04906 121 495	04906 121 795
14+6	14+6	16+4	16+4
167	143.6	167	143.6
120	127	120	127
30	15.4	30	15.4
492	497	492	497
10	10	10	10
—	—	—	—
10	10	10	10
1.5	1.5	1.5	1.5
Alkaline	Alkaline	Alkaline	Alkaline
—	—	—	—
50.5	50.5	50.5	50.5
—	—	—	—
14.5	14.5	14.5	14.5
23.8	23.8	23.8	23.8
LR6	LR6	LR6	LR6
Page 19	Page 19	Page 19	Page 19

Longlife Power



Plastic-free packaging

Plastic-free packaging

Type	4906	4906	4906	4906
Others	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
Order-No. / consumer unit	04906 301 112	04906 121 132	04906 301 118	04906 121 138
Batteries / consumer unit	12	12	18	18
Width (mm) Blister	60	89.4	60	89.4
Height (mm) Blister	29	30.8	44	44.5
Depth (mm) Blister	104	55.1	104	55.1
Weight (g) Blister	293	296	436	442
Min. pieces / shipment unit	24	24	18	18
Innercarton	—	—	—	—
Mastercarton	24	24	18	18
Voltage (V)	1.5	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—	—
Height (mm) Battery	50.5	50.5	50.5	50.5
Depth (mm) Battery	—	—	—	—
Diameter (mm) Battery	14.5	14.5	14.5	14.5
Weight (g) Battery	23.8	23.8	23.8	23.8
IEC	LR6	LR6	LR6	LR6
Details	Page 19	Page 19	Page 19	Page 19
EAN/GTIN/ consumer unit	4 008496 808656	4 008496 129881	4 008496 929962	4 008496 129898



Plastic-free packaging

4906	4906	4906	4906	4906
AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
04906 301 124	04906 121 224	04906 121 134	04906 121 154	04906 121 194
24	24	24	4	40
60	99	89.4	60	64
56	55	59.2	52	186
104	73	55.1	15	54
579	587	588	96	987
12	12	12	80	8
—	—	—	10	—
12	12	12	80	8
1.5	1.5	1.5	1.5	1.5
Alkaline	Alkaline	Alkaline	Alkaline	Alkaline
—	—	—	—	—
50.5	50.5	50.5	50.5	50.5
—	—	—	—	—
14.5	14.5	14.5	14.5	14.5
23.8	23.8	23.8	23.8	23.8
LR6	LR6	LR6	LR6	LR6
Page 19	Page 19	Page 19	Page 19	Page 19
4 008496 807505	4 008496 987382	4 008496 129904	4 008496 573400	4 008496 987931

Longlife Power



Plastic-free packaging

Type	4903	4906	4906	4912
Others	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	Normal, MN1203
Order-No. / consumer unit	04906 121 884	04906 121 354	04906 124 354	04912 121 411
Batteries / consumer unit	4	4	40	1
Width (mm) Blister	80	60	150	80
Height (mm) Blister	120	52	53	120
Depth (mm) Blister	15.8	15	66	23
Weight (g) Blister	104	96	969	181
Min. pieces / shipment unit	12	10	10	10
Innercarton	—	10	—	10
Mastercarton	12	100	10	100
Voltage (V)	1.5	1.5	1.5	4.5
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—	62.0
Height (mm) Battery	50.5	50.5	50.5	67.0
Depth (mm) Battery	—	—	—	22.0
Diameter (mm) Battery	14.5	14.5	14.5	—
Weight (g) Battery	23.8	23.8	23.8	170.0
IEC	LR6	LR6	LR6	3LR12
Details	Page 19	Page 19	Page 19	Page 19
EAN/GTIN/ consumer unit				



Plastic-free packaging

Plastic-free packaging

Plastic-free packaging

Plastic-free packaging

4914	4914	4920	4920
C, Baby, MN1400, 1/2 Torcia	C, Baby, MN1400, 1/2 Torcia	D, Mono, MN1300, Torcia	D, Mono, MN1300, Torcia
04914 121 422	04914 121 424	04920 121 422	04920 121 424
2	4	2	4
80	167	90	167
120	120	120	120
27.4	27.4	35	35
142	284	285	568
6	6	6	6
6	—	6	—
60	6	30	6
4.5	1.5	1.5	1.5
Alkaline	Alkaline	Alkaline	Alkaline
62.0	—	—	—
67.0	50.0	61.5	61.5
22.0	—	—	—
—	26.2	34.2	34.2
65.8	65.8	136.9	136.9
3LR12	LR14	LR20	LR20
Page 19	Page 19	Page 19	Page 19

Longlife Power



Plastic-free packaging

Plastic-free packaging

Type	4922	4922
Others	9V, E-Block, PP3, MN1604, Transistor	9V, E-Block, PP3, MN1604, Transistor
Order-No. / consumer unit	04922 121 411	04922 121 412
Batteries / consumer unit	1	1
Width (mm) Blister	80	80
Height (mm) Blister	120	120
Depth (mm) Blister	19	19
Weight (g) Blister	51	97
Min. pieces / shipment unit	10	10
Innercarton	10	10
Mastercarton	50	50
Voltage (V)	9.0	9.0
Electrochemical System	Alkaline	Alkaline
Width (mm) Battery	26.5	26.5
Height (mm) Battery	48.5	48.5
Depth (mm) Battery	17.5	17.5
Diameter (mm) Battery	—	—
Weight (g) Battery	46.0	46.0
IEC	6LP3146	6LP3146
Details	Page 19	Page 19
EAN/GTIN/ consumer unit		

Longlife



Plastic-free packaging

Plastic-free packaging

Plastic-free packaging

Type	4103	4103	4103	4103	4103
Others	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
Order-No. / consumer unit	04103 101 412	04103 101 414	04103 101 416	04103 101 746	04103 101 426
Batteries / consumer unit	2	4	6	6	4+2
Width (mm) Blister	80	80	80	64.6	80
Height (mm) Blister	120	120	120	120	120
Depth (mm) Blister	12.3	12.3	12	11.2	12
Weight (g) Blister	31	54	72	75	72
Min. pieces / shipment unit	10	10	10	20	10
Innercarton	10	10	10	-	10
Mastercarton	50	50	50	20	50
Voltage (V)	1.5	1.5	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—	—	—
Height (mm) Battery	44.5	44.5	44.5	44.5	44.5
Depth (mm) Battery	—	—	—	—	—
Diameter (mm) Battery	10.5	10.5	10.5	10.5	10.5
Weight (g) Battery	11.3	11.3	11.3	11.3	11.3
IEC	LR03	LR03	LR03	LR03	LR03
Details	Page 21	Page 21	Page 21	Page 21	Page 21
EAN/GTIN/ consumer unit					

Longlife



♻️ Plastic-free packaging

Type	4103	4103	4103
Others	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
Order-No. / consumer unit	04103 101 486	04103 101 418	04103 101 328
Batteries / consumer unit	6x1	8	8
Width (mm) Blister	90	167	55
Height (mm) Blister	294	120	121
Depth (mm) Blister	12	12.3	11
Weight (g) Blister	82	108	92
Minimum pieces / shipment unit	10	20	25
Innercarton	—	—	—
Mastercarton	10	20	25
Voltage (V)	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—
Height (mm) Battery	44.5	44.5	44.5
Depth (mm) Battery	—	—	—
Diameter (mm) Battery	10.5	10.5	10.5
Weight (g) Battery	11.3	11.3	11.3
IEC	LR03	LR03	LR03
Details	Page 21	Page 21	Page 21
EAN/GTIN/ consumer unit			



♻️ Plastic-free packaging

4103	4103	4103
AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
04103 101 461	04103 101 761	04103 214 416
10	10	16
167	106.6	167
120	120	120
12	11.2	22
126	125	198
20	20	14
—	—	—
20	20	14
1.5	1.5	1.5
Alkaline	Alkaline	Alkaline
—	—	—
44.5	44.5	44.5
—	—	—
10.5	10.5	10.5
11.3	11.3	11.3
LR03	LR03	LR03
Page 21	Page 21	Page 21

Longlife



♻️ Plastic-free packaging



♻️ Plastic-free packaging



Type	4103	4103	4103	4103
Others	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
Order-No. / consumer unit	04103 101 716	04103 101 456	04103 101 766	04103 101 420
Batteries / consumer unit	16	12+4	12+4	20
Width (mm) Blister	87.1	167	87.1	167
Height (mm) Blister	127	120	127	120
Depth (mm) Blister	11.2	22	11.2	22
Weight (g) Blister	193	198	193	242
Minimum pieces / shipment unit	10	12	10	10
Innercarton	—	—	—	—
Mastercarton	10	12	10	10
Voltage (V)	1.5	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—	—
Height (mm) Battery	44.5	44.5	44.5	44.5
Depth (mm) Battery	—	—	—	—
Diameter (mm) Battery	10.5	10.5	10.5	10.5
Weight (g) Battery	11.3	11.3	11.3	11.3
IEC	LR03	LR03	LR03	LR03
Details	Page 21	Page 21	Page 21	Page 21
EAN/GTIN/ consumer unit				



♻️ Plastic-free packaging



♻️ Plastic-free packaging

4103	4103	4103	4103
AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
04103 101 720	04103 101 630	04103 301 112	04103 301 132
20	30	12	12
106.6	80	54	66.6
127	195	22	23.5
11.2	37	77	48.4
240	360	141	143
10	12	24	24
—	—	—	—
10	12	24	24
1.5	1.5	1.5	1.5
Alkaline	Alkaline	Alkaline	Alkaline
—	—	—	—
44.5	44.5	44.5	44.5
—	—	—	—
10.5	10.5	10.5	10.5
11.3	11.3	11.3	11.3
LR03	LR03	LR03	LR03
Page 21	Page 21	Page 21	Page 21

Longlife



Plastic-free packaging

Type	4103	4103	4103
Others	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
Order-No. / consumer unit	04103 101 220	04103 101 130	04103 301 124
Batteries / consumer unit	20	20	24
Width (mm) Blister	65	105.9	54
Height (mm) Blister	49	24.9	42
Depth (mm) Blister	60	50.1	77
Weight (g) Blister	234	240	277
Minimum pieces / shipment unit	12	16	12
Innercarton	—	—	—
Mastercarton	12	16	12
Voltage (V)	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—
Height (mm) Battery	44.5	44.5	44.5
Depth (mm) Battery	—	—	—
Diameter (mm) Battery	10.5	10.5	10.5
Weight (g) Battery	11.3	11.3	11.3
IEC	LR03	LR03	LR03
Details	Page 21	Page 21	Page 21
EAN/GTIN/ consumer unit			



Plastic-free packaging



Plastic-free packaging



4103	4103	4103
AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
04103 301 134	04103 101 814	04103 101 394
24	4	40
66.6	80	114
43.9	120	46
48.4	12.3	47
285	54	467
16	16	12
—	—	—
16	16	12
1.5	1.5	1.5
Alkaline	Alkaline	Alkaline
—	—	—
44.5	44.5	44.5
—	—	—
10.5	10.5	10.5
11.3	11.3	11.3
LR03	LR03	LR03
Page 21	Page 21	Page 21

Longlife



♻️ Plastic-free packaging



♻️ Plastic-free packaging



♻️ Plastic-free packaging



♻️ Plastic-free packaging



Type	4106	4106	4106	4106	4106
Others	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
Order-No. / consumer unit	04106 101 412	04106 101 414	04106 101 436	04106 101 736	04106 101 426
Batteries / consumer unit	2	4	6	6	4+2
Width (mm) Blister	80	80	80	87.2	80
Height (mm) Blister	120	120	120	120	120
Depth (mm) Blister	15.8	15.8	28	15.4	28
Weight (g) Blister	55	101	145	150	145
Minimum pieces / shipment unit	20	20	10	20	10
Innercarton	20	20	10	-	10
Mastercarton	100	100	50	20	50
Voltage (V)	1.5	1.5	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—	—	—
Height (mm) Battery	50.5	50.5	50.5	50.5	50.5
Depth (mm) Battery	—	—	—	—	—
Diameter (mm) Battery	14.5	14.5	14.5	14.5	14.5
Weight (g) Battery	23.2	23.2	23.2	23.2	23.2
IEC	LR6	LR6	LR6	LR6	LR6
Details	Page 21	Page 21	Page 21	Page 21	Page 21
EAN/GTIN/ consumer unit					

4106	4106	4106
AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
04106 101 486	04106 101 418	04106 101 328
6x1	8	8
90	167	64
294	120	155
16	15,8	15
153	204	187
10	20	25
—	—	—
10	20	25
1.5	1.5	1.5
Alkaline	Alkaline	Alkaline
—	—	—
50.5	50.5	50.5
—	—	—
14.5	14.5	14.5
23.2	23.2	23.2
LR6	LR6	LR6
Page 21	Page 21	Page 21

Longlife



♻️ Plastic-free packaging

Type	4106	4106	4106
Others	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
Order-No. / consumer unit	04106 101 461	04106 101 761	04106 214 416
Batteries / consumer unit	10	10	16
Width (mm) Blister	167	143.6	167
Height (mm) Blister	120	120	120
Depth (mm) Blister	16	15.4	28
Weight (g) Blister	251	248	391
Minimum pieces / shipment unit	20	20	10
Innercarton	—	—	—
Mastercarton	20	20	10
Voltage (V)	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—
Height (mm) Battery	50.5	50.5	50.5
Depth (mm) Battery	—	—	—
Diameter (mm) Battery	14.5	14.5	14.5
Weight (g) Battery	23.2	23.2	23.2
IEC	LR6	LR6	LR6
Details	Page 21	Page 21	Page 21
EAN/GTIN/ consumer unit			



♻️ Plastic-free packaging

♻️ Plastic-free packaging

4106	4106	4106	4106
AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
04106 101 716	04106 101 456	04106 101 766	04106 101 420
16	12+4	12+4	20
116	167	116	167
127	120	127	120
15.4	28	15.4	30
389	391	389	480
16	9	10	10
—	—	—	—
10	9	10	10
1.5	1.5	1.5	1.5
Alkaline	Alkaline	Alkaline	Alkaline
—	—	—	—
50.5	50.5	50.5	50.5
—	—	—	—
14.5	14.5	14.5	14.5
23.2	23.2	23.2	23.2
LR6	LR6	LR6	LR6
Page 21	Page 21	Page 21	Page 21

Longlife



♻️ Plastic-free packaging



♻️ Plastic-free packaging



♻️ Plastic-free packaging



♻️ Plastic-free packaging

Type	4106	4106	4106	4106
Others	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
Order-No. / consumer unit	04106 101 720	04106 101 630	04106 301 112	04106 301 132
Batteries / consumer unit	20	30	12	12
Width (mm) Blister	143.6	100	60	89.4
Height (mm) Blister	127	230	29	30.8
Depth (mm) Blister	15.4	48	104	55.1
Weight (g) Blister	485	734	286	289
Minimum pieces / shipment unit	10	12	24	24
Innecarton	—	—	—	—
Mastercarton	10	12	24	24
Voltage (V)	1.5	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—	—
Height (mm) Battery	50.5	50.5	50.5	50.5
Depth (mm) Battery	—	—	—	—
Diameter (mm) Battery	14.5	14.5	14.5	14.5
Weight (g) Battery	23.2	23.2	23.2	23.2
IEC	LR6	LR6	LR6	LR6
Details	Page 21	Page 21	Page 21	Page 21
EAN/GTIN / consumer unit				

4106	4106	4106	4106
AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
04106 101 220	04106 101 130	04106 301 124	04106 301 134
20	20	24	24
85	143	60	89.4
55	32.3	56	59.2
75	55.1	104	55.1
478	487	564	573
12	16	12	12
—	—	—	—
12	16	12	12
1.5	1.5	1.5	1.5
Alkaline	Alkaline	Alkaline	Alkaline
—	—	—	—
50.5	50.5	50.5	50.5
—	—	—	—
14.5	14.5	14.5	14.5
23.2	23.2	23.2	23.2
LR6	LR6	LR6	LR6
Page 21	Page 21	Page 21	Page 21

Longlife



♻️ Plastic-free packaging



♻️ Plastic-free packaging



♻️ Plastic-free packaging



♻️ Plastic-free packaging



♻️ Plastic-free packaging

Type	4106	4106	4114
Others	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	C, Baby, MN1400, 1/2 Torcia
Order-No. / consumer unit	04106 101 814	04106 101 394	04114 101 422
Batteries / consumer unit	4	40	2
Width (mm) Blister	80	150	80
Height (mm) Blister	120	53	120
Depth (mm) Blister	15,8	66	27,4
Weight (g) Blister	101	945	142
Minimum pieces / shipment unit	12	10	6
Innercarton	—	—	6
Mastercarton	12	10	60
Voltage (V)	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—
Height (mm) Battery	50.5	50.5	50.0
Depth (mm) Battery	—	—	—
Diameter (mm) Battery	14.5	14.5	26.2
Weight (g) Battery	23.2	23.2	65.8
IEC	LR6	LR6	LR14
Details	Page 21	Page 21	Page 21
EAN/GTIN/ consumer unit			

4114	4120	4120
C, Baby, MN1400, 1/2 Torcia	D, Mono, MN1300, Torcia	D, Mono, MN1300, Torcia
04114 101 424	04120 101 422	04120 101 424
4	2	4
167	90	167
120	120	120
27.4	35	35
284	281	561
6	6	6
—	6	—
6	30	6
1.5	1.5	1.5
Alkaline	Alkaline	Alkaline
—	—	—
50.5	61.5	61.5
—	—	—
14.5	34.2	34.2
65.8	135.1	135.1
LR6	LR20	LR20
Page 21	Page 21	Page 21

Longlife



♻️ Plastic-free packaging

♻️ Plastic-free packaging

Type	4122	4122
Others	9V, E-Block, PP3, MN1604, Transistor	9V, E-Block, PP3, MN1604, Transistor
Order-No. / consumer unit	04122 101 411	04122 101 412
Batteries / consumer unit	1	1
Width (mm) Blister	80	80
Height (mm) Blister	120	120
Depth (mm) Blister	19	19
Weight (g) Blister	51	97
Minimum pieces / shipment unit	10	10
Innercarton	10	10
Mastercarton	50	50
Voltage (V)	9.0	9.0
Electrochemical System	Alkaline	Alkaline
Width (mm) Battery	26.5	26.5
Height (mm) Battery	48.5	48.5
Depth (mm) Battery	17.5	17.5
Diameter (mm) Battery	—	—
Weight (g) Battery	46.0	46.0
IEC	6LP3146	6LP3146
Details	Page 21	Page 21
EAN/GTIN/ consumer unit		

Energy



♻️ Plastic-free packaging

♻️ Plastic-free packaging

Type	4103	4103	4103	4103
Others	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
Order-No. / consumer unit	04103 229 414	04103 229 416	04103 229 418	04103 229 491
Batteries / consumer unit	4	6	8	10
Width (mm) Blister	80	80	167	167
Height (mm) Blister	120	120	120	120
Depth (mm) Blister	12.3	12	12.3	12
Weight (g) Blister	54	72	108	126
Minimum pieces / shipment unit	10	10	20	20
Innercarton	10	10	—	—
Mastercarton	50	50	20	20
Voltage (V)	1.5	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—	—
Height (mm) Battery	44.5	44.5	44.5	44.5
Depth (mm) Battery	—	—	—	—
Diameter (mm) Battery	10.5	10.5	10.5	10.5
Weight (g) Battery	11.3	11.3	11.3	11.3
IEC	LR03	LR03	LR03	LR03
EAN/GTIN/ consumer unit				

Energy



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging



Type	4103	4103	4103	4103
Others	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
Order-No. / consumer unit	04103 229 410	04103 229 132	04103 229 224	04103 229 234
Batteries / consumer unit	10	12	24	24
Width (mm) Blister	107.5	66.6	74.5	66.6
Height (mm) Blister	46.5	23.5	48	43.9
Depth (mm) Blister	12.2	48.4	56.5	48.4
Weight (g) Blister	118	143	277	282
Minimum pieces / shipment unit	70	24	12	16
Innercarton	—	—	—	—
Mastercarton	70	24	12	16
Voltage (V)	1.5	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—	—
Height (mm) Battery	44.5	44.5	44.5	44.5
Depth (mm) Battery	—	—	—	—
Diameter (mm) Battery	10.5	10.5	10.5	10.5
Weight (g) Battery	11.3	11.3	11.3	11.3
IEC	LR03	LR03	LR03	LR03
EAN/GTIN/ consumer unit				

4103	4103	4103	4106	4106
AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
04103 229 135	04103 229 630	04103 229 395	04106 229 414	04106 229 416
30	30	50	4	6
106.1	80	114	80	80
35.4	195	46	120	120
49	37	57	15.8	28
356	360	579	101	145
16	12	10	20	10
—	—	—	20	10
16	12	10	100	50
1.5	1.5	1.5	1.5	1.5
Alkaline	Alkaline	Alkaline	Alkaline	Alkaline
—	—	—	—	—
44.5	44.5	44.5	50.5	50.5
—	—	—	—	—
10.5	10.5	10.5	14.5	14.5
11.3	11.3	11.3	23.2	23.2
LR03	LR03	LR03	LR6	LR6

Energy



Plastic-free packaging



Plastic-free packaging



Type	4106	4106	4106
Others	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
Order-No. / consumer unit	04106 229 418	04106 229 410	04106 229 491
Batteries / consumer unit	8	10	10
Width (mm) Blister	167	144	167
Height (mm) Blister	120	51.5	120
Depth (mm) Blister	15.8	16	16
Weight (g) Blister	204	204	251
Minimum pieces / shipment unit	20	40	20
Innercarton	—	—	—
Mastercarton	20	40	20
Voltage (V)	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—
Height (mm) Battery	50.5	50.5	50.5
Depth (mm) Battery	—	—	—
Diameter (mm) Battery	14.5	14.5	14.5
Weight (g) Battery	23.2	23.2	23.2
IEC	LR6	LR6	LR6
EAN/GTIN/ consumer unit			



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging



4106	4106	4106	4106	4106
AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
04106 229 132	04106 229 224	04106 229 234	04106 229 135	04106 229 630
12	24	24	30	30
89.4	99	89.4	146.9	100
30.8	53	59.2	48.9	230
55.1	73	55.1	55.4	48
289	567	573	718	734
24	12	12	8	12
—	—	—	—	—
24	12	12	8	12
1.5	1.5	1.5	1.5	1.5
Alkaline	Alkaline	Alkaline	Alkaline	Alkaline
—	—	—	—	—
50.5	50.5	50.5	50.5	50.5
—	—	—	—	—
14.5	14.5	14.5	14.5	14.5
23.2	23.2	23.2	23.2	23.2
LR6	LR6	LR6	LR6	LR6

Energy



Plastic-free packaging

Plastic-free packaging

Plastic-free packaging

Plastic-free packaging

Type	4106	4114	4120	4122	4122
Others	AA, Mignon, MN1500, Stilo	C, Baby, MN1400, 1/2 Torcia	D, Mono, MN1300, Torcia	9V, E-Block, PP3, MN1604, Transistor	9V, E-Block, PP3, MN1604, Transistor
Order-No. / consumer unit	04106 229 395	04114 229 422	04120 229 422	04122 229 411	04122 229 412
Batteries / consumer unit	50	2	2	1	2
Width (mm) Blister	152	80	90	80	80
Height (mm) Blister	53	120	120	120	120
Depth (mm) Blister	75	27.4	35	19	19
Weight (g) Blister	1178	142	281	51	97
Minimum pieces / shipment unit	8	6	6	10	10
Innercarton	—	6	6	10	10
Mastercarton	8	60	30	50	50
Voltage (V)	1.5	1.5	1.5	9.0	9.0
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—	26.5	26.5
Height (mm) Battery	50.5	50.0	61.5	48.5	48.5
Depth (mm) Battery	—	—	—	17.5	17.5
Diameter (mm) Battery	14.5	26.2	34.2	—	—
Weight (g) Battery	23.2	65.8	135.1	46.0	46.0
IEC	LR6	LR14	LR20	6LP3146	6LP3146
EAN/GTIN/ consumer unit					

LCD Battery Tester




Type	LCD Battery Tester
Order-No. / consumer unit	00893 101 111
Garnished with	2x V13GA
Batteries / consumer unit	1
Width (mm) Blister	80
Height (mm) Blister	195
Depth (mm) Blister	24
Weight (g) Blister	74
Minimum pieces / shipment unit	8
Mastercarton	8
Width (mm) Product	43
Height (mm) Product	86
Depth (mm) Product	16
Weight (g) Product	37
EAN/GTIN/ consumer unit	

LCD Battery Tester





Type 00893







- Practical and user-friendly battery tester
- Compatible chemical systems: Alkaline, NiMH, Lithium Primary and Zinc Carbon
- Test cell sizes: AA, AAA, C, D, 9V, other round and button cells








Super Heavy Duty

				
Type	2003	2003	2006	2006
Others	AAA, Micro	AAA, Micro	AA, Mignon	AA, Mignon
Order-No. / consumer unit	02003 101 414	02003 101 418	02006 101 414	02006 101 418
Batteries / consumer unit	4	8	4	8
Width (mm) Blister	80	157	80	157
Height (mm) Blister	120	124	120	124
Depth (mm) Blister	11.5	12.5	16	14.5
Weight (g) Blister	42	82	72	145
Minimum pieces / shipment unit	12	30	12	40
Innercarton	12	—	12	—
Mastercarton	60	30	60	40
Voltage (V)	1.5	1.5	1.5	1.5
Electrochemical System	Zinc Carbon	Zinc Carbon	Zinc Carbon	Zinc Carbon
Width (mm) Battery	—	—	—	—
Height (mm) Battery	44.5	44.5	50.5	50.5
Depth (mm) Battery	—	—	—	—
Diameter (mm) Battery	10.5	10.5	14.5	14.5
Weight (g) Battery	7.8	7.8	16.8	16.8
IEC	R03	R03	R6P	R6P
Details	Page 23	Page 23	Page 23	Page 23
EAN/GTIN/ consumer unit	 4 008496 1676187	 4 008496 886654	 4 008496 1556267	 4 008496 886685


			
2012	2014	2020	2022
Normal	C, Baby	D, Mono	9V, E-Block
02012 101 411	02014 101 412	02020 101 412	02022 101 411
1	2	2	1
80	80	80	80
120	120	120	120
23.5	27	35	19
114	100	206	41
10	12	12	10
10	12	12	10
100	60	60	50
4.5	1.5	1.5	9.0
Zinc Carbon	Zinc Carbon	Zinc Carbon	Zinc Carbon
62.0	—	—	26.5
67.0	50.0	61.5	48.5
22.0	—	—	17.5
—	26.2	34.2	—
109.0	47.1	99.2	36.0
3R12P	R14P	R20P	6F22
Page 23	Page 23	Page 23	Page 23
 4 008496 1556380	 4 008496 1556304	 4 008496 1556342	 4 008496 1556427


Super Heavy Duty

			
Type	2003	2006	2006
Others	AAA, Micro	AA, Mignon	AA, Mignon
Order-No. / consumer unit	02003 101 304	02006 101 304	02006 101 308
Batteries / consumer unit	4	4	8
Width (mm) Foilpack	42	60	122
Height (mm) Foilpack	45	52	52
Depth (mm) Foilpack	11	15	15
Weight (g) Foilpack	36	67	135
Minimum pieces / shipment unit	12	15	6
Innercarton	12	15	6
Mastercarton	216	150	30
Voltage (V)	1.5	1.5	1.5
Electrochemical System	Zinc Carbon	Zinc Carbon	Zinc Carbon
Width (mm) Battery	—	—	—
Height (mm) Battery	44.5	50.5	50.5
Depth (mm) Battery	—	—	—
Diameter (mm) Battery	10.5	14.5	14.5
Weight (g) Battery	7.8	16.8	16.8
IEC	R03	R6P	R6P
Details	Page 23	Page 23	Page 23
EAN/GTIN/ consumer unit			




			
2012	2014	2020	2022
Normal	C, Baby	D, Mono	9V, E-Block
02012 101 301	02014 101 302	02020 101 302	02022 101 301
1	2	2	1
62	54	70	26.5
64	51	62	48.5
22	27	35	17.5
110	95	200	36
44	12	12	12
—	12	12	12
44	60	60	216
4.5	1.5	1.5	9.0
Zinc Carbon	Zinc Carbon	Zinc Carbon	Zinc Carbon
62.0	—	—	26.5
67.0	50.0	61.5	48.5
22.0	—	—	17.5
—	26.2	34.2	—
112.0	47.1	99.2	36.0
3R12P	R14P	R20P	6F22
Page 23	Page 23	Page 23	Page 23
			

Recharge Accu Power

				
	 Plastic-free packaging	 Plastic-free packaging	 Plastic-free packaging	 Plastic-free packaging
Type	56743	56703	56703	56703
Others	AAA, Micro	AAA, Micro	AAA, Micro	AAA, Micro
Order-No. / consumer unit	56743 101 404	56703 101 402	56703 101 404	56703 101 494
Typical capacity (mAh)	550	800	800	800
Batteries / consumer unit	4	2	4	3+1
Width (mm) Blister	80	80	80	80
Height (mm) Blister	120	120	120	120
Depth (mm) Blister	12.3	12.3	12.3	12.3
Weight (g) Blister	49	35	61	61
Minimum pieces / shipment unit	10	10	10	10
Innercarton	10	10	10	10
Mastercarton	50	50	50	50
Voltage (V)	1.2	1.2	1.2	1.2
Electrochemical System	NiMH	NiMH	NiMH	NiMH
Height (mm) Battery	44.5	44.5	44.5	44.5
Diameter (mm) Battery	10.5	10.5	10.5	10.5
Weight (g) Battery	10.2	13.0	13.0	13.0
IEC	HR03	HR03	HR03	HR03
Details	Page 27	Page 27	Page 27	Page 27
EAN/GTIN/ consumer unit	 4 008496 188429	 4 008496 155079	 4 008496 155061	 4 008496 163637





			
 Plastic-free packaging	 Plastic-free packaging	 Plastic-free packaging	 Plastic-free packaging
56703	5703	5703	5703
AAA, Micro	AAA, Micro	AAA, Micro	AAA, Micro
56703 101 436	05703 301 402	05703 301 404	05703 301 494
800	1000	1000	1000
6	2	4	3+1
80	80	80	80
120	120	120	120
12	12.3	12.3	12.3
82	37	65	65
10	10	10	10
10	10	10	10
50	50	50	50
1.2	1.2	1.2	1.2
NiMH	NiMH	NiMH	NiMH
44.5	44.5	44.5	44.5
10.5	10.5	10.5	10.5
13.0	14.0	14.0	14.0
HR03	HR03	HR03	HR03
Page 27	Page 27	Page 27	Page 27
 4 008496 167431	 4 008496 153862	 4 008496 159437	 4 008496 177292

Recharge Accu Power

				
	 Plastic-free packaging	 Plastic-free packaging	 Plastic-free packaging	 Plastic-free packaging
Type	56746	56706	56706	56706
Others	AA, Mignon	AA, Mignon	AA, Mignon	AA, Mignon
Order-No. / consumer unit	56746 101 404	56706 101 402	56706 101 404	56706 101 494
Typical capacity (mAh)	1350	2100	2100	2100
Batteries / consumer unit	4	2	4	3+1
Width (mm) Blister	80	80	80	80
Height (mm) Blister	120	120	120	120
Depth (mm) Blister	15.8	15.8	15.8	15.8
Weight (g) Blister	105	69	129	129
Minimum pieces / shipment unit	10	10	10	10
Innercarton	10	10	10	10
Mastercarton	100	100	100	100
Voltage (V)	1.2	1.2	1.2	1.2
Electrochemical System	NiMH	NiMH	NiMH	NiMH
Height (mm) Battery	50.5	50.5	50.5	50.5
Diameter (mm) Battery	14.5	14.5	14.5	14.5
Weight (g) Battery	24.0	30.0	30.0	30.0
IEC	HR6	HR6	HR6	HR6
Details	Page 27	Page 27	Page 27	Page 27
EAN/GTIN/ consumer unit	 4 008496 188434 6	 4 008496 155065 4	 4 008496 155069 2	 4 008496 163641 9

			
		 Plastic-free packaging	 Plastic-free packaging
56706	56706	5716	5716
AA, Mignon	AA,Mignon	AA, Mignon	AA, Mignon
56706 101 436	56706 101 496	05716 101 402	05716 101 404
2100	2100	2600	2600
6	4+2AAA	2	4
80	80	80	80
120	120	120	120
28	25	15.8	15.8
186	151	71	133
10	10	10	10
10	10	10	10
50	30	100	100
1.2	1.2	1.2	1.2
NiMH	NiMH	NiMH	NiMH
50.5	50.5	50.5	50.5
14.5	14.5	14.5	14.5
30.0	30.0	31.0	31.0
HR6	HR6	HR6	HR6
Page 27	Page 27	Page 27	Page 27
 4 008496 167427 5	 4 008496 163798 0	 4 008496 174593 7	 4 008496 174597 5

Recharge Accu Power

   				
 Plastic-free packaging  Plastic-free packaging  Plastic-free packaging				
Type	56714	56720	56722	56722
Others	C, Baby	D, Mono	9V, E-Block	9V, E-Block
Order-No. / consumer unit	56714 101 402	56720 101 402	56722 101 111	56722 101 401
Typical capacity (mAh)	3000	3000	200	200
Batteries / consumer unit	2	2	1	1
Width (mm) Blister	80	80	26.6	80
Height (mm) Blister	120	120	15.7	120
Depth (mm) Blister	27	35	48.5	19
Weight (g) Blister	130	154	36	41
Minimum pieces / shipment unit	10	10	20	10
Innercarton	10	10	20	10
Mastercarton	100	50	200	50
Voltage (V)	1.2	1.2	9.0	9.0
Electrochemical System	NiMH	NiMH	NiMH	NiMH
Height (mm) Battery	50.0	61.5	15.7	15.7
Width (mm) Battery	—	—	26.6	26.6
Depth (mm) Battery	—	—	48.5	48.5
Diameter (mm) Battery	26.0	34.2	—	—
Weight (g) Battery	62.0	73.0	36.0	36.0
IEC	HR14	HR20	HR9V	HR9V
Details	Page 27	Page 27	Page 27	Page 27
EAN/GTIN/ consumer unit				

Recharge Accu Phone / Solar

    					
 Plastic-free packaging  Plastic-free packaging  Plastic-free packaging  Plastic-free packaging  Plastic-free packaging					
Type	58397	58398	58399	56733	56736
Others	AAA, Micro	AAA, Micro	AA, Mignon	AAA, Micro	AA, Mignon
Order-No. / consumer unit	58397 101 402	58398 101 402	58399 201 402	56733 101 402	56736 101 402
Typical capacity (mAh)	550	800	1600	550	800
Batteries / consumer unit	2	2	2	2	2
Width (mm) Blister	80	80	80	80	80
Height (mm) Blister	120	120	120	120	120
Depth (mm) Blister	12.3	12.3	15.8	12.3	15.8
Weight (g) Blister	29	33	61	29	41
Minimum pieces / shipment unit	10	10	10	10	10
Innercarton	10	10	10	10	10
Mastercarton	50	50	100	50	100
Voltage (V)	1.2	1.2	1.2	1.2	1.2
Electrochemical System	NiMH	NiMH	NiMH	NiMH	NiMH
Height (mm) Battery	44.5	44.5	50.5	44.5	50.5
Diameter (mm) Battery	10.5	10.5	14.5	10.5	14.5
Weight (g) Battery	10.0	12.0	26.0	10.0	16.0
IEC	HR03	HR03	HR6	HR03	HR6
Details	Page 27	Page 27	Page 27	Page 27	Page 27
EAN/GTIN/ consumer unit					

Recharge Accu Recycled



♻️ Plastic-free packaging



♻️ Plastic-free packaging



♻️ Plastic-free packaging



♻️ Plastic-free packaging



Type	56813	56813	56813	56813
Others	AAA, Micro	AAA, Micro	AAA, Micro	AAA, Micro
Order-No. / consumer unit	56813 101 402	56813 101 404	56813 101 436	56813 101 476
Typical capacity (mAh)	800	800	800	800
Batteries / consumer unit	2	4	6	5+1
Width (mm) Blister	80	80	80	80
Height (mm) Blister	120	120	120	120
Depth (mm) Blister	12.3	12.3	12	12
Weight (g) Blister	35	61	82	82
Minimum pieces / shipment unit	10	10	10	10
Innercarton	10	10	10	10
Mastercarton	50	50	50	50
Voltage (V)	1.2	1.2	1.2	1.2
Electrochemical System	NiMH	NiMH	NiMH	NiMH
Height (mm) Battery	44.5	44.5	44.5	44.5
Diameter (mm) Battery	10.5	10.5	10.5	10.5
Weight (g) Battery	13.0	13.0	13.0	13.0
IEC	HR03	HR03	HR03	HR03
Details	Page 29	Page 29	Page 29	Page 29
EAN/GTIN/ consumer unit				

56816	56816	56816	56816
AA, Mignon	AA, Mignon	AA, Mignon	AA, Mignon
56816 101 402	56816 101 404	56816 101 436	56816 101 476
2100	2100	2100	2100
2	4	6	5+1
80	80	80	80
120	120	120	120
15.8	15.8	28	28
69	129	186	186
10	10	10	10
10	10	10	10
100	100	50	50
1.2	1.2	1.2	1.2
NiMH	NiMH	NiMH	NiMH
50.5	50.5	50.5	50.5
14.5	14.5	14.5	14.5
30.0	30.0	30.0	30.0
HR6	HR6	HR6	HR6
Page 29	Page 29	Page 29	Page 29

LCD Chargers

Type	LCD Plug Charger+	LCD Plug Charger+	LCD Ultra Fast Charger+	LCD Smart Charger+
Order-No. / consumer unit	57687 101 441	57687 101 461	57685 101 441	57684 101 441
Equipped with	4x AA 2100 mAh 56706	4x AA 2600 mAh 05716	4x AA 2100 mAh 56706	4x AA 2100 mAh 56706
Width (mm) Blister	120	120	180	180
Height (mm) Blister	230	230	240	240
Depth (mm) Blister	78	78	80	80
Weight (g) Blister	321	321	570	484
Mastercarton	1 / 4	1 / 4	1 / 2	1 / 2
Voltage (V)	100 - 240	100 - 240	100 - 240	100 - 240
Width (mm) Charger	85	85	92	92
Height (mm) Charger	124	124	146	146
Depth (mm) Charger	73	73	43	42
Weight (g) Charger	156	156	332	280
Plug	EURO	EURO	EURO	EURO
Charging time (Accus)	4 h	4 h	15 min	1.5 h
Shutdown function	Timer & Minus Delta V	Timer & Minus Delta V	Timer & Minus Delta V, control of temperature	Timer & Minus Delta V, control of temperature
Trickle charging	—	—	✓	✓
Charging sizes	1-4 AA, AAA, 1x 9V, 1x USB-A	1-4 AA, AAA, 1x 9V, 1x USB-A	1-4 AA, AAA	1-4 AA, AAA, 1x USB
Technology	NiMH	NiMH	NiMH	NiMH
Power supply (internal - external)	Internal Plug (EURO)	Internal Plug (EURO)	External	External
Charging indication	Display	Display	Display	Display
Charging channels	5	5	4	4
Charging	Single	Single	Single	Single
Bad cell / Alkaline / Wrong polarity detection	✓	✓	✓	✓
USB – In & Out	USB – Out	USB – Out	—	USB – Out
Accessoires	—	—	AC & 12V adapter	AC adapter
Details	Page 33	Page 33	Page 33	Page 34
EAN / GTIN consumer unit				


LCD Multi Charger+	LCD Universal Charger+	LCD Dual Tech Charger	LCD Charger	LCD Charger
57681 101 401	57688 101 401	57676 101 401	57070 201 401	57070 201 451
—	—	—	—	4x AA 5716 2600 mAh
180	180	180	120	120
240	240	240	230	230
65	85	85	93	93
377	475	497	259	379
1 / 2	1 / 2	1 / 2	1 / 2	1 / 2
100 - 240	100 - 240	100 - 240	100 - 240	100 - 240
116	137	104	72	72
146	169	165	116	116
32	52	44	32	32
293	390	411	170	170
EURO	EURO	EURO	EURO	EURO
4 h	4 h	3 h	2 h	2 h
Timer & Minus Delta V	Timer & Minus Delta V	Timer, Minus Delta V, control of temperature	Timer & Minus Delta V, control of temperature	Timer, Minus Delta V, control of temperature
—	—	✓	✓	✓
1-8 AA, AAA	1-4 AA, AAA, C, D, 1x 9V, 1x USB	1-4x 18650, 18490, 18350, 16670, 17500, RCR123A, 17335, 16340, 14500, 10440, AA, AAA	2/4 AA, AAA	2/4 AA, AAA
NiMH	NiMH	Li-Ion & NiMH	NiMH	NiMH
External	External	External	External	External
Display	Display	Display	Display	Display
8	5	4	4	4
Single	Single	Single	Pairwise	Pairwise
✓	✓	✓	✓	✓
—	USB – Out	USB – Out	—	—
AC adapter	AC adapter	AC adapter	AC & 12V adapter, USB cable	AC & 12V adapter, USB cable
Page 34	Page 34	Page 35	Page 35	Page 35

Eco Chargers Recycled

			
	 Plastic-free packaging	 Plastic-free packaging	 Plastic-free packaging
Type	Eco Charger Pro Recycled	Eco Charger Pro Recycled	Eco Charger Pro Recycled
Order-No. / consumer unit	57683 101 111	57683 101 121	57683 101 131
Equipped with	—	4x AA 2100 mAh 56816	4x AAA 800 mAh 56813
Width (mm) Blister	100	100	100
Height (mm) Blister	195	195	195
Depth (mm) Blister	35	35	35
Weight (g) Blister	183	305	235
Mastercarton / MOQ	1 / 4	1 / 4	1 / 4
Voltage (V)	100 - 240	100 - 240	100 - 240
Width (mm) Charger	73.5	73.5	73.5
Height (mm) Charger	28.1	28.1	28.1
Depth (mm) Charger	125.5	125.5	125.5
Weight (g) Charger	91	91	91
Plug	—	—	—
Charging time (Accus)	1 h	1 h	1 h
Shutdown function	Timer & Minus Delta V, control of temperature	Timer & Minus Delta V, control of temperature	Timer & Minus Delta V, control of temperature
Trickle charging	✓	✓	✓
Charging sizes	1-4 AA, AAA	1-4 AA, AAA	1-4 AA, AAA
Technology	NiMH	NiMH	NiMH
Power supply (internal - external)	External	External	External
Charging indication	LED	LED	LED
Charging channels	4	4	4
Charging	Single	Single	Single
Bad cell / Alkaline / Wrong polarity detection	✓	✓	✓
USB – In & Out	USB-C	USB-C	USB-C
Accessoires	USB-C cable	USB-C cable	USB-C cable
Details	Page 37	Page 37	Page 37
EAN / GTIN consumer unit			

		
	 Plastic-free packaging	 Plastic-free packaging
Type	Eco Charger Multi Recycled	Eco Charger Multi Recycled
Order-No. / consumer unit	57682 101 111	57682 101 121
Equipped with	—	8x AA 2100 mAh 56816
Width (mm) Blister	135	135
Height (mm) Blister	230	230
Depth (mm) Blister	35	35
Weight (g) Blister	290	550
Mastercarton / MOQ	1 / 4	1 / 4
Voltage (V)	100 - 240	100 - 240
Width (mm) Charger	137.5	137.5
Height (mm) Charger	29	29
Depth (mm) Charger	125.5	125.5
Weight (g) Charger	168	168
Plug	—	—
Charging time (Accus)	1 h	1 h
Shutdown function	Timer & Minus Delta V, control of temperature	Timer & Minus Delta V, control of temperature
Trickle charging	✓	✓
Charging sizes	1-8 AA, AAA	1-8 AA, AAA
Technology	NiMH	NiMH
Power supply (internal - external)	External	External
Charging indication	LED	LED
Charging channels	8	8
Charging	Single	Single
Bad cell / Alkaline / Wrong polarity detection	✓	✓
USB – In & Out	USB-C	USB-C
Accessoires	USB-C cable	USB-C cable
Details	Page 37	Page 37
EAN / GTIN consumer unit		

Easy Chargers

			
Type	Mini Charger	Mini Charger	Mini Charger
Order-No. / consumer unit	57656 101 401	57656 201 421	57656 101 451
Equipped with	—	2 x AAA 800 mAh 56703	2 x AA 2100 mAh 56706
Width (mm) Blister	80	80	80
Height (mm) Blister	195	195	195
Depth (mm) Blister	72	72	72
Weight (g) Blister	93	119	153
Mastercarton / MOQ	1 / 4	1 / 4	1 / 4
Voltage (V)	100 – 240	100 – 240	100 – 240
Width (mm) Charger	43	43	43
Height (mm) Charger	102.5	102.5	102.5
Depth (mm) Charger	63	63	63
Weight (g) Charger	64	64	64
Plug	EURO	EURO	EURO
Charging time (Accus)	4.5 h	4.5 h	4.5 h
Charging time (external devices)	—	—	—
Shutdown function	Timer & Minus Delta V	Timer & Minus Delta V	Timer & Minus Delta V
Trickle charging	✓	✓	✓
Charging sizes	2 AA, AAA	2 AA, AAA	2 AA, AAA
Technology	NiMH	NiMH	NiMH
Power supply (internal - external)	Internal Plug (EURO)	Internal Plug (EURO)	Internal Plug (EURO)
Charging indication	LED	LED	LED
Charging channels	2	2	2
Charging	Pairwise	Pairwise	Pairwise
Bad cell / Alkaline / Wrong polarity detection	✓	✓	✓
USB – In & Out	—	—	—
Accessoires	—	—	—
Details	Page 39	Page 39	Page 39
EAN / GTIN consumer unit			

			
Plug Charger	Plug Charger	Universal Charger	Multi Charger
57657 101 451	57657 101 461	57658 101 401	57659 101 401
4 x AA 2100 mAh 56706	4 x AA 2600 mAh 56706	—	—
100	100	180	180
195	195	240	240
73	73	58	43
261	261	329	207
1 / 4	1 / 4	1 / 3	1 / 4
100 – 240	100 – 240	100 – 240	100 – 240
73.5	73.5	153.5	137
116	116	128.5	101
65.5	65.5	49	26
107	107	245	123
EURO	EURO	EURO	EURO
4.5 h	4.5 h	4.5 h	4.5 h
—	—	—	—
Timer & Minus Delta V	Timer & Minus Delta V	Timer & Minus Delta V	Timer & Minus Delta V
✓	✓	✓	✓
2/4 AA, AAA	2/4 AA, AAA	2/4 AA, AAA, C, D or 1x 9 V	2/4/6/8 AA, AAA
NiMH	NiMH	NiMH	NiMH
Internal Plug (EURO)	Internal Plug (EURO)	External	External
LED	LED	LED	LED
4	4	5	8
Pairwise	Pairwise	Pairwise	Pairwise
✓	✓	✓	✓
—	—	USB - In	USB - In
—	—	USB-C cable, 50cm, white	USB-C cable, 50cm, white
Page 39	Page 39	Page 39	Page 39
			

Lithium Coin



Type	CR1216*/**	CR1220*/**	CR1225*/**	CR1616*/**	CR1616*
IEC	CR1216	CR1220	CR1225	CR1616	CR1616
Order-No. / consumer unit	06216 101 401	06220 101 401	06225 101 401	06616 101 401	06616 101 402
Order-No. / consumer unit International version	—	06220 112 401	—	06616 112 401	—
Batteries / consumer unit	1	1	1	1	2
Width (mm) Blister	56	56	56	56	80
Height (mm) Blister	65	65	65	65	120
Depth (mm) Blister	7	7	7	7	4.5
Weight (g) Blister	3	3	3	3	7
Minimum pieces/ shipment unit	10	10	10	10	10
Innercarton	10	10	10	10	10
Mastercarton	100	100	100	100	100
Voltage (V)	3.0	3.0	3.0	3.0	3.0
Electrochemical System	Lithium	Lithium	Lithium	Lithium	Lithium
Typical capacity (mAh)	27	36	48	45	45
Height (mm) Battery	1.6	2.0	2.5	1.6	1.6
Diameter (mm) Battery	12.5	12.5	12.5	16.0	16.0
Weight (g) Battery	0.7	0.8	0.9	1.1	1.1
Details	Page 43	Page 43	Page 43	Page 43	Page 43
EAN/GTIN/ consumer unit					

*UL certified. Underwrites Laboratories www.ul.com
**New single cardboard packaging available: Summer/Autumn 2024

international
Version
Back of the packaging with leporello
and additional languages:



Type	CR1620*/**	CR1620*	CR1632*/**	CR1632*
IEC	CR1620	CR1620	CR1632	CR1632
Order-No. / consumer unit	06620 101 401	06620 101 402	06632 101 401	06632 101 402
Order-No. / consumer unit International version	06620 112 401	—	06632 112 401	—
Batteries / consumer unit	1	2	1	2
Width (mm) Blister	56	80	56	80
Height (mm) Blister	65	120	65	120
Depth (mm) Blister	7	4.5	7	4.5
Weight (g) Blister	3	7	4	9
Minimum pieces/ shipment unit	10	10	10	10
Innercarton	10	10	10	10
Mastercarton	100	100	100	100
Voltage (V)	3.0	3.0	3.0	3.0
Electrochemical System	Lithium	Lithium	Lithium	Lithium
Typical capacity (mAh)	70	70	130	130
Height (mm) Battery	2.0	2.0	3.2	3.2
Diameter (mm) Battery	16.0	16.0	16.0	16.0
Weight (g) Battery	1.3	1.3	1.8	1.8
Details	Page 43	Page 43	Page 43	Page 43
EAN/GTIN/ consumer unit				

*UL certified. Underwrites Laboratories www.ul.com
**New single cardboard packaging available: Summer/Autumn 2024

International
Version
Back of the packaging with leporello
and additional languages:



Lithium Coin



Type	CR2016*/**	CR2016*	CR2016*	CR2016*
IEC	CR2016	CR2016	CR2016	CR2016
Order-No. / consumer unit	06016 101 401	06016 101 402	06016 101 404	06016 101 415
Order-No. / consumer unit International version	06016 112 401	—	—	—
Batteries / consumer unit	1	2	4	5
Width (mm) Blister	56	80	80	80
Height (mm) Blister	65	120	120	120
Depth (mm) Blister	7	4.5	4.5	4.5
Weight (g) Blister	4	9	10	16
Minimum pieces / shipment unit	10	10	10	10
Innercarton	10	10	10	10
Mastercarton	100	100	100	100
Voltage (V)	3.0	3.0	3.0	3.0
Electrochemical System	Lithium	Lithium	Lithium	Lithium
Typical capacity (mAh)	90	90	90	90
Height (mm) Battery	1.6	1.6	1.6	1.6
Diameter (mm) Battery	20.0	20.0	20.0	20.0
Weight (g) Battery	1.8	1.8	1.8	1.8
Details	Page 43	Page 43	Page 43	Page 43
EAN/GTIN/ consumer unit				

*UL certified. Underwrites Laboratories www.ul.com
**New single cardboard packaging available: Summer/Autumn 2024

International Version
Back of the packaging with leporello and additional languages:



Type	CR2025*/**	CR2025*	CR2025*	CR2025*	CR2032*/**	CR2032*
IEC	CR2025	CR2025	CR2025	CR2025	CR2032	CR2032
Order-No. / consumer unit	06025 101 401	06025 101 402	06025 101 404	06025 101 415	06032 101 401	06032 101 402
Order-No. / consumer unit International version	06025 112 401	—	—	—	06032 112 401	—
Batteries / consumer unit	1	2	4	5	1	2
Width (mm) Blister	56	80	80	80	56	80
Height (mm) Blister	65	120	120	120	65	120
Depth (mm) Blister	7	4.5	4.5	4.5	7	4.5
Weight (g) Blister	4	10	16	20	5	11
Minimum pieces / shipment unit	10	10	10	10	10	10
Innercarton	10	10	10	10	10	10
Mastercarton	100	100	100	100	100	100
Voltage (V)	3.0	3.0	3.0	3.0	3.0	3.0
Electrochemical System	Lithium	Lithium	Lithium	Lithium	Lithium	Lithium
Typical capacity (mAh)	165	165	165	165	230	230
Height (mm) Battery	2.5	2.5	2.5	2.5	3.2	3.2
Diameter (mm) Battery	20.0	20.0	20.0	20.0	20.0	20.0
Weight (g) Battery	2.5	2.5	2.5	2.5	3.0	3.0
Details	Page 43	Page 43	Page 43	Page 43	Page 43	Page 43
EAN/GTIN/ consumer unit						

*UL certified. Underwrites Laboratories www.ul.com
**New single cardboard packaging available: Summer/Autumn 2024

International Version
Back of the packaging with leporello and additional languages:



Lithium Coin



Type	CR2032*	CR2032*	CR2320**	CR2354**	CR2430**
IEC	CR2032	CR2032	CR2320	CR2354	CR2430
Order-No. / consumer unit	06032 101 404	06032 101 415	06320 101 401	06354 101 401	06430 101 401
Order-No. / consumer unit Int. version	—	—	—	—	06430 112 401
Batteries / consumer unit	4	5	1	1	1
Width (mm) Blister	80	80	56	56	56
Height (mm) Blister	120	120	65	65	65
Depth (mm) Blister	4.5	4.5	7	7	7
Weight (g) Blister	18	22	5	8	6
Minimum pieces / shipment unit	10	10	10	10	10
Innercarton	10	10	10	10	10
Mastercarton	100	100	100	100	100
Voltage (V)	3.0	3.0	3.0	3.0	3.0
Electrochemical System	Lithium	Lithium	Lithium	Lithium	Lithium
Typical capacity (mAh)	230	230	135	530	290
Height (mm) Battery	3.2	3.2	2.0	5.4	3.0
Diameter (mm) Battery	20.0	20.0	23.0	23.0	24.5
Weight (g) Battery	3.0	3.0	2.9	6.5	4.0
Details	Page 43	Page 43	Page 43	Page 43	Page 43
EAN/GTIN/ consumer unit					

International Version

Back of the packaging with leporello and additional languages:



*UL certified. Underwrites Laboratories www.ul.com
**New single cardboard packaging available: Summer/Autumn 2024



CR2430*	CR2430***	CR2450**	CR2450*	CR2450***
CR2430	CR2430	CR2450	CR2450	CR2450
06430 101 402	06430 101 404	06450 101 401	06450 101 402	06450 101 404
—	—	06450 112 401	—	—
2	4	1	2	4
80	80	56	56	80
120	120	65	65	120
7	7	7	5	7
13	22	8	10	31
10	10	10	10	10
10	10	10	10	10
100	100	100	100	100
3.0	3.0	3.0	3.0	3.0
Lithium	Lithium	Lithium	Lithium	Lithium
290	290	570	525	570
3.0	3.0	5.0	5.0	5.0
24.5	24.5	24.5	24.5	24.5
4.0	4.0	6.2	6.2	6.2
Page 43	Page 43	Page 43	Page 43	Page 43



International Version

Back of the packaging with leporello and additional languages:



*UL certified. Underwrites Laboratories www.ul.com
**New single cardboard packaging available: Summer/Autumn 2024
***Available end of 2024





Lithium Coin

			
Type	CR2477*/**	CR3032*/***	CR1/3N*/**
IEC	CR2477	CR3032	CR11108
Order-No. / consumer unit	06477 101 401	06732 101 401	06131 101 401
Order-No. / consumer unit Int. version	—	—	—
Batteries / consumer unit	1	1	1
Width (mm) Blister	56	56	56
Height (mm) Blister	65	65	65
Depth (mm) Blister	9	5	13
Weight (g) Blister	12	10	5
Minimum pieces / shipment unit	10	10	10
Innercarton	10	10	10
Mastercarton	100	100	100
Voltage (V)	3.0	3.0	3.0
Electrochemical System	Lithium	Lithium	Lithium
Typical capacity (mAh)	810	525	170
Height (mm) Battery	7.7	3.2	10.8
Diameter (mm) Battery	24.5	30.0	11.6
Weight (g) Battery	10.4	6.7	3.0
Details	Page 43	Page 43	Page 43
EAN/GTIN/ consumer unit	 4 008496 1979400	 4 008496 133178	 4 008496 274147

*UL certified. Underwrites Laboratories www.ul.com
**New single cardboard packaging available: Summer/Autumn 2024
***Available end of 2024

Energy - Lithium Coin



						
Type	CR2016*	CR2016*	CR2025*	CR2025*	CR2032*	CR2032*
IEC	CR2016	CR2016	CR2025	CR2025	CR2032	CR2032
Order-No. / consumer unit	06016 229 402	06016 229 405	06025 229 402	06025 229 405	06032 229 402	06032 229 405
Batteries / consumer unit	2	5	2	5	2	5
Width (mm) Blister	80	56	80	56	80	56
Height (mm) Blister	120	200	120	200	120	200
Depth (mm) Blister	4.5	4.5	4.5	4.5	4.5	4.5
Weight (g) Blister	9	16	10	20	11	22
Minimum pieces / shipment unit	10	20	10	20	10	20
Innercarton	10	20	10	20	10	20
Mastercarton	100	100	100	100	100	100
Voltage (V)	3.0	3.0	3.0	3.0	3.0	3.0
Electrochemical System	Lithium	Lithium	Lithium	Lithium	Lithium	Lithium
Typical capacity (mAh)	87	87	160	160	210	210
Height (mm) Battery	1.6	1.6	2.5	2.5	3.2	3.2
Diameter (mm) Battery	20.0	20.0	20.0	20.0	20.0	20.0
Weight (g) Battery	1.8	1.8	2.5	2.5	3	3
EAN/GTIN/ consumer unit	 4 008496 034291	 4 008496 034529	 4 008496 034390	 4 008496 034581	 4 008496 034468	 4 008496 034727

*UL certified. Underwrites Laboratories www.ul.com


Lithium Cylindrical



Type	V28PXL*/**	CR-P2*	CR123A*	CR123A*	CR123A*
IEC	—	CR-P2	CR17345	CR17345	CR17345
Order-No. / consumer unit	06231 101 401	06204 301 401	06205 301 401	06205 301 402	06205 301 461
Batteries / consumer unit	1	1	1	2	10
Width (mm) Blister	56	80	80	80	167
Height (mm) Blister	65	120	120	120	120
Depth (mm) Blister	15	20	18	18	18
Weight (g) Blister	11	44	22	38	179
Minimum pieces / shipment unit	10	10	10	10	10
Innercarton	10	10	10	10	10
Mastercarton	100	100	100	100	10

Voltage (V)	6.0	6.0	3.0	3.0	3.0
Electro-chemical System	Lithium	Lithium	Lithium	Lithium	Lithium
Typical capacity (mAh)	170	1450	1430	1430	1430
Width (mm) Battery	—	19.5	—	—	—
Height (mm) Battery	25.1	36.0	34.5	34.5	34.5
Depth (mm) Battery	—	35.0	—	—	—
Diameter (mm) Battery	13.0	—	17.0	17.0	17.0
Weight (g) Battery	8.8	38.0	16.0	16.0	16.0
Details	Page 45	Page 45	Page 45	Page 45	Page 45

EAN/GTIN/
consumer unit



4 008496 274154




4 008496 537242



4 008496 537280



4 008496 537327



4 008496 995608

*UL certified. Underwrites Laboratories www.ul.com
**New single cardboard packaging available: Summer/Autumn 2024




2CR5*	CR1/2AA*	CR2*	CR2*	CR2*
2CR5	CR14250	CR15H270	CR15H270	CR15H270
06203 301 401	06127 101 401	06206 301 401	06206 301 402	06206 301 461
1	1	1	2	10
80	80	80	80	167
120	120	120	120	120
18	18	18	18	18
48	14	17	28	129
10	10	10	10	10
10	10	10	10	10
100	100	100	100	10

6.0	3.0	3.0	3.0	3.0
Lithium	Lithium	Lithium	Lithium	Lithium
1400	800	930	930	930
17.0	—	—	—	—
45.0	25.0	27.0	27.0	27.0
34.0	—	—	—	—
—	14.5	15.6	15.6	15.6
42.0	9.0	11.0	11.0	11.0
Page 45	Page 45	Page 45	Page 45	Page 45



4 008496 537204




4 008496 987696



4 008496 537365







4 008496 537402



4 008496 995639

*UL certified. Underwrites Laboratories www.ul.com

Alkaline Special






					
Type	N*	N	AAAA	V4034*	V3GA*
IEC	LR1	LR1	LR8D425, Mini	4LR44	LR41
Order-No. / consumer unit	04001 101 401	04001 101 402	04061 101 402	04034 101 401	24261 101 401
Order-No. / consumer unit Int. version	04001 112 401	—	—	—	—
Batteries / consumer unit	1	2	2	1	1
Width (mm) Blister	56	80	80	56	56
Height (mm) Blister	65	120	120	65	65
Depth (mm) Blister	13	12.5	10	15	7
Weight (g) Blister	12	24	20	12	3
Min. pieces/ shipment unit	10	10	10	10	10
Innercarton	10	10	10	10	10
Mastercarton	100	100	50	100	100
Voltage (V)	1.5	1.5	1.5	6.0	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline	Alkaline
Typical capacity (mAh)	850	850	620	170	32
Height (mm) Battery	30.2	30.2	42.5	25.2	3.6
Diameter (mm) Battery	12.0	12.0	8.3	13.0	7.9
Weight (g) Battery	10.0	10.0	6.6	10.15	0.62
Details	Page 47	Page 47	Page 47	Page 47	Page 47
EAN/GTIN/ consumer unit					

International Version

Back of the packaging with leporello and additional languages:



*New single cardboard packaging available: Summer/Autumn 2024

				
V10GA*	V10GA	V11A*	V12GA*	V12GA
LR54	LR54	LR11	LR43	LR43
04274 101 401	04274 101 402	04211 101 401	04278 101 401	04278 101 402
04274 112 401	—	—	—	—
1	2	1	1	2
56	80	56	56	80
65	120	65	65	120
7	4,5	13	7	7
3	7	6	3	8
10	10	10	10	10
10	10	10	10	10
100	100	100	100	100
1.5	1.5	6.0	1.5	1.5
Alkaline	Alkaline	Alkaline	Alkaline	Alkaline
50	50	55	120	120
3.05	3.05	16.5	4.2	4.2
11.6	11.6	10.2	11.6	11.6
1.18	1.18	4.3	1.52	1.52
Page 47	Page 47	Page 47	Page 47	Page 47
				

International Version

Back of the packaging with leporello and additional languages:



*New single cardboard packaging available: Summer/Autumn 2024

Alkaline Special

					
Type	V13GA*	V13GA	V13GA	V23GA*	V23GA
IEC	LR44	LR44	LR44	—	—
Order-No. / consumer unit	04276 101 401	04276 101 402	04276 101 404	04223 101 401	04223 101 402
Order-No. / consumer unit Int. version	04276 112 401	—	—	04223 112 401	—
Batteries / consumer unit	1	2	4	1	2
Width (mm) Blister	56	80	80	56	80
Height (mm) Blister	65	120	120	65	120
Depth (mm) Blister	7	7	7	13	12,5
Weight (g) Blister	4	9	15	10	20
Minimum pieces/ shipment unit	10	10	10	10	10
Innercarton	10	10	10	10	10
Mastercarton	100	100	100	100	100
Voltage (V)	1.5	1.5	1.5	12.0	12.0
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline	Alkaline
Typical capacity (mAh)	130	130	130	50	50
Height (mm) Battery	5.4	5.4	5.4	28.5	28.5
Diameter (mm) Battery	11.6	11.6	11.6	10.3	10.3
Weight (g) Battery	2.0	2.0	2.0	8.1	8.1
Details	Page 47	Page 47	Page 47	Page 47	Page 47
EAN/GTIN/ consumer unit					

International Version

Back of the packaging with leporello and additional languages:



*New single cardboard packaging available: Summer/Autumn 2024

			
Type	V27A*	V27A	V625U*
IEC	LR27	LR27	LR9
Order-No. / consumer unit	04227 101 401	04227 101 402	04626 101 401
Order-No. / consumer unit Int. version	04227 112 401	—	04626 112 401
Batteries / consumer unit	1	2	1
Width (mm) Blister	56	80	56
Height (mm) Blister	65	120	65
Depth (mm) Blister	13	12,5	7
Weight (g) Blister	7	14	5
Minimum pieces/ shipment unit	10	10	10
Innercarton	10	10	10
Mastercarton	100	100	100
Voltage (V)	12.0	12.0	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline
Typical capacity (mAh)	19	19	150
Height (mm) Battery	28.2	28.2	6.2
Diameter (mm) Battery	8.0	8.0	16.0
Weight (g) Battery	4.85	4.85	3.5
Details	Page 47	Page 47	Page 47
EAN/GTIN/ consumer unit			

International Version

Back of the packaging with leporello and additional languages:



*New single cardboard packaging available: Summer/Autumn 2024

Silver Coin

						
Type	V13GS/357*	V76PX*	V28PX*	V321*	V329*	V362*
IEC	SR44	SR44	4SR44	SR65	—	SR58
Order-No. / consumer unit	04176 101 401	04075 101 401	04028 101 401	00321 101 401	00329 101 401	00362 101 401
Order-No. / consumer unit International version	—	—	—	—	—	—
Batteries / consumer unit	1	1	1	1	1	1
Width (mm) Blister	56	56	56	56	56	56
Height (mm) Blister	65	65	65	65	65	65
Depth (mm) Blister	7	7	15	7	7	7
Weight (g) Blister	4	4	13	2	3	2
Minimum pieces/shipment unit	10	10	10	10	10	10
Innercarton	10	10	10	10	10	10
Mastercarton	100	100	100	100	100	100
Voltage (V)	1.55	1.55	6.2	1.55	1.55	1.55
Electrochemical System	Silver oxide	Silver oxide	Silver oxide	Silver oxide	Silver oxide	Silver oxide
Typical capacity (mAh)	125	145	145	14.5	37	21
Height (mm) Battery	5.4	5.4	25.2	1.65	3.1	2.1
Diameter (mm) Battery	11.6	11.6	13.0	6.8	7.9	7.9
Weight (g) Battery	2.33	2.4	11.1	0.25	0.58	0.39
Details	Page 49	Page 49	Page 49	Page 49	Page 49	Page 49
EAN/GTIN/ consumer unit						

International Version

Back of the packaging with leporello and additional languages:



*New single cardboard packaging available: Summer/Autumn 2024

						
V364*	V364	V371*	V371	V377*	V377	V379*
SR60	SR60	SR69	SR69	SR66	SR66	SR63
00364 101 401	00364 101 402	00371 101 401	00371 101 402	00377 101 401	00377 101 402	00379 101 401
—	—	—	—	—	—	—
1	2	1	2	1	2	1
56	80	56	80	56	80	56
65	120	65	120	65	120	65
7	4,5	7	4,5	7	4,5	7
2	6	3	6	2	6	2
10	10	10	10	10	10	10
10	10	10	10	10	10	10
100	100	100	100	100	100	100
1.55	1.55	1.55	1.55	1.55	1.55	1.55
Silver oxide	Silver oxide	Silver oxide	Silver oxide	Silver oxide	Silver oxide	Silver oxide
17	17	30	30	21	21	15
2.15	2.15	2.1	2.1	2.6	2.6	2.15
6.8	6.8	9.5	9.5	6.8	6.8	5.8
0.31	0.31	0.57	0.57	0.34	0.34	0.23
Page 49	Page 49	Page 49	Page 49	Page 49	Page 49	Page 49

International Version

Back of the packaging with leporello and additional languages:



*New single cardboard packaging available: Summer/Autumn 2024

Silver Coin

Type	V390*	V392*	V393*	V394*	V395*	V396*
IEC	SR54	SR41	SR48	SR45	SR57	SR59
Order-No. / consumer unit	00390 101 401	00392 101 401	00393 101 401	00394 101 401	00395 101 401	00396 101 401
Batteries / consumer unit	1	1	1	1	1	1
Width (mm) Blister	56	56	56	56	56	56
Height (mm) Blister	65	65	65	65	65	65
Depth (mm) Blister	7	7	7	7	7	7
Weight (g) Blister	3	3	3	3	3	2
Minimum pieces/ shipment unit	10	10	10	10	10	10
Innercarton	10	10	10	10	10	10
Mastercarton	100	100	100	100	100	100
Voltage (V)	1.55	1.55	1.55	1.55	1.55	1.55
Electrochemical System	Silver oxide	Silver oxide	Silver oxide	Silver oxide	Silver oxide	Silver oxide
Typical capacity (mAh)	59	40	77	58	38	32
Height (mm) Battery	3.05	3.6	5.4	3.6	2.7	2.6
Diameter (mm) Battery	11.6	7.9	7.9	9.5	9.5	7.9
Weight (g) Battery	1.16	0.62	1.02	0.88	0.68	0.48
Details	Page 49	Page 49	Page 49	Page 49	Page 49	Page 49
EAN/GTIN/ consumer unit						


*New single cardboard packaging available: Summer/Autumn 2024

Special Batteries

Type	430	431	435	540
Order-No. / consumer unit	00430 101 111	00431 101 111	00435 101 111	00540 101 111
Voltage (V)	6.0	6.0	6.0	6.0
Capacity (Ah)	7.5	8.5	35	17
Width (mm)	67.0	67.0	136.0	130.0
Height (mm)	115.0	115.0	125.0	120.0
Depth (mm)	67.0	67.0	73.0	70.0
Weight (g)	507.0	522.0	1322.0	1048.0
Minimum pieces/ shipment unit	1	1	1	1
Innercarton	—	—	—	5
Mastercarton	20	20	6	10
IEC	4R25X	4R25X	4LR25-2	4R25-2
Electrochemical System	Zinc-chlorid	Zinc-chlorid	Alkaline	Zinc-chlorid
EAN / GTIN consumer unit				

Silver Coin

Packaging scheme Watch J-Packs



Type	V301	V303	V309	V315	V317	V319	V321	V329
IEC	SR43	SR44	SR48	SR67	SR62	SR64	SR65	—
Order-No./ consumer unit	00301 101 111	00303 101 111	00309 101 111	00315 101 111	00317 101 111	00319 101 111	00321 101 111	00329 101 111
Typical capacity (mAh)	82	175	73	20	10.5	21	14.5	37
Height (mm) Battery	4.2	5.4	5.4	1.65	1.65	2.7	1.65	3.1
Diameter (mm) Battery	11.6	11.6	7.9	7.9	5.8	5.8	6.8	7.9
Weight (g) Battery	1.47	2.33	1.02	0.33	0.18	0.29	0.25	0.58
EAN/GTIN/ consumer unit	4 008496 245369	4 008496 245420	4 008496 245451	4 008496 245550	4 008496 245611	4 008496 245628	4 008496 245857	4 008496 245864

Silver Coin

V339	V341	V344	V362	V364	V371	V373	V377	V379
—	—	SR42	SR58	SR60	SR69	SR68	SR66	SR63
00339 101 111	00341 101 111	00344 101 111	00362 101 111	00364 101 111	00371 101 111	00373 101 111	00377 101 111	00379 101 111
12	15	105	21	17	30	28	21	15
1.45	1.45	3.6	2.1	2.15	2.1	1.65	2.6	2.15
6.8	7.9	11.6	7.9	6.8	9.5	9.5	6.8	5.8
0.21	0.29	1.45	0.39	0.31	0.57	0.5	0.34	0.23
4 008496 245871	4 008496 245888	4 008496 245901	4 008496 245727	4 008496 245734	4 008496 245918	4 008496 245925	4 008496 245932	4 008496 245949
V381	V384	V390	V394	V395	V397	V357*	V361*	V370*
SR55	SR41	SR54	SR45	SR57	SR59	SR44	SR58	SR69
00381 101 111	00384 101 111	00390 101 111	00394 101 111	00395 101 111	00397 101 111	00357 101 111	00361 101 111	00370 101 111
49	37	59	58	38	23	143	22	30
2.1	3.6	3.05	3.6	2.7	2.6	5.4	2.1	2.1
11.6	7.9	11.6	9.5	9.5	7.9	11.6	7.9	9.5
0.86	0.62	1.16	0.88	0.68	0.5	1.98	0.39	0.57
4 008496 245956	4 008496 245642	4 008496 245680	4 008496 245826	4 008496 245833	4 008496 245765	4 008496 245710	4 008496 261697	4 008496 261710
V386*	V389*	V391*	V392*	V393*	V396*	V399*		
SR43	SR54	SR55	SR41	SR48	SR59	SR57		
00386 101 111	00389 101 111	00391 101 111	00392 101 111	00393 101 111	00396 101 111	00399 101 111		
115	81	42	40	77	32	42		
4.2	3.05	2.1	3.6	5.4	2.6	2.7		
11.6	11.6	11.6	7.9	7.9	7.9	9.5		
1.56	1.26	0.8	0.62	1.02	0.48	0.75		
4 008496 245659	4 008496 245673	4 008496 245789	4 008496 245796	4 008496 245819	4 008496 245741	4 008496 245772		

*High Drain

Special Batteries Reference List

VARTA						Cross references					
Type	Order-No.	Voltage (V)	Electrochem. System	Height (mm)	Diameter (mm)	Panasonic	Duracell	Renata	GP	Energizer	IEC
CR1216	06216 101 401	3.0	Lithium	1.6	12.5	CR1216	1216	CR1216	CR1216	CR1216	CR1216
CR1220	06220 101 401	3.0	Lithium	2.0	12.5	CR1220	1220	CR1220	CR1220	CR1220	CR1220
CR1225	06225 101 401	3.0	Lithium	2.5	12.5	CR1225	—	CR1225	—	BR1225	CR1225
CR1616	06616 101 401	3.0	Lithium	1.6	16.0	CR1616	1616	CR1616	CR1616	CR1616	CR1616
CR1620	06620 101 401	3.0	Lithium	2.0	16.0	CR1620	1620	CR1620	CR1620	CR1620	CR1620
CR1632	06632 101 401	3.0	Lithium	3.2	16.0	CR1632	1632	CR1632	CR1632	CR1632	CR1632
CR2016	06016 101 401	3.0	Lithium	1.6	20.0	CR2016	2016	CR2016	CR2016	CR2016	CR2016
CR2025	06025 101 401	3.0	Lithium	2.5	20.0	CR2025	2025	CR2025	CR2025	CR2025	CR2025
CR2032	06032 101 401	3.0	Lithium	3.2	20.0	CR2032	2032	CR2032	CR2032	CR2032	CR2032
CR2320	06320 101 401	3.0	Lithium	2.0	23.0	—	—	CR2320	—	—	CR2320
CR2354	06354 101 401	3.0	Lithium	5.4	23.0	CR2354	—	—	—	—	CR2354
CR2430	06430 101 401	3.0	Lithium	3.0	24.5	CR2430	2430	CR2430	CR2430	CR2430	CR2430
CR2450	06450 101 401	3.0	Lithium	5.0	24.5	CR2450	2450	CR2450N	CR2450	CR2450	CR2450
CR2477	06477 101 401	3.0	Lithium	7.7	24.5	CR2477	—	CR2477N	—	—	CR2477
CR3032	06732 101 401	3.0	Lithium	3.2	30.0	CR3032	—	—	CR3032	—	CR3032
CR1/3N	06131 101 401	3.0	Lithium	10.8	11.6	—	1/3N	—	CR1/3N	2L76	CR 11108
V28PXL	06231 101 401	6.0	Lithium	25.1	13.0	—	28L	—	—	—	2CR13252
LR1/4001/N	04001 101 401	1.5	Alkaline	30.2	12.0	LR1	N/LR1	—	N	LR1/E90	LR1
AAAA	04061 101 402	1.5	Alkaline	42.5	8.3	—	AAAA	—	AAAA	AAAA	LR61
V4034	04034 101 401	6.0	Alkaline	25.2	13.0	4LR44	—	—	476A	A544	4LR44
V3GA	24261 101 401	1.5	Alkaline	3.6	7.9	LR41	—	—	192	—	LR41
V10GA	04274 101 401	1.5	Alkaline	3.05	11.6	LR1130	LR54	—	189	LR54/189	LR54
V11A	04211 101 401	6.0	Alkaline	16.5	10.2	—	MN11	—	11A	A11/E11	—
V12GA	04278 101 401	1.5	Alkaline	4.2	11.6	LR43	LR43	—	186	LR43/186	LR43
V13GA	04276 101 401	1.5	Alkaline	5.4	11.6	LR44	LR44	LR44	A76	LR44/A76	LR44
V23GA	04223 101 401	12	Alkaline	28.5	10.3	LRV08	MN21	—	23A	A23	—
V27A	04227 101 401	12	Alkaline	28.2	8.0	—	MN27	—	27A	A27	—
V625U	04626 101 401	1.5	Alkaline	6.2	16.0	—	625A	—	PX625A	EPX625G	LR9
V13GS	04176 101 401	1.55	Silver oxide	5.4	11.6	SR44	357/303	357	357/S76E/303	357/303	SR44
V28PX	04028 101 401	6.2	Silver oxide	25.2	13.0	4SR44	—	—	—	—	4SR44
V76PX	04075 101 401	1.55	Silver oxide	5.4	11.6	SR44	357/303	—	—	EPX76/SR44	SR44
CR-P2	06204 301 401	6.0	Lithium	36.0	—	CRP2	223/CRP2	—	CRP2	223	CRP2
CR123A	06205 301 401	3.0	Lithium	34.5	17.0	CR123	123	—	CR123A	123	CR17345
2CR5	06203 301 401	6.0	Lithium	34.0	—	2CR5	C2CR5	—	2CR5	2CR5	2CR5
CR½AA	06127 101 401	3.0	Lithium	25.0	14.5	—	—	—	CR14250	—	CR14250
CR2	06206 301 401	3.0	Lithium	27.0	15.6	CR2	CR2	—	CR2	CR2	CR15H270


Special Batteries Reference List


VARTA						Cross references						
Type	Order-No.	Voltage (V)	Electrochem. System	Height (mm)	Diameter (mm)	Panasonic	Maxell, Toshiba	Duracell	Renata	GP	Energizer	IEC
V301	00301 101 111	1.55	Silver oxide	4.2	11.6	SR43	SR43SW	386/301	301	386	386/301	SR43
V303	00303 101 111	1.55	Silver oxide	5.4	11.6	—	SR44SW	303/357	303	357/S76E/303	357/303	SR44
V309	00309 101 111	1.55	Silver oxide	5.4	7.9	—	SR754SW	309/393	309	—	393/309	SR48
V315	00315 101 111	1.55	Silver oxide	1.65	7.9	—	SR716SW	—	315	—	315	SR67
V317	00317 101 111	1.55	Silver oxide	1.65	5.8	SR516	SR516SW	—	317	317	317	SR62
V319	00319 101 111	1.55	Silver oxide	2.7	5.8	—	SR527SW	319	319	319	319	SR64
V321	00321 101 111	1.55	Silver oxide	1.65	6.8	SR616	SR616SW	—	321	321	321	SR65
V329	00329 101 111	1.55	Silver oxide	3.1	7.9	—	SR731SW	—	329	329	329	—
V339	00339 101 111	1.55	Silver oxide	1.45	6.8	—	SR614SW	—	339	—	339	—
V341	00341 101 111	1.55	Silver oxide	1.45	7.9	—	SR714SW	—	341	—	341	—
V344	00344 101 111	1.55	Silver oxide	3.6	11.6	—	SR1136SW	—	344	—	344/350	SR42
V357*	00357 101 111	1.55	Silver oxide	5.4	11.6	SR44	SR44W	357/303	357	357/S76E/303	357/303	SR44
V361*	00361 101 111	1.55	Silver oxide	2.1	7.9	SR721	SR721W	362/361	361	—	362/361	SR58
V362	00362 101 111	1.55	Silver oxide	2.1	7.9	SR721	SR721SW	362/361	362	362	362/361	SR58
V364	00364 101 111	1.55	Silver oxide	2.1	6.8	SR621	SR21SW	364	364	364/363	364/363	SR60
V370*	00370 101 111	1.55	Silver oxide	2.1	9.5	SR920	SR920W	371/370	370	371/370	371/370	SR69
V371	00371 101 111	1.55	Silver oxide	2.1	9.5	SR920	SR920SW	371/370	371	371/370	371/370	SR69
V373	00373 101 111	1.55	Silver oxide	1.65	9.5	—	SR916SW	—	373	373	373	SR68
V377	00377 101 111	1.55	Silver oxide	2.6	6.8	SR626	SR626SW	377	377	377/376	377/376	SR66
V379	00379 101 111	1.55	Silver oxide	2.15	5.8	SR521	SR521SW	379	379	379	379	SR63
V381	00381 101 111	1.55	Silver oxide	2.1	11.6	SR1120	SR1120SW	391/381	381	—	391/381	SR55
V384	00384 101 111	1.55	Silver oxide	3.6	7.9	SR41	SR41SW	392/384	384	392/384	392/384	SR41
V386*	00386 101 111	1.55	Silver oxide	4.2	11.6	SR43	SR43W	386/301	386	386	386/301	SR43
V389*	00389 101 111	1.55	Silver oxide	3.05	11.6	SR1130	SR1130W	389/390	389	389/390/398	390/389	SR54
V390	00390 101 111	1.55	Silver oxide	3.05	11.6	SR1130	SR1130SW	389/390	390	389/390/398	390/389	SR54
V391*	00391 101 111	1.55	Silver oxide	2.1	11.6	SR1120	SR1120W	391/381	391	391	391/381	SR55
V392*	00392 101 111	1.55	Silver oxide	3.6	7.9	SR41	SR41W	392/384	392	392/384	392/384	SR41
V393*	00393 101 111	1.55	Silver oxide	5.4	7.9	—	SR754W	309/393	393	393	393/309	SR48
V394	00394 101 111	1.55	Silver oxide	3.6	9.5	SR936	SR936SW	394	394	00394	394/380	SR45
V395	00395 101 111	1.55	Silver oxide	2.7	9.5	SR927	SR927SW	399/395	395	395/399	395/399	SR57
V396*	00396 101 111	1.55	Silver oxide	2.6	7.9	SR726	SR726W	396/397	396	396	397/396	SR59
V397	00397 101 111	1.55	Silver oxide	2.6	7.9	SR726	SR726SW	396/397	397	—	397/396	SR59
V399*	00399 101 111	1.55	Silver oxide	2.7	9.5	SR927	SR927W	399/395	399	395/399	395/399	SR57

*High Drain

Hearing Aid Batteries


MD*

						
Type	10	10	10	13	13	13
IEC	PR70	PR70	PR70	PR48	PR48	PR48
Order-No. / consumer unit	24610 101 416	24610 101 418	24610 101 424	24606 101 416	24606 101 418	24606 101 424
Batteries /consumer unit	6	8	24	6	8	24
Width (mm) Blister	48	48	51	48	48	51
Height (mm) Blister	94	94	97	94	94	97
Depth (mm) Blister	4.8	4.8	24	6.6	6.6	24
Weight (g) Blister	5	6	21	8	9	33
Minimum pieces / shipment unit	10	10	12	10	10	12
Mastercarton	50	50	12	50	50	12
Voltage (V)	1.45	1.45	1.45	1.45	1.45	1.45
Electro-chemical System	Zinc-Air	Zinc-Air	Zinc-Air	Zinc-Air	Zinc-Air	Zinc-Air
Height (mm) Battery	3.6	3.6	3.6	5.4	5.4	5.4
Diameter (mm) Battery	5.8	5.8	5.8	7.9	7.9	7.9
Weight (g) Battery	0.3	0.3	0.3	0.8	0.8	0.8
Details	Page 53	Page 53	Page 53	Page 53	Page 53	Page 53
EAN/GTIN/ consumer unit						





			
312	312	312	675
PR41	PR41	PR41	PR44
24607 101 416	24607 101 418	24607 101 424	24600 101 416
6	8	24	6
48	48	51	48
94	94	97	94
4.8	4.8	24	6.6
6	7	26	13
10	10	12	10
50	50	12	50
1.45	1.45	1.45	1.45
Zinc-Air	Zinc-Air	Zinc-Air	Zinc-Air
3.6	3.6	3.6	5.4
7.9	7.9	7.9	11.6
0.5	0.5	0.5	1.8
Page 53	Page 53	Page 53	Page 53
			

*Compliant with Medical Devices Regulation (EU) 2017/745

Night Cutter

					
Type	Night Cutter F40	Night Cutter F30R	Night Cutter F20R		
Order-No. / consumer unit	18902 101 121	18901 101 111	18900 101 111		
Blister dimensions	Width (mm)	150	150	135	
	Height (mm)	370	370	320	
	Depth (mm)	56	52	43	
	Weight (g)	692	515	348	
Product dimensions	Length (mm)	235	225	160	
	Width (mm)	—	—	—	
	Depth (mm)	—	—	—	
	Diameter (mm)	48	42	34	
	Weight (g)	419	359	218	
Housing	Aluminium, PC	Aluminium, PC	Aluminium, PC		
Bulb equipment	14 Watt LED	10 Watt LED	6 Watt LED		
Runs with	6x AA Longlife Power (incl.)	Li-Ion 2600mAh battery (rechargeable)	Li-Ion 2600mAh battery (rechargeable)		
Minimum pieces/ shipment unit	2	2	2		
Beam range	240 m	300 m	147 m		
Runtime	65 h	24 h	22 h		
Luminous intensity (Lumens)	1000 lm	700 lm	400 lm		
Details	Page 61	Page 61	Page 61		
EAN/GTIN/ consumer unit	 4 008496 996148	 4 008496 978946	 4 008496 978915		

Indestructible Pro

			
Indestructible F30 Pro	Indestructible F20 Pro	Indestructible F10 Pro	Indestructible BL20 Pro
18714 101 421	18711 101 421	18710 101 421	18751 101 421
150	135	100	180
330	280	230	240
53	40	42	96
547	237	185	732
228	167	138	150
—	—	—	84
—	—	—	125
54.5	42	43.5	84
363	157	132	520
Aluminium, PC, Silicon rubber	Aluminium, TPR, PC	Aluminium, TPR, PC	PC, TPR
6 Watt LED	6 Watt LED	6 Watt LED	6 Watt LED
6x AA Longlife Power (incl.)	2x AA Longlife Power (incl.)	3x AAA Longlife Power (incl.)	6x AA Longlife Power (incl.)
3	4	4	2
279 m	140 m	183 m	400 m
75 h	55 h	40 h	85 h
650 lm	350 lm	300 lm	400 lm
Page 63	Page 63	Page 63	Page 63
 4 008496 987269	 4 008496 987238	 4 008496 987207	 4 008496 987115

Indestructible Pro



Plastic-free packaging

Type		Indestructible H20 Pro	Indestructible L30 Pro	Indestructible Key Chain Light
Order-No. / consumer unit		17732 101 421	18761 101 111	16701 101 421
Blister dimensions	Width (mm)	100	122	80
	Height (mm)	230	340	195
	Depth (mm)	55	102	24
	Weight (g)	127	635	41
Product dimensions	Length (mm)	47	215	83
	Width (mm)	68	107.2	—
	Depth (mm)	36.5	—	—
	Diameter (mm)	—	98.3	23
	Weight (g)	74.5	623	19
Housing		ABS Plastic, PC, TPR	ABS Plastic, PC, TPE Rubber	ABS Plastic, Rubber
Bulb equipment		4 Watt LED	6 Watt LED	1x 5mm LED
Runs with		3x AAA Longlife Power (incl.)	6x AA Longlife Power (not incl.)	1x AAA Longlife Power (incl.)
Minimum pieces / shipment unit		4	4	6
Beam range		100 m	20 m	10 m
Runtime		23 h	360 h	3.5 h
Luminous intensity (Lumens)		350 lm	450 lm	12 lm
Details		Page 63	Page 63	Page 63
EAN/GTIN/ consumer unit				

Outdoor Sports



Outdoor Sports Ultralight H30R		Outdoor Sports Ultralight H30R	Outdoor Sports H10 Pro	Outdoor Sports H20 Pro
18631 101 401		18631 201 401	16650 101 421	17650 101 421
100		100	100	100
230		230	230	230
49		49	40	40
74		74	116	117
40.2		40.2	45	45
48.5		48.5	67	67
41		41	35.6	35.6
—		—	—	—
47		47	57	57.7
ABS Plastic, PMMA		ABS Plastic, PMMA	PC, POM, TPE, PMMA, ABS	PC, POM, TPE, PMMA, ABS
3 Watt LED		3 Watt LED	1x 3mm LED	2x 3mm LED
Li-Polymer 600mAh battery (rechargeable)		Li-Polymer 600mAh battery (rechargeable)	3x AAA Longlife Power (incl.)	3x AAA Longlife Power (incl.)
4		4	4	4
91 m		91 m	45 m	50 m
21 h		21 h	35 h	52 h
300 lm		300 lm	100 lm	200 lm
Page 67		Page 67	Page 66	Page 66

Outdoor Sports





Type	Outd. Sports H30R Wireless Pro	Outdoor Sports F30	Outdoor Sports F20	Outdoor Sports F10
Order-No. /consumer unit	18650 101 401	18629 101 421	18628 101 421	17627 101 421
Blister dimensions	Width (mm)	100	150	135
	Height (mm)	230	330	280
	Depth (mm)	48	53	40
	Weight (g)	148	552	192
Product dimensions	Length (mm)	37.3	250	160
	Width (mm)	66.3	—	—
	Depth (mm)	41.3	—	—
	Diameter (mm)	—	50	37
	Weight (g)	125	312.7	112.8
Housing	ABS Plastic, PMMA	Aluminium, Silicon rubber, TPE	Aluminium, Silicon rubber, TPE	Aluminium, Silicon rubber, TPE
Bulb equipment	3 Watt LED	6 Watt LED	6 Watt LED	5 Watt LED
Runs with	Li-Polymer 600mAh battery (rechargeable)	3x C Longlife Power (incl.)	2x AA Longlife Power (incl.)	3x AAA Longlife Power (incl.)
Minimum pieces/shipment unit	4	3	4	4
Beam range	80 m	145 m	153 m	130 m
Runtime	50 h	120 h	33 h	40 h
Luminous intensity (Lumens)	400 lm	350 lm	290 lm	250 lm
Details	Page 65	Page 68	Page 68	Page 68
EAN/GTIN/ consumer unit				



Plastic-free packaging	Plastic-free packaging	Plastic-free packaging	Plastic-free packaging
Outdoor Ambiance L30RH	Outdoor Ambiance L20	Outdoor Ambiance L10	Dynamo Lantern L10RH
18666 101 111	17666 101 111	16666 101 111	17670 101 111
122	122	110	94
350	350	285	106
94	94	74	94
605	509	281	209
185	185	153	100.5
95.4	95.4	74.4	—
95.8	95.8	74.4	—
—	—	—	90.6
593	497	272	187
PC, ABS, TPE	PC, ABS, TPE	PC, ABS, TPE,	ABS, PP, TPE
1 CREE LED white, 1 Konglighting 0.1 Watt RED LED	1 CREE LED white, 1 Konglighting 1.5 Watt RGB LED	1 CREE LED white, 1 Konglighting 1.5 Watt RGB LED	1 Konglightning SMD white, 1 SMD Red LED
3x AA Longlife Power (not incl.) or Li-Ion 5200mAh battery (rechargeable)	6x AA or 3x AA Longlife Power (not incl.)	3x AA Longlife Power (not incl.)	1x 350mAh Li-Ion battery (rechargeable)
4	4	6	6
20 m	16 m	8 m	6 m
370 h	300 h	250 h	12 h
500 lm	400 lm	150 lm	50 lm
Page 71	Page 71	Page 71	Page 65



Work Flex

   				
Type	Work Flex Motion Sensor H20	Work Flex Pocket Light	VARTA Work Flex® Multifunction Light F20R	Work Flex Area Light
Order-No. / consumer unit	18648 101 421	17647 101 421	18649 101 401	17648 101 421
Blister dimensions	Width (mm)	100	100	135
	Height (mm)	230	230	280
	Depth (mm)	43	35	61
	Weight (g)	127	116	267
Product dimensions	Length (mm)	63	173	30
	Width (mm)	37	24	120
	Depth (mm)	50	31	19.2
	Diameter (mm)	—	—	—
	Weight (g)	72.3	62	61
Housing	ABS Plastic, PC, Rubber	ABS Plastic, PC, TPR	ABS Plastic, Rubber	ABS Plastic, PC
Bulb equipment	3 Watt LED + COB LED	COB LED + high brightness SMT LED	LED	COB LED
Runs with	3x AAA Longlife Power (incl.)	3x AAA Longlife Power (incl.)	Li-Ion 350 mAh battery (rechargeable)	3x AA Longlife Power (incl.)
Minimum pieces / shipment unit	4	4	6	2
Beam range	78 m	40 m	20 m	22 m
Runtime	20 h	6 h	6 h	35 h
Luminous intensity (Lumens)	150 lm	110 lm	100 lm	230 lm
Details	Page 71	Page 73	Page 73	Page 73
EAN/GTIN/ consumer unit	 4 008496 996070	 4 008496 977925	 4 008496 977987	 4 008496 977956

			
Work Flex Telescope Light	Work Flex BL30R	Work Light LED 435	Work Flex Stadium Light
18646 101 421	18684 101 401	18660 101 421	18647 101 401
150	322	280	270
330	250	390	246
50	136	130	67
364	962	2109	537
208	231	240	159
49	134	128	199
47	123	270	42
—	—	—	—
227	765	617	438
ABS Plastic, TPU, PC, GE	PC, ABS Plastic, POM	Aluminium Alloy, ABS Plastic, POM, PC, Metal, Rubber	PC, ABS Plastic, TPR Rubber, POM
COB LED + high brightness SMT LED	Cree high-performance LED + 9x 5mm LED	4 Watt LED	COB LED
4x AA Longlife Power (incl.)	Li-Ion 2600 mAh battery (rechargeable)	1x 4LR25-2 Longlife Power (incl.)	Li-Ion 5200 mAh battery (rechargeable)
3	2	2	4
125 m	460 m	320 m	45 m
30 h	16 h	270 h	15 h
250 lm	550 lm	300 lm	1450 lm
Page 73	Page 75	Page 75	Page 71
 4 008496 977987	 4 008496 978014	 4 008496 678013	 4 008496 996100


Day Light Multi LED



Type	Day Light Multi LED F30	Day Light Multi LED F20	Day Light Multi LED F10	Day Light Key Chain Light
Order-No. / consumer unit	17612 101 421	16632 101 421	16631 101 421	16605 101 421
Blister dimensions	Width (mm)	150	100	100
	Height (mm)	330	230	230
	Depth (mm)	65	46	42
	Weight (g)	509	158	110
Product dimensions	Length (mm)	197.5	163.5	126.5
	Width (mm)	—	—	—
	Depth (mm)	—	—	—
	Diameter (mm)	63	45	39
	Weight (g)	195	90	66.9
Housing	ABS Plastic, Aluminium, TPR, AS	Aluminium, ABS, AS, TPR	ABS Plastic, Aluminium, TPR, PC	ABS Plastic, Aluminium, TPR, PC
Bulb equipment	14x 5mm LED	1x High-performance LED	5x 5mm LED	1x 5mm LED
Runs with	2x D Longlife Power (incl.)	2x AA Longlife Power (incl.)	1x AA Longlife Power (incl.)	1x AAA Longlife Power (incl.)
Minimum pieces / shipment unit	4	6	6	4
Beam range	32 m	45 m	20 m	22 m
Runtime	130 h	40 h	9 h	6.5 h
Luminous intensity (Lumens)	90 lm	60 lm	30 lm	12 lm
Details	Page 83	Page 83	Page 83	Page 83
EAN/GTIN/ consumer unit				

Aluminium Lights



Type	Aluminium Light F10 Pro	Aluminium Light F20 Pro	Aluminium Light F30 Pro	Metal Key Chain Light
Order-No. / consumer unit	16606 101 421	16607 101 421	17608 101 421	16603 101 401
Blister dimensions	Width (mm)	80	100	100
	Height (mm)	195	230	230
	Depth (mm)	17	25	36
	Weight (g)	70	141	169
Product dimensions	Length (mm)	133	164.1	128.7
	Width (mm)	—	—	—
	Depth (mm)	—	—	—
	Diameter (mm)	20	26.2	36
	Weight (g)	36.8	74.8	110
Housing	Aluminium, PC, Silicone Rubber	Aluminium, PC, Silicone Rubber	Aluminium, PC, Silicone Rubber	Zinc alloy, TPR
Bulb equipment	1x LED	1x LED	1x LED	1x 5mm LED
Runs with	2x AAA Longlife Power (incl.)	2x AA Longlife Power (incl.)	3x AAA Longlife Power (incl.)	2x CR2016 (incl.)
Minimum pieces / shipment unit	6	6	4	6
Beam range	45 m	70 m	150 m	11 m
Runtime	25 h	35 h	50 h	6 h
Luminous intensity (Lumens)	150 lm	250 lm	400 lm	15 lm
Details	Page 77	Page 77	Page 77	Page 77
EAN/GTIN/ consumer unit				

Special Lights



Plastic-free packaging

Type	UV Light	Pen Light	Lipstick Light	Palm Light
Order-No. / consumer unit	15638 101 421	16611 101 421	16617 101 421	16645 101 421
Blister dimensions	Width (mm)	100	80	100
	Height (mm)	230	195	230
	Depth (mm)	36	15	42
	Weight (g)	125	38	66
Product dimensions	Length (mm)	118	117	95
	Width (mm)	—	18	—
	Depth (mm)	—	—	37
	Diameter (mm)	33	14	21
	Weight (g)	66	16	31
Housing	Aluminium, ABS, Silicon Rubber	Aluminium, Plastic, TPR, ABS, PC	Aluminium, Silicon rubber	Metal, PS, PP Plastic
Bulb equipment	14x UV LED	1x 5mm LED	0.5 Watt LED	3.70V; 0.30A Normal
Runs with	3x AAA Longlife Power (incl.)	1x AAA Longlife Power (incl.)	1x AA Longlife Power (incl.)	1x 3R12 Super Heavy Duty (incl.)
Minimum pieces / shipment unit	4	6	4	6
Beam range	4.8 m	11 m	25 m	75 m
Runtime	8.5 h	15 h	3 h	3.5 h
Luminous intensity (Lumens)	UV wave range: 395-400nm	3 lm	19 lm	15 lm
Details	Page 88	Page 88	Page 89	Page 89
EAN/GTIN/ consumer unit				

Silver Light	Dynamo Light	Book Light	Magnetic Safety Light
16647 101 421	17680 101 401	16618 101 421	16621 101 121
100	100	100	80
230	230	230	195
30	44	33	31
106	170	59	78
98	142	255	49.5
53	52	28	21.7
29	42	35	45.8
—	—	—	—
53	145	30	31
ABS Plastic, POM, TPR, SAN	ABS Plastic, PC, TPR	ABS Plastic, PC	PC, ABS, PVC, Silicone
3x 5mm LED	3x 5mm LED	1x 5mm LED	1 Konglightning SMD white, 1 SMD Red LED
3x AAA Longlife Power (incl.)	Li-Ion 120 mAh battery (rechargeable)	2x CR2032 (incl.)	2x CR2032 (incl.)
6	4	6	4
41 m	24 m	4 m	—
12 h	1.5 h	26 h	15 h 45h (Blinking, on to off)
28 lm	28 lm	9 lm	25 lm
Page 89	Page 88	Page 87	Page 87

Home Lights



Type	Motion Sensor Night Light	Motion Sensor Night Light Twin Pack	Motion Sensor Outdoor Light	Motion Sensor Outdoor Light Twin Pack
Order-No. / consumer unit	16624 101 421	16624 101 402	16634 101 421	16634 101 402
Flashlights	1	2	1	2
Blister dimensions	Width (mm)	100	168	100
	Height (mm)	230	237	230
	Depth (mm)	25	31	25
	Weight (g)	116	178	113
Product dimensions	Length (mm)	96	96	96.2
	Width (mm)	63	63	62.4
	Depth (mm)	23	23	25
	Diameter (mm)	—	—	—
	Weight (g)	63.6	63.6	60.2
Housing	ABS, POM	ABS, POM	ABS, PET, POM, Rubber	ABS, PET, POM, Rubber
Bulb equipment	Warm white LED	Warm white LED	Warm white LED	Warm white LED
Accessoires	3x AAA Longlife Power (incl.)	3x AAA Longlife Power (not incl.)	3x AAA Longlife Power (incl.)	3x AAA Longlife Power (not incl.)
Minimum pieces / shipment unit	4	4	5	4
Beam range	4.8 m	4.8 m	7 m	7 m
Runtime	28 h	28 h	60 h	60 h
Luminous intensity (Lumens)	17 lm	17 lm	40 lm	40 lm
Details	Page 77	Page 77	Page 87	Page 87
EAN/GTIN/ consumer unit				







Plastic-free packaging





Motion Sensor Slim Light	Motion Sensor Plug Light	Kids Flashlight
17624 101 111	18624 101 401	15650 101 421
1	1	1
80	110	100
265	195	230
17.5	58	43
140	132	125
240	92.1	154
40	75.4	—
16.6	56.2	—
—	—	41
113.3	86.2	57.2
Aluminium, PC, ABS, PMMA	PC	ABS, PC, TP
Warm white LED	4 x Warm white LED	1 x KongLightning 5mm cool white LED
Li-Polymer 650 mAh battery (rechargeable)	EURO Plug	2x AA Longlife Power (incl.)
6	4	6
10 m	5 m	4 m
3.5 h	∞	70 h
80 lm	18 lm	10 lm
Page 79	Page 80	Page 85

Energy Power Banks

				
	 Plastic-free packaging	 Plastic-free packaging	 Plastic-free packaging	 Plastic-free packaging
Type	Power Bank Energy 5000	Power Bank Energy 10000	Power Bank Energy 15000	Power Bank Energy 20000
Order-No./ consumer unit	57975 101 111	57976 101 111	57977 101 111	57978 101 111
Width (mm) Blister	100	100	100	120
Height (mm) Blister	195	195	195	230
Depth (mm) Blister	31	31	31	31
Weight (g) Blister	228	311	415	519
Mastercarton/ MOQ	1 / 2	1 / 2	1 / 2	1 / 2
Voltage (V)	3.7	3.7	3.7	3.7
Width (mm) Product	72.5	73	73.5	78.5
Height (mm) Product	137.5	138	138	157
Depth (mm) Product	10.5	15	21	22
Weight (g) Product	150	233	337	435
Capacity (mAh)	5000	10000	15000	20000
Input	1x Micro USB 5 V /2 A 1x USB-C 5 V /2.4 A	1x Micro USB 5 V /2 A 1x USB-C 5 V /3 A	1x Micro USB 5 V /2 A 1x USB-C 5 V /3 A	1x Micro USB 5 V /2 A 1x USB-C 5 V /3 A
Output	2x USB-A 5 V /2.4 A 1x USB-C 5 V /2.4 A	2x USB-A 5 V /2.4 A 1x USB-C 5 V /3 A	2x USB-A 5 V /2.4 A 1x USB-C 5 V /3 A	2x USB-A 5 V /2.4 A 1x USB-C 5 V /3 A
Technologies	Li-Polymer	Li-Polymer	Li-Polymer	Li-Polymer
Charging indication	4 LED	4 LED	4 LED	4 LED
Accessoires	USB-C cable, 50 cm, black	USB-C cable, 50 cm, black	USB-C cable, 50 cm, black	USB-C cable, 50 cm, black
Details	Page 95	Page 95	Page 95	Page 95
EAN/GTIN/ consumer unit				

Wireless Power Banks

		
 Plastic-free packaging	 Plastic-free packaging	 Plastic-free packaging
Wireless Power Bank 10000	Wireless Power Bank 15000	Wireless Power Bank 20000
57913 101 111	57908 101 111	57909 101 111
100	100	120
195	195	230
31	31	31
301	410	513
1 / 2	1 / 2	1 / 2
3.7	3.7	3.7
77.5	79	79
157.5	160	160
15	19.5	24
245	341	438
10000	15000	20000
1x USB-C PD: 5 V / 3 A; 9 V / 2 A; 12 V / 1.5 A	1x USB-C PD: 5 V / 3 A; 9 V / 2 A; 12 V / 1.5 A	1x USB-C PD: 5 V / 3 A; 9 V / 2 A; 12 V / 1.5 A
1x USB-C PD: 5 V / 3 A; 9 V / 2.22 A; 12 V / 1.67 A 2x USB-A QC: 5 V / 2.4 A; 9 V / 2 A; 12 V / 1.5 A Wireless: 5 W 7.5 W 10 W	1x USB-C PD: 5 V / 3 A; 9 V / 2.22 A; 12 V / 1.67 A 2x USB-A QC: 5 V / 2.4 A; 9 V / 2 A; 12 V / 1.5 A Wireless: 5 W 7.5 W 10 W	1x USB-C PD: 5 V / 3 A; 9 V / 2.22 A; 12 V / 1.67 A 2x USB-A QC: 5 V / 2.4 A; 9 V / 2 A; 12 V / 1.5 A Wireless: 5 W 7.5 W 10 W
Li-Polymer	Li-Polymer	Li-Polymer
4 LED	4 LED	4 LED
USB-C cable, 50cm, white	USB-C cable, 50cm, white	USB-C cable, 50cm, white
Page 97	Page 97	Page 97
		

Mag Pro Power Banks / Wireless Chargers

	Plastic-free packaging	Plastic-free packaging	Plastic-free packaging	Plastic-free packaging
Type	Mag Pro Wireless Power Bank 5000	Mag Pro Wireless Power Bank 10000	Wireless Charger Pro	Wireless Charger Multi
Order-No. / consumer unit	57903 101 111	57904 101 111	57905 101 111	57906 101 111
Width (mm) Blister	100	100	100	120
Height (mm) Blister	195	195	195	230
Depth (mm) Blister	24	31	31	31
Weight (g) Blister	189	278	164	259
Mastercarton / MOQ	1 / 2	1 / 2	1 / 2	1 / 2
Voltage (V)	3.7	3.7	—	—
Width (mm) Product	61.4	62	100	89
Height (mm) Product	92.4	93	100	178
Depth (mm) Product	15.3	25.6	6.5	7
Weight (g) Product	135	216	89	178
Capacity (mAh)	5.000	10.000	—	—
Input	1x USB-C PD: 5 V / 2 A; 9 V / 1.1 A (10 W max.)	1x USB-C PD: 5 V / 3 A; 9 V / 2 A (18 W max.)	1xUSB-C PD: 5 V / 2 A; 9 V / 2 A; 12 V / 1.5A	1xUSB-C PD: 9 V / 3 A
Output	Wireless: 5 W 7.5 W 1x USB-C PD: 5 V / 2.4 A; 9 V / 1.33 A; 12 V / 1 A (12 W max.) Shared (USB C + Wireless): 10 W	Wireless: 5 W 7.5 W 10 W 15 W 1x USB-C PD: 5 V / 3 A; 9 V / 2 A; 12 V / 1.5 A (18 W max.) 1x USB C PD: 5 V / 3 A; 9 V / 2.22 A; 12 V / 1.67 A (20 W max.) Shared (2x USB-C + Wireless): 15 W	Wireless: 5 W 7.5 W 10 W 15 W	Wireless: 2x 5 W 7.5 W 10 W
Technologies	MagSafe technology, Qi technology	MagSafe technology, Qi technology	Qi technology	Qi technology
Charging indication	Illuminated logo	Illuminated logo	1 LED	2 LEDs
Accessoires	—	—	USB-C cable 100 cm, black	USB-C cable, 100 cm, black
Details	Page 99	Page 99	Page 99	Page 99
EAN/GTIN/ consumer unit				

Accessories

Plastic-free packaging	Plastic-free packaging	Plastic-free packaging
High Speed Charger	Speed Charger	Car Charger
57956 101 401	57955 101 111	57933 101 111
100	80	80
230	195	195
40	35	35
177	145	75
1 / 4	1 / 4	1 / 4
—	—	12/24
34.5	36.1	31
108	89.5	76
28	30.7	—
137	101	37
—	—	—
100 - 240 V	100 - 240 V	12V / 24 V
2x USB-C PD: 5 V/3 A; 9 V/ 3 A; 12 V/ 3 A; 15 V/ 3 A; 20 V/ 3.25 A 1x USB-A QC: 5 V/ 3 A; 9 V / 3 A; 12 V/ 2.5 A; 20 V/ 1.5 A	1x USB-C PD: 5 V/ 3 A; 9 V/2.22 A; 12 V/1.67 A 1x USB-A QC port: 5 V/3 A; 9 V/2 A; 12 V/1.5 A	1x USB-A: 5V/2.4 A 1x USB-C PD: 5V/3 A; 9V/2.0 A; 12V/1.5 A
GaN technology	—	—
—	—	✓
—	—	—
Page 99	Page 99	Page 100

Accessories



Plastic-free packaging Plastic-free packaging

Plastic-free packaging Plastic-free packaging

Type	Charge & Sync Adapter Micro USB - USB Type C	Charge & Sync Adapter USB 3.0A - USB Type C	Speed Charge & Sync Cable USB A to USB Type C	Speed Charge & Sync Cable USB Type C to USB Type C
Order-No. / consumer unit	57945 101 401	57946 101 401	57935 101 111	57936 101 111
Width (mm) Blister	80	80	80	80
Height (mm) Blister	120	120	195	195
Depth (mm) Blister	8.5	10	24	24
Weight (g) Blister	9	12	67	97
Minimum pieces / shipment unit	10	10	6	6
Mastercarton	50	50	2	2
Width (mm) Product	12	15.5	—	—
Height (mm) Product	25	32.5	2000	2000
Depth (mm) Product	7	8.5	—	—
Diameter (mm) Product	—	—	—	—
Weight (g) Product	1.7	4.0	50	80
Input	—	—	—	—
Output	—	—	60 W	100 W
Technologies	—	—	—	—
Charging indication	—	—	—	—
Accessoires	—	—	—	—
Details	Page 100	Page 100	Page 101	Page 101
EAN/GTIN/ consumer unit				

3in1 Speed Charge & Sync Cable USB A to Micro USB, Type C, Lightning	Mag Pro Wireless Car Charger
57937 101 111	57902 101 111
80	100
195	195
24	38
72	156
6	4
2	4
—	60.5
2000	91.5
—	75
—	—
55	77
—	1x USB-C PD: 5V / 2A; 9V / 2A; 12V / 1,67A
12 W	Wireless: 5W / 7.5 W / 10 W / 15W
—	—
—	1 LED
—	Micro USB cable
Page 101	Page 103

Mobile Power Solutions



Type	Mobile Solar Panel VS200	Mobile Power Station VP500
Order-No. / consumer unit	57995 101 111	57994 101 111
Width (mm) Blister	720	380
Height (mm) Blister	710	300
Depth (mm) Blister	115	355
Weight (g) Blister	9940	10255
Consumer unit	1	1
Minimum pieces / shipment unit	1	1
Mastercarton	1	1
Width (mm) Product	2200	275
Height (mm) Product	600.6	202
Depth (mm) Product	6	200
Weight (g) Product	8040	8327
Capacity (mAh)		537 Wh
Input	—	1x DC: 12-28 V / 8 A (PV Charging) 1x DC: 25-28 V / 10 A (Adapter Charging)
Output	1x DC MC4: 20.52 V / 9.74 A (200 W max.)	1x Wireless: 5 W 7.5 W 10 W 15 W 2x AC: 220-240 V / 700 W 2x DC: 12 V / 10 A 1x Cigarette Lighter: 12 V / 10 A 4x USB A: 5 V / 3 A 1x USB C PD: 5-15 V / 3 A; 20 V / 5 A (100 W) 1x Light Output: 500 lm
Accessoires	1x MC4 to DC cable (XT60)	1x AC adapter, 1x car charging cable, 1x solar charging cable MC4 to DC (XT60)
Details	Page 109	Page 109
EAN/GTIN/ consumer unit		

Hearing Aid Battery Displays / Clip Strip
Special Battery Displays / Clip Strip



Type	Clip Strip, delivered garnished	Clip Strip 97660 112 801 delivered garnished	Display 93869 112 811 delivered garnished	Display 93769 112 822 delivered garnished
Order-No. / consumer unit	97649 112 801	97660 112 8xx	93869 112 811	93769 112 822
Height (cm)	70	98.8	28	28
Width (cm)	12	12.0	18	45
Depth (cm)	0.1	0.1	17	17
Facings	20	—	2	5
Garnishing	10x 24607 101 416 (312 Bli 6) 10x 24606 101 416 (13 Bli 6)	10x 6032 101 415 (CR2032 Bli5) 10x 6025 101 415 (CR2025 Bli5)	20x 6025 101 402 (CR2025 Bli2) 20x 6032 101 402 (CR2032 Bli2)	40x 6032 101 402 (CR2032 Bli2) 20x 6025 101 402 (CR2025 Bli2) 20x 6016 101 402 (CR2016 Bli2) 20x 4276 101 402 (V13GA Bli2)
EAN/GTIN consumer unit				

Availability upon request. Please get in touch with your local VARTA contact.

Battery Shaped Displays

All Metal Stands:
Rework for VLK-Blisters in development




Type	Battery Shaped Sales Stand, Metal 9026 260 001 delivered empty	Battery Shaped, Metal 9026 160 006 delivered empty	Battery Shape Bulk, Metal delivered empty
Order-No. / consumer unit	9026 260 001	9026 160 006	9026 270 002
Height (cm)	165	61	105
Ground area (cm)	60x40	25x19	53x53
Hooks (incl.)	40	6	—
Hooks length (cm)	20	20	—
Hook refills	Order No. 9006 255 220 Hook length: 20 cm Shipping unit: 20 pieces/box	—	—
EAN / GTIN consumer unit			

If required, please contact your representative at VARTA Sales.

Tower Displays



Type	Small Battery Center 9026 300 190 delivered empty	Metal Floor Display 9026 255 072 delivered empty	Metal Counter Display 9026 150 032 delivered empty
Order-No. / consumer unit	9026 300 190	9026 255 072	9026 150 032
Height (cm)	190	164	66
Ground area (cm)	99x54	38x38	32x32
Hooks (incl.)	184	72	32
Hooks length (cm) -25	54	—	—
Hooks length (cm) -20	130	72	—
Hooks length (cm) -12	—	—	32
Hooks refills	Order No. 9006 255 220 Hook length: 20 cm Shipping unit: 20 pieces/box Order No. 9006 255 225 Hook length: 25 cm Shipping unit: 20 pieces/box	Order No. 9006 255 220 Hook length: 20 cm Shipping unit: 20 pieces/box Order No. 9006 255 225 Hook length: 25 cm Shipping unit: 20 pieces/box	—
EAN / GTIN consumer unit			



If required, please contact your representative at VARTA Sales.

Spearhead Floor Displays



METAL

ON
DEMAND





Type	Spear Head Sales Stand 9026 200 066 delivered empty	Spear Head Sales Stand 9026 200 054 delivered empty	Spear Head Sales Stand 9026 200 036 delivered empty
Order-No. / consumer unit	9026 200 066	9026 200 054	9026 200 036
Height (cm)	190	164	164
Ground area (cm)	60x40	60x40	40x40
Hooks (incl.)	66	54	36
Hooks length (cm) -20	66	54	36
Hooks refills	Order No. 9006 255 220 Hook length: 20 cm Shipping unit: 20 pieces/box	Order No. 9006 255 220 Hook length: 20 cm Shipping unit: 20 pieces/box	Order No. 9006 255 220 Hook length: 20 cm Shipping unit: 20 pieces/box

EAN / GTIN
consumer unit



Type	Refill basket 9026 210 060	Refill basket 9026 210 040
Order-No. / consumer unit	9026 210 060	9026 210 040
Height (cm)	12.5	12.5
Width (cm)	58.5	39
Depth (cm)	22	22

EAN / GTIN
consumer unit



Side panels installation
optional sidewise (distant)
or forward-facing




Side Panels
9026 215 001
(compatible with sales stand
9026 200 054, 9026 200 036
and 9026 200 066)

9026 215 001

102

15.5

0.5



If required, please contact your representative at VARTA Sales.



Spearhead Floor Displays

METAL



Type	Spear Head Sales Stand 9026 202 018 delivered empty	Spear Head Sales Stand 9026 202 042 delivered empty
Order-No. / consumer unit	9026 202 018	9026 202 042
Height (cm)	164	127
Ground area (cm)	38x38	59x38
Hooks (incl.)	18	42
Hooks length (cm) -20	18	42
Hooks refills	Order No. 9006 255 220 Hook length: 20 cm Shipping unit: 20 pieces/box	Order No. 9006 255 220 Hook length: 20 cm Shipping unit: 20 pieces/box

EAN / GTIN
consumer unit



If required, please contact your representative at VARTA Sales.

Spearhead Counter Display





Type	Metal Counter Display 9026 100 008 delivered empty	Metal Counter Display 9026 100 108 delivered empty	Metal Counter Display 9026 100 012 delivered empty	Metal Counter Display 9026 100 020 delivered empty
Order-No. / consumer unit	9026 100 008	9026 100 108	9026 100 012	9026 100 020
Height (cm)	51	51	51	80
Ground area (cm)	20x23	20x23	38x26	38x26
Hooks (incl.)	8 for garnishing with battery blister (standard or mega) only 6 of 8 hooks can be used	8	12	20
Hooks length (cm) -10	—	8	—	—
Hooks length (cm) -20	8	—	12	20
Hook refills	Order No. 9006 295 210 Hook length: 10 cm Shipping unit: 20 pieces/box Order No. 9006 255 215 Hook length: 15 cm Shipping unit: 20 pieces/box Order No. 9006 255 220 Hook length: 20 cm Shipping unit: 20 pieces/box	Order No. 9006 295 210 Hook length: 10 cm Shipping unit: 20 pieces/box Order No. 9006 255 215 Hook length: 15 cm Shipping unit: 20 pieces/box Order No. 9006 255 220 Hook length: 20 cm Shipping unit: 20 pieces/box	Order No. 9006 295 210 Hook length: 10 cm Shipping unit: 20 pieces/box Order No. 9006 255 215 Hook length: 15 cm Shipping unit: 20 pieces/box Order No. 9006 255 220 Hook length: 20 cm Shipping unit: 20 pieces/box	Order No. 9006 295 210 Hook length: 10 cm Shipping unit: 20 pieces/box Order No. 9006 255 215 Hook length: 15 cm Shipping unit: 20 pieces/box Order No. 9006 255 220 Hook length: 20 cm Shipping unit: 20 pieces/box

EAN / GTIN consumer unit				
--------------------------	--	--	--	--

If required, please contact your representative at VARTA Sales.

Metal Side Rail (hang-up)




Type	Set of 2 rails with 9 hooks per rail 9026 170 209 delivered empty	Set of 2 rails with 18 hooks per rail 9026 170 018 delivered empty
Order-No. / consumer unit	9026 170 209	9026 170 018
Height (cm)	115	115
Width (cm)	8	14
Hooks (incl.) per set	18	36
Hook length (cm)	20	20

EAN / GTIN consumer unit		
--------------------------	--	--

If required, please contact your representative at VARTA Sales.

Metal Side Rail (hang-up)



Type	Set of 2 rails with 5 hooks per rail 9026 172 005 delivered empty	Set of 2 rails with 10 hooks per rail 9026 172 110 delivered empty	VARTA Metal Wall Display 1x24 9026 173 024 delivered empty
Order-No. / consumer unit	9026 172 005	9026 172 110	9026 173 024
Height (cm)	73	73	94
Width (cm)	8	18	36
Hooks (incl.) per set	10	20	24
Hook length (cm)	20	12	12
Hook refills	Order No. 9006 255 210 Hook length: 10 cm Shipping unit: 20 pieces/box Order No. 9006 255 220 Hook length: 20 cm Shipping unit: 20 pieces/box	Order No. 9006 255 210 Hook length: 10 cm Shipping unit: 20 pieces/box Order No. 9006 255 220 Hook length: 20 cm Shipping unit: 20 pieces/box	Order No. 9026 173 024 Hook length: 10 cm Shipping unit: 20 pieces/box Order No. 9006 255 220 Hook length: 20 cm Shipping unit: 20 pieces/box
EAN / GTIN consumer unit			

If required, please contact your representative at VARTA Sales.

Display Basic Line




Type	Product basic display system for counter 9017 100 002	Product basic display system for counter 9017 100 006	Product basic display system for counter 9017 100 009	Floor placement 9017 200 040	Wall placement 9017 950 005
Order-No. / consumer unit	9017 100 002	9017 100 006	9017 100 009	9017 200 040	9017 950 005
Height (cm)	21	51	51	164	78.5
Width (cm)	18	24	31	40	10
Depth (cm)	19	18	22	36	13
Hooks (fix)	2	6	9	40	5
Hook length (cm)	16	17	20	20	12
EAN / GTIN consumer unit					

Basket FSDU



Type	Basket FSDU
Order-No. / consumer unit	9017 200 003
Height (cm)	170
Width (cm)	38
Depth (cm)	40
Baskets	3

EAN / GTIN consumer unit



Shopper Basket FSDU



Type	Shopper Basket FSDU
Order-No. / consumer unit	—
Height (cm)	139
Width (cm)	54
Depth (cm)	46
Hooks	15

If required, please contact your representative at VARTA Sales.

Universal Product Display For Self-Service Stores

METAL

Type							
	Basic module 140 cm* 9000 120 036	Shelf height 160 cm 1 x 9000 120 036 + 1 x 9000 122 006	Shelf height 180 cm 1 x 9000 120 036 + 1 x 9000 121 018	Construction module 1 9000 121 018	Construction module 2 9000 122 006	EPOS/Barcode rails 9000 123 044	Light strip 9000 123 004
Order-No./ consumer unit	9000 120 036 * Incl. crowner sign	1 x 9000 120 036 + 1 x 9000 122 006	1 x 9000 120 036 + 1 x 9000 121 018	9000 121 018	9000 122 006	9000 123 044 Shipping unit: 4 scanning rails/ box	9000 123 004 Shipping unit: 4 light strips/ box
Height (cm)	140*	160	180	40	20	—	—
Width (cm)	57	57	57	57	57	57	57
Depth (cm)	44.5	44.5	44.5	—	—	—	—
Hooks (incl.)	6 hooked racks with 6 hooks each 2 EPOS/Barcode rails	6 hooked racks with 6 hooks each 2 EPOS/Barcode rails	6 hooked racks with 6 hooks each 2 EPOS/Barcode rails	3 hooked racks with 6 hooks each 2 EPOS/Barcode rails	1 hooked rack with 6 hooks	—	4 adjustable hooks
Hook length (cm)	25	25	25	25	25	—	25
EAN / GTIN consumer unit							

If required, please contact your representative at VARTA Sales.

Flashlight Testing Station / Display System For Button Cells

PLASTIC

Type		
	Flashlight Testing Station for 5 flashlights 9026 930 005 delivered empty and without support for peg walls	Flashlight Testing Station big for 14 flashlights 9026 930 014 delivered empty and without support for peg walls
Order-No. / consumer unit	9026 930 005	9026 930 014
Height (cm)	13	13
Width (cm)	46	105
Depth (cm)	34.5	33.5
Support for peg walls	9026 700 002	9026 700 002
EAN / GTIN consumer unit		
Type		
	Support for peg walls	
Order-No. / consumer unit	9026 700 002	
Height (cm)	10	
Width (cm)	80	
Depth (cm)	29	
EAN / GTIN consumer unit		


If required, please contact your representative at VARTA Sales.

Recycling Bin / Display System For Button Cells




Type	Recycling Bin 9026 112 001
Order-No. / consumer unit	9026 112 001
Height (cm)	61
Width (cm)	25
Depth (cm)	19
Support for peg walls	—

EAN / GTIN
consumer unit




Type	Counter display for watch cells 9016 800 001
Order-No. / consumer unit	9016 800 001
Height (cm)	3.8
Width (cm)	28.7
Depth (cm)	21.8
Support for peg walls	—



If required, please contact your representative at VARTA Sales.

Clip Strips






Type	Clip Strip Standard 976XX 112 XXX delivered garnished	Clip Strip Mega 976XX 112 XXX delivered garnished	Clip Strip (Plastic) 975XX 112 XXX delivered garnished
Order-No. / consumer unit	976XX 112 XXX (to fit 10 blister per clip strip) Size of clip strip: 80 x 840 Contains mostly 2 stripes (depending on garnishing)	976XX 112 XXX (to fit 10 blister per clip strip) Size of clip strip: 165 x 869 Contains 1 stripe	975XX 112 XXX (to fit up to 10 blister per clip strip) Size of clip strip: 65 x 822 Contains 1 stripe
	Feasible for AA, AAA, C, D, 9V Standard	Feasible for AA, AAA, C, D, 9V Standard and Mega	Feasible for Flashlights (97599 112 XXX) and Chargers (97589 112 XXX)



Type	Clip Strip 976XX 112 XXX delivered garnished
Order-No. / consumer unit	976XX 112 XXX (to fit 10 blister per clip strip) Size of clip strip: 120 x 988 Contains mostly 2 stripes (depending on garnishing)
	Feasible for AA, AAA, C, D, 9V Standard



If required, please contact your representative at VARTA Sales.

Clip Strips Plastic

		
Type	Clip Strip Empty 9050 112 010 delivered empty	Clip Strip Empty 9050 112 012 delivered empty
Order-No. / consumer unit	9050 112 010 (to fit 10 blister per clip strip) Size of clip strip: 120 x 960	9050 112 012 (to fit 10 blister per clip strip) Size of clip strip: 120 x 960
Clip Strip per packaging	10	2
Content: Blister per innercarton	—	—
Batteries per blister	—	—
Packaging size:		
Width (cm)	297	297
Height (cm)	138	138
Depth (cm)	300	300
Weight (g)	1019	389
EAN/GTIN consumer unit		


If required, please contact your representative at VARTA Sales.




Bulk Displays (Cardboard)

		
Type	Low cost bulk display empty 98000 112 811	Cardboard bulk display round / empty 98000 112 001
Order-No. / consumer unit	98000 112 811 (Dimensions for assembled displays)	98000 112 001 (Dimensions for assembled displays)
Height (cm)	80	105
Width (cm)	60	50
Depth (cm)	80	50
Weight (g)	4600	3300
EAN/GTIN consumer unit		

If required, please contact your representative at VARTA Sales.



Product Display Unit Accessories

					
Type	Standard hook without bar	Standard hook with bar	Standard hook with bar	Standard hook with bar	Standard hook with bar
Order-No. / consumer unit	9006 255 210	9006 295 210	9006 255 215	9006 255 220	9006 255 225
Hook length (cm)	10	10	15	20	25
Shipping unit pieces / box	20	20	20	20	20
EAN/GTIN consumer unit					
	4 008496 1313402	4 008496 1527557	4 008496 1313433	4 008496 1313464	4 008496 1313495

				
Type	Scanning hooks	Scanning hooks	Peg wall hook	Peg wall hook
Order-No. / consumer unit	9006 256 220	9006 256 225	9026 257 225	9026 257 230
Hook length (cm)	20	25	25	30
Shipping unit pieces / box	30	30	100	100
Dimensions (cm)	5.2 x 4 Scanner bag	5.2 x 4 Scanner bag	—	—
EAN/GTIN consumer unit				
	4 008496 1306732	4 008496 1306763	4 008496 1964833	4 008496 1964864

If required, please contact your representative at VARTA Sales.

Product Display Unit Accessories

				
Type	Hook shortener, plastic	Price flags, transparent	Price flags, transparent	Hook lock
Order-No. / consumer unit	9026 700 200	9000 033 005	9026 033 001	9016 700 001
Shipping unit pieces/box	100	100	100	10 pieces/poly bag
Dimensions (cm)	—	2.7 x 2.7	100 polybag / carton 100 pcs / polybag	5 x 2 x 3.5
EAN/GTIN consumer unit				
	4 008496 1798216	4 008496 1288267	4 008496 1964895	4 008496 1583423

If required, please contact your representative at VARTA Sales.

Cardboard Displays



Type	Standard V40 Ready-To-Sell	Standard V60 Ready-To-Sell	Premium (Spearhead) P60 small Ready-To-Sell	Premium (Spearhead) P60 Ready-To-Sell
Order-No. / consumer unit	904xx 112 xxx	904xx 112 xxx	958xx 112 xxx	957xx 112 xxx
Height (cm)	175	175	138	175
Width (cm)	40	60	60	60
Depth (cm)	30	40	40	40
Hooks (incl.)	—	—	36 (20cm)	54 (20cm)
Facings per Tray	2 to 4	2 to 6	—	—
Trays	4 to 6	4 to 6	—	—



Type	Battery Shaped Counter Display Ready-To-Sell	Standard S60 T2 Ready-To-Sell	Standard S60 T3 Ready-To-Sell
Order-No. / consumer unit	935xx 112 xxx	983xx 112 xxx	982xx 112 xxx
Height (cm)	62	128	154
Width (cm)	25	60	60
Depth (cm)	19	40	40
Facings	6 (16cm)	24	36

If required, please contact your representative at VARTA Sales.

Cardboard Displays





Type	Standard S40 T2 NOT Ready-To-Sell	Standard S40 T3 NOT Ready-To-Sell
Order-No. / consumer unit	987xx 112 xxx	988xx 112 xxx
Height (cm)	123	148
Width (cm)	40	40
Depth (cm)	40	40
Facings	16	24





Type	Battery Shaped Floor Display Ready-To-Sell	Modular M60 Ready-To-Sell	Counter Modular M60 Flashlight Charger	Counter Modular M60 Batteries
Order-No. / consumer unit	953xx 112 xxx	985xx 112 xxx	936xx 112 xxx	936xx 112 xxx
Height (cm)	176	168	32	46 (with crowner)
Width (cm)	60	60	58	58
Depth (cm)	40	40	38	38
Facings per Tray	32 (20cm)	6	—	6
Trays	—	1 to 4	—	—

If required, please contact your representative at VARTA Sales.

Cardboard displays



Type	Counter 1/2 Eco	Counter 1/1 Eco	Counter 1/1 Eco 5-facing
Order-No. / consumer unit	938xx 112 xxx	937xx 112 xxx	937xx 112 xxx
Height (cm)	28	28	28
Width (cm)	18	36	45
Depth (cm)	17	17	17
Facings	2	4	5

If required, please contact your representative at VARTA Sales.

Cardboard displays



Counter 2/1 Eco	Counter for Big Box 12	Counter Flashlight / Charger
939xx 112 xxx	932xx 112 xxx	933xx 112 xxx
43	25	44
36	24	28
29	30	37
8	–	2

If required, please contact your representative at VARTA Sales.

Cardboard Displays



Type	Tower Shelves Ready-To-Sell	MUT Display Ready-To-Sell
Order-No. / consumer unit	989xx 112 xxx	986xx 112 xxx
Height (cm)	156	145
Width (cm)	60	60
Depth (cm)	40	40
Shelves	3 or 4	4

If required, please contact your representative at VARTA Sales.

Bulk Displays



Type	Bulk Display Tray Ready-To-Sell	Bulk Display Ready-To-Sell	Bulk Display Ready-To-Sell
Order-No. / consumer unit	959xx 112 xxx	959xx 112 xxx	959xx 112 xxx
Height (cm)	118	118	118
Width (cm)	60	60	40
Depth (cm)	40	40	60
Facings per Tray	6	—	—

If required, please contact your representative at VARTA Sales.



Empowering Independence

New VARTA products

Always be up to date online

Check out the latest
VARTA products online here:

www.varta-ag.com/en/productnews



Contact

VARTA Consumer Batteries GmbH & Co. KGaA
Alfred-Krupp-Str. 9
73479 Ellwangen, Germany
Tel.: +49 (0) 7961 83-0
E-Mail: info@varta-household.com

Representations and distributors
in all major countries worldwide.
Please see webpage.



Like us on Facebook.
www.facebook.com/varta.ag

VARTA Consumer Batteries GmbH & Co. KGaA is a company of VARTA AG.

www.varta-ag.com