



Heavy Duty Pallet Trucks

- Designed for everyday heavy duty use
- 2500 kg capacity
- Lift height: 85 - 200 mm
- Nylon steer wheels and load wheels as standard
- Polyurethane, rubber and steel wheels available
- Wet spec and cold store spec available

FORK LENGTH (mm)	WIDTH OVER FORKS (mm)	ORDER REF
800	540	MA25-540x800
1000	540	MA25-540x1000
1150	540	MA25-540x1150
1220	540	MA25-540x1220
1000	680	MA25-680x1000
1150	680	MA25-680x1150
1220	680	MA25-680x1220



Extra Long Pallet Trucks

- 2000, 2500 & 3500 kg Capacity
- Lift height: 85 - 200 mm
- Designed with extra-long forks to handle extra-long pallets
- Nylon steer and load wheels as standard for MA20 models
- Polyurethane steer and load wheels as standard for PT25 & PT35
- Polyurethane, rubber and steel wheels also available for MA20

CAPACITY (kg)	FORK LENGTH (mm)	WIDTH OVER FORKS (mm)	ORDER REF
2000	1500	540	MA20-540x1500
2000	1800	540	MA20-540x1800
2000	2000	540	MA20-540x2000
2000	1500	680	MA20-680x1500
2000	1800	680	MA20-680x1800
2000	2000	680	MA20-680x2000
2500	2000	520	PT25-520x2000
2500	2000	680	PT25-680x2000
3500	2000	520	PT35-520x2000
3500	2000	680	PT35-680x2000
3500	2500	540	MA35-540x2500
3500	2500	680	MA35-680x2500



Dead Man Brake



Hand Brake



Foot Brake



MA20 & MA25 Pallet Truck Options

DESCRIPTION	ORDER REF
Polyurethane Steer Wheels	PU
Rubber Steer Wheels	RU
Steel Steer Wheels	ST
Nylon Tandem Load Rollers	TN
Polyurethane Single Load Rollers	SPU
Polyurethane Tandem Load Rollers	TPU
Rubber Single Load Rollers	SRU
Rubber Tandem Load Rollers	TRU
Steel Single Load Rollers	SST
Steel Tandem Load Rollers	TST
Parking Foot Brake	PFB
Travel and Parking Hand Brake	THB
Dead Man Brake	DMB
Quick Lift Pump	QL
Antistatic Polyurethane Steer Wheels	ASPU
Antistatic Polyurethane Single Load Rollers	SASPU
Antistatic Polyurethane Tandem Load Rollers	TASPU

Nylon Steer wheels and Single Nylon Load rollers are fitted as standard

Short & Narrow (Printer's) Pallet Trucks


- 2500 kg Capacity
- Heavy duty and robust built pallet trucks
- Ideal for use with narrow or half size pallets
- Commonly used in the printing industry
- 3 position lever
- Ergonomic handle fitted with a comfortable plastic cover
- Fingertip operated controlled lowering valve
- All wheels are fitted with sealed ball bearings
- 460mm wide trucks (with 800mm or longer forks) can handle Euro pallets
- Other wheels available on request



WIDTH OVER FORKS (mm)	FORK LENGTH (mm)	LIFT-HEIGHT (mm)	SINGLE FORK SIZE (mm)	WHEELS (STEER / ROLLERS)	ORDER REF
460	500	80 - 200	150	Polyurethane	PT25-460x500
460	600	80 - 200	150	Polyurethane	PT25-460x600
460	800	80 - 200	150	Polyurethane	PT25-460x800
460	900	80 - 200	150	Polyurethane	PT25-460x900
460	1000	80 - 200	150	Polyurethane	PT25-460x1000
460	1150	80 - 200	150	Polyurethane	PT25-460x1150
460	1200	80 - 200	150	Polyurethane	PT25-460x1200
520	500	80 - 200	150	Polyurethane	PT25-520x500
520	600	80 - 200	150	Polyurethane	PT25-520x600
520	800	80 - 200	150	Polyurethane	PT25-520x800
520	900	80 - 200	150	Polyurethane	PT25-520x900
450	900	75 - 190	160	Nylon	MA25-450x900
450	1000	75 - 190	160	Nylon	MA25-450x1000



PT25-460x1150



PT25-520x600

PALLET TRUCK OPTIONS FOR PT25 MODELS


DESCRIPTION	ORDER REF
Nylon Steer Wheels	N
Nylon Single Load Rollers	SN
Nylon Tandem Load Rollers	TN
Polyurethane Tandem Load Rollers	TPU
Rubber Steer Wheels	RU

Polyurethane Steer wheels & Single Load rollers are fitted as standard


Pallet Truck Chocks

- Secures pallet trucks in place in a moving truck or trailer
- Prevents damage to pallet trucks
- Eliminates freight and trailer damage
- Eliminates the need to turn pallet trucks sideways during transit
- Easy storage

LENGTH (mm)	WIDTH (mm)	ORDER REF
270	320	CH3
365	295	CH2
355	645	CH1



CH1 (Heavy Duty Chock)



CH2 (Basic Chock)



CH3 (Compact Chock)



Mini Hand Pallet Truck

- 500 kg Capacity
- Weight: 35 kg
- Designed for small pallets (not suitable for standard pallets)
- Highly manoeuvrable, turning radius 700 - 800mm
- Polyurethane steer wheels and single nylon load wheels
- Lift height: 60 - 170 mm

FORK LENGTH (mm)	WIDTH OVER FORKS (mm)	SINGLE FORK WIDTH (mm)	ORDER REF
800	380	100	LLT500

Optional Polyurethane Load Rollers

Semi Low Profile Pallet Trucks (MA25/75)

- Designed for handling lower pallets or stillages where a standard truck will not fit
- Popular for use with US Pallets
- 2500 kg capacity
- Lift height: 75 - 190 mm
- Nylon steer and single nylon load wheels as standard
- Polyurethane and rubber wheels available on request

FORK LENGTH (mm)	WIDTH OVER FORKS (mm)	ORDER REF
900	450	MA25/75-450x900
1000	450	MA25/75-450x1000
1000	540	MA25/75-540x1000
1150	540	MA25/75-540x1150
1220	540	MA25/75-540x1220
1000	680	MA25/75-680x1000
1150	680	MA25/75-680x1150
1220	680	MA25/75-680x1220

Low Profile Pallet Trucks (MA15/51)

- Designed for handling low pallets or stillages where a standard truck will not fit
- 1500 kg capacity
- Lift height: 51 - 170 mm
- Polyurethane steer and tandem load wheels as standard
- Nylon wheels available on request

FORK LENGTH (mm)	WIDTH OVER FORKS (mm)	ORDER REF
1000	540	MA15/51-540x1000
1150	540	MA15/51-540x1150
1220	540	MA15/51-540x1220
1000	680	MA15/51-680x1000
1150	680	MA15/51-680x1150
1220	680	MA15/51-680x1220

Extra Low Profile Pallet Trucks (MA10/35)

- Designed for handling very low pallets or stillages where a standard or even a low profile truck will not fit
- 1000 kg capacity
- Lift height: 35 - 96 mm
- Polyurethane or nylon steer wheels and steel load wheels

FORK LENGTH (mm)	WIDTH OVER FORKS (mm)	ORDER REF
1120	530	MA10/35-530x1120
1120	680	MA10/35-680x1120
1120	838	MA10/35-838x1120



MA25/75-680x1150



MA15/51-540x1150



MA10/35-838x1120



MA10/35-530x1120



Adjustable Pallet Trucks (PTA22)

- Highly versatile
- Can be adjusted to suit different pallet sizes
- 2200 kg capacity
- Lift height: 76 - 196 mm
- Durable easy rolling polyurethane wheels
- High quality hydraulic pump with controlled lowering
- Ergonomic comfortable steer handle

FORK LENGTH (mm)	WIDTH OVER FORKS (mm)	ORDER REF
900	400-520	PTA22MS
1050	400-520	PTA22M
1150	400-520	PTA22ML
900	530-680	PTA22LS
1050	530-680	PTA22LM
1150	530-680	PTA22L

Tandem Load Roller Assembly



PTA22L with forks at 680mm

PTA22MS with forks at 400mm

Very Heavy Duty Pallet Trucks

- Designed for very heavy duty use
- 3000 & 3500 kg capacity
- Lift height: 85 - 200 mm (75mm lowered height available)
- Polyurethane steer and tandem load wheels as standard

CAPACITY (kg)	FORK LENGTH (mm)	WIDTH OVER FORKS (mm)	ORDER REF
3000	1150	540	MA30-540x1150
3000	1220	540	MA30-540x1220
3000	1150	680	MA30-680x1150
3000	1220	680	MA30-680x1220
3500	1150	540	MA35-540x1150
3500	1220	680	MA35-680x1220
3500	2000	520	PT35-520x2000
3500	2000	680	PT35-680x2000
3500	2500	540	MA35-540x2500
3500	2500	680	MA35-680x2500



MA35-540x2500



MA35-680x1220

MA30-540x1150

Very Heavy Duty Pallet Truck (MA50)

- 5000 kg capacity
- Designed for very heavy duty use
- Lift height: 90 - 200 mm
- Reinforced chassis
- Steel steer wheels and steel tandem load wheels as standard

FORK LENGTH (mm)	WIDTH OVER FORKS (mm)	ORDER REF
1150	580	MA50-580x1150
1500	580	MA50-580x1500
1800	580	MA50-580x1800
2000	580	MA50-580x2000
1150	680	MA50-680x1150
1500	680	MA50-680x1500
1800	680	MA50-680x1800
2000	680	MA50-680x2000

Optional Polyurethane Wheels

Optional Foot Brake



MA50-580x2000



Polyurethane Wheels & Foot Brake

Pallet Trucks

Premium Hand Pallet Trucks

LLT models are made in Europe.
Any size can be made to order.

- 2300 kg capacity
- Lift height: 85 - 205 mm
- 'Anti-bump Roller' - for added protection against shock loads
- Rounded Fork Toes - simplifies and eases pallet entry
- Nylon steer wheels and single nylon load wheels as standard
- Please see below for other wheel options

Special versions of this model are available on request:

- Capacity: 3000 and 4000 kg
- Galvanised and Stainless steel models
- Reel handling pallet truck
- Special superstructures
- **Special sizes:**
- Widths from 160 to 3000 mm available
- Lengths from 500 to 3500 mm available



FORK LENGTH (mm)	WIDTH OVER FORKS 450mm
	ORDER REF
500	LLT23-05-45
600	LLT23-06-45
650	LLT23-65-45
700	LLT23-07-45
750	LLT23-75-45
800	LLT23-08-45
900	LLT23-09-45
1000	LLT23-10-45
1150	LLT23-11-45
1220	LLT23-12-45
1500	LLT23-15-45

FORK LENGTH (mm)	WIDTH OVER FORKS 520mm
	ORDER REF
500	LLT23-05-52
600	LLT23-06-52
650	LLT23-65-52
700	LLT23-07-52
750	LLT23-75-52
800	LLT23-08-52
900	LLT23-09-52
950	LLT23-95-52
1000	LLT23-10-52
1150	LLT23-11-52
1220	LLT23-12-52
1500	LLT23-15-52
1800	LLT23-18-52
2000	LLT23-20-52
2300	LLT23-23-52
2500	LLT23-25-52
3000	LLT23-30-52
3500	LLT23-35-52

FORK LENGTH (mm)	WIDTH OVER FORKS 680mm
	ORDER REF
500	LLT23-05-68
600	LLT23-06-68
650	LLT23-65-68
700	LLT23-07-68
750	LLT23-75-68
800	LLT23-08-68
900	LLT23-09-68
950	LLT23-95-68
1000	LLT23-10-68
1150	LLT23-11-68
1220	LLT23-12-68
1500	LLT23-15-68
1800	LLT23-18-68
2000	LLT23-20-68
2300	LLT23-23-68
2500	LLT23-25-68
3000	LLT23-30-68
3500	LLT23-35-68



PALLET TRUCK OPTIONS FOR LLT23 MODELS

DESCRIPTION	ORDER REF
Hand & Travel Brake	THB
Dead-man Brake	DMB
Foot Brake	LLTFB
Polyurethane Steer Wheels	PU
Rubber Steer Wheels	RU
Steel Steer Wheels	ST
Stabilising Castor Wheels	SCW
Nylon Tandem Load Rollers	TN
Polyurethane Single Load Rollers	SPU
Polyurethane Tandem Load Rollers	TPU
Rubber Single Load Rollers	SRU
Rubber Tandem Load Rollers	TRU
Steel Single Load Rollers	SST
Steel Tandem Load Rollers	TST

Nylon steer wheels and single nylon load rollers are fitted as standard



Foot Brake



Dead-man Brake



Hand & Travel Brake

Heavy Duty Premium Hand Pallet Trucks (LLT30)

A premium quality, European designed and manufactured pallet truck. It can be provided from stock or made to order.

Please call for size preferences.

- 3000 kg capacity
- Lift height: 85 - 205 mm
- Length of forks: 500 - 3500 mm available
- Width over forks: 160 - 2000 mm available
- See 'Pallet Truck Options for LLT23' for wheel choices



LLT30-840x1300

Very Heavy Duty Premium Hand Pallet Trucks (LLT40)

A premium quality, European designed and manufactured pallet truck.

Please call for size preferences.

- 4000 kg capacity
- Lift height: 85 - 205 mm
- Length of forks: 500 - 2500 mm available
- Width over forks: 160 - 2000 mm available
- See 'Pallet Truck Options for LLT23' for wheel choices



LLT40-900x1150

Semi-Low Profile Pallet Trucks (LLT23/75)

The LLT23/75 is a semi-low profile version of the LLT23 hand pallet truck. It comes in all sizes and can be provided from stock or made to order. Please call for size preferences.

- 2300 kg capacity
- Lift height: 75 - 190 mm
- Length of forks: 500 - 2000 mm
- Width over forks: 500 - 1000 mm
- See 'Pallet Truck Options for LLT23' for wheel choices



LLT23/75-700x1400

Heavy Duty Low Profile Pallet Trucks (LLT23/51)

The LLT23/51 is a low profile version of the LLT23 hand pallet truck. It comes in all sizes and can be provided from stock or made to order. Please call for size preferences.

- 2300 kg capacity
- Lift height: 51 - 170 mm
- Length of forks: 500 - 3000 mm
- Width over forks: 160 - 2000 mm
- Polyurethane wheels as standard



LLT23/51-680x1800

8 & 10 ton Very Heavy Duty Pallet Trucks

- Length of forks: 1220 - 2500 mm
- Width over forks: 550 - 1500 mm



MA80-550x1800




MA100-685x1220



Galvanised Pallet Trucks (MA25G)

- Hot dip galvanised or zinc plated pallet trucks
- Ideal for cold stores and outdoor applications
- 2500 kg capacity
- Lift height: 85 - 200 mm
- Nylon steer and tandem nylon load wheels as standard
- Wheels fitted with stainless steel bearings
- Other wheels available on request

FORK LENGTH (mm)	WIDTH OVER FORKS (mm)	ORDER REF
1000	540	MA25G-540x1000
1150	540	MA25G-540x1150
1000	680	MA25G-680x1000
1150	680	MA25G-680x1150



Low Profile Galvanised Pallet Trucks (LLT23/51G)

- Ideal for cold stores and outdoor applications
- 2300 kg or 3000 kg capacity
- Lift height: 85 - 205 mm or 51 - 170 mm
- Length of forks: 1000 or 1150 mm
- Width over forks: 520 or 680 mm
- Special fork lengths and widths available on request
- See 'Pallet Truck Options for LLT23' for wheel choices



Stainless Steel Pallet Trucks (MA20S)

- 100% Stainless
- Designed for environments where hygiene is paramount or where the pallet truck will come into contact with corrosive substances such as salt, water, acid or chemicals
- 2000 kg capacity
- Lift height: 85 - 200 mm
- AISI 304 as standard, AISI 316 available on request
- Nylon steer wheels and tandem nylon load wheels as standard
- Other wheels available on request
- Special sizes can be made to order

CAPACITY (kg)	FORK LENGTH (mm)	WIDTH OVER FORKS (mm)	ORDER REF
2000	1000	540	MA20S-540x1000
2000	1150	540	MA20S-540x1150
2000	1000	680	MA20S-680x1000
2000	1150	680	MA20S-680x1150

- Merlin offer a wide range of weighing pallet trucks for every application in trade and industry
- All weighing trucks have a generous capacity of 2200kg (3000kg on special order) and are very accurate
- All models are designed and built in Europe to strict quality standards
- We can offer bespoke weighing pallet trucks to specific requirements
- Most models can be supplied in Sale by Weight version and with a choice of printers

Standard Weighing Pallet Trucks

- 2200kg capacity
- 500g increments
- 0.1% accuracy
- Lift height: 75 - 190mm (LM/WS/560x1150: 85 - 205mm)
- Rubber steer wheels and tandem polyurethane load wheels
- Weighing trucks can be supplied with various optional printers

FORK LENGTH (mm)	WIDTH OVER FORKS (mm)	ORDER REF
1150	560	LM/WS/560x1150
1150	560	LM/WS/560x1150-75
1000	695	LM/WS/695x1000-75
1150	695	LM/WS/695x1150-75

Optional standard Thermal Printer



Premium Weighing Pallet Trucks

- Approved for Sale by Weight, Class III accuracy
- 2200kg capacity
- 200g, 500g or 1000g increments
- 0.02% accuracy
- Lift height: 85 - 205mm (75 - 190mm for 695mm width over forks)
- Rubber steer wheels and tandem polyurethane load wheels

FORK LENGTH (mm)	WIDTH OVER FORKS (mm)	ORDER REF
1150	560	LM/WSP/560x1150
1150	695	LM/WSP/695x1150



Stainless Steel Weighing Pallet Trucks

- Ideal for the food & pharmaceutical industries
- 2200kg capacity
- Made from high grade 304 stainless steel
- 500g standard increments
- 0.05% accuracy
- Optional Sale by Weight version and Class III accuracy
- Lift height: 85 - 205mm (75 - 190mm for 695mm width over forks)
- Rubber steer wheels and tandem polyurethane load wheels
- Standard indicator has IP 67 protection

FORK LENGTH (mm)	WIDTH OVER FORKS (mm)	ORDER REF
1150	560	LM/WSSS/560x1150
1150	695	LM/WSSS/695x1150



ATEX Weighing Pallet Trucks

- Based on the robust & accurate Premium model
- Lift height: 85 - 205mm (75 - 190mm for 695mm width over forks)
- Stainless steel cladding on forks & display housing, anti-static wheels, approved indicators
- Made from high grade 304 stainless steel
- 0.05% accuracy, 500g increments
- Anti-static wheels and tandem polyurethane load wheels

ATEX ZONE	FORK LENGTH (mm)	WIDTH OVER FORKS (mm)	ORDER REF
Zone 1	1150	560	LM/WSEX/Z1
Zone 2	1150	560	LM/WSEX/Z2



Pallet Trucks

Higher Lift Pallet Trucks (LLT20/280)

The Higher Lift Pallet Truck can be raised up to 280 mm. It is available in various fork sizes. Please call for more information.

- 2000 kg capacity
- Lift height: 85 - 280 mm
- Length of forks: 800 - 2000 mm
- Width over forks: 520 - 1000 mm
- See 'Pallet Truck Options for LLT23' for wheel choices



LLT20/280-520x1150



LLT20/280-1540x2000

4-Way Hand Pallet Truck (MA15/4W)

- Four way directional movement: forward and backward; side to side
- 1500 kg Capacity
- Lift height: 85 - 205 mm
- Polyurethane, Nylon or Steel wheels
- Special sizes available

FORK LENGTH (mm)	WIDTH OVER FORKS (mm)	ORDER REF
1150	540	MA15F



Heavy Duty 4 Way Directional Pallet Trucks (LLT23/4W)

Designed for 4 way - forward and backward; side to side - directional movement of pallet truck

- 2300 kg capacity
- Lift height: 85 - 205 mm
- All fork sizes available
- See 'Pallet Truck Options for LLT23' for wheel choices



LLT23/4W-680x2000

