



Large Platform

Single Manual Scissor Lift Tables

- Capacity range from 150kg to 1500kg
- Heavy duty design
- Great stability and manoeuvrability
- Foot pump to lift platform
- Hand lever to release/lower platform
- Can be used at any height
- Both swivel wheels are fitted with total stop brakes
- Special bespoke designs available



Rough Terrain

Overall Width:
600mm



TXL200

TXL200 Closed



BZL70B



BZL70B Closed

Very low
closed height:
230mm

CAPACITY (kg)	PLATFORM L x W (mm)	CLOSED HEIGHT (mm)	RAISED HEIGHT (mm)	HANDLE HEIGHT (mm)	WHEELS DIA (mm)	WEIGHT (kg)	ORDER REF
150	700 x 450	225	740	935	Ø 100	44	TXL150
200	1000 x 500	340	1000	1055	Ø 200	70	TXL200
300	855 x 500	340	915	970	Ø 125	75	TXL300
500	855 x 500	340	910	970	Ø 125	79	TXL500
500	1010 x 520	435	1000	1100	Ø 150	118	BSL50
500	1600 x 800	310	910	970	Ø 125	134	TXL500L
500	1200 x 800	355	1220	1100	Ø 150	160	BSL50LB
700	1220 x 610	230	1075	935	Ø 100/125	158	BZL70B
750	1010 x 520	442	1000	1100	Ø 150	120	BSL75
800	1000 x 510	420	1000	970	Ø 150	115	TXL800
1000	1015 x 515	380	1010	970	Ø 150	121	TXL1000
1000	1010 x 520	445	950	1100	Ø 150	137	BSL100
1000	1200 x 800	415	1250	1100	Ø 150	163	BSL100L
1500	1220 x 610	420	1010	970	Ø 150	142	TXL1500

Double Manual Scissor Lift Tables

- Capacity range from 150kg to 800kg
- Heavy duty design
- Great stability and manoeuvrability
- Foot pump to lift platform
- Hand lever to release/lower platform
- Special bespoke designs available



TXL680D



BSL50D

CAPACITY (kg)	PLATFORM L x W (mm)	CLOSED HEIGHT (mm)	RAISED HEIGHT (mm)	HANDLE HEIGHT (mm)	WHEELS DIA (mm)	WEIGHT (kg)	ORDER REF
150	700 x 450	310	1120	920	Ø 100	67	TXL150D
150	830 x 500	435	1450	1050	Ø 150	91	BSL15D
300	1010 x 520	435	1620	1130	Ø 150	134	BSL30D
350	910 x 500	350	1300	970	Ø 125	103	TXL350D
450	1030 x 610	295	1555	950	Ø 130/160	TBC	SCL450DM
500	1010 x 520	450	1600	1185	Ø 150	144	BSL50D
680	1210 x 610	475	1510	1020	Ø 150	176	TXL680D
800	1010 x 520	470	1420	1185	Ø 150	150	BSL80D
800	1220 x 610	485	1500	970	Ø 150	181	TXL800D

Electric Double Scissor Lift Tables

- Capacity range from 300kg to 800kg
- Robust construction
- Simple handle mounted control pad
- 12V maintenance free battery
- 700W dc power pack

ESL50D Closed



ESL50D



CAPACITY (kg)	PLATFORM L x W (mm)	CLOSED HEIGHT (mm)	RAISED HEIGHT (mm)	HANDLE HEIGHT (mm)	WHEELS DIA (mm)	WEIGHT (kg)	ORDER REF
300	1010 x 520	495	1600	1180	Ø 150	183	ESL30D
500	1010 x 520	435	1618	1180	Ø 150	198	ESL50D
800	1010 x 520	510	1440	1180	Ø 150	208	ESL80D

Scissor Lift Table Attachments

These attachments are designed to make scissor lift table loading and unloading operations easier. They can be fitted to BSL50, BSL75, BSL30D, BSL50D, ESL30D and ESL50D scissor lift tables only.

Ball Transfer Top

Model: BSL/BTT

- Capacity: 450kg
- Platform Length: 1010mm
- Platform Width: 560mm
- Base Width: 500mm
- Height: 180mm
- Height (with guards): 220mm

Straight Roller Track

Model: BSL/SRT

- Capacity: 450kg
- Length: 1010mm
- Width: 500mm
- Overall Length: 1025mm
- Overall Width: 535mm
- Height: 50mm
- Overall Height: 100mm
- No. of Rollers: 9

Turntable Roller Track

Model: BSL/TRT

- Capacity: 200kg
- Top Length: 710mm
- Top Width: 505mm
- Rotating base Width: 535mm
- Height: 100mm
- No. of Rollers: 6



Ball Transfer Top



Straight Roller Track



Turntable Roller Track

Scissor Lift Tables



Aluminium Mobile Scissor Lift Table

- Lightweight and easy to use
- Manual hydraulic operation (foot pump)
- Handle folds down flat
- Fitted with two brakes for added safety
- Easy transportation and storage
- Powder coated finish



Weighs 21kg only

CAPACITY (kg)	PLATFORM L x W (mm)	CLOSED HEIGHT (mm)	RAISED HEIGHT (mm)	HANDLE HEIGHT (mm)	WHEELS DIA (mm)	WEIGHT (kg)	ORDER REF
100	705 x 455	260	755	1000	Ø 100	21	BSL10ALU

Stainless Steel Mobile Scissor Lift Tables

- Suitable for a variety of lifting and loading operations
- Robust structure yet lightweight
- Fitted with two brakes for increased safety
- Ideal for pharmaceutical, food and beverages industries
- Nylon wheels



BSL25SS



BSL25SS Closed

CAPACITY (kg)	PLATFORM L x W (mm)	CLOSED HEIGHT (mm)	RAISED HEIGHT (mm)	HANDLE HEIGHT (mm)	WHEELS DIA (mm)	WEIGHT (kg)	ORDER REF
150	700 x 450	305	785	1000	Ø 100	43.5	BSL15SS
250	830 x 500	290	890	955	Ø 125	71.5	BSL25SS
500	1010 x 520	350	980	985	Ø 150	94.5	BSL50SS

Low Profile Scissor Lifts

- Low profile pallet positioner
- Safe 415V 3-phase operation
- Safety anti-trap bar under table edge
- HY1001 model is suitable for all pallets up to 1100 x 1200mm
- HU1000 model is suitable for open-bottom pallets e.g. Euro Pallets




HY1001



HU1000



HY1001 Lowered



1000kg capacity Turntable Accessory for HY1001-1250

TYPE	CAPACITY (kg)	PLATFORM L x W (mm)	CLOSED HEIGHT (mm)	RAISED HEIGHT (mm)	WEIGHT (kg)	ORDER REF
U-Shape	1000	1420 x 1140	85	860	134	HU1000
Table With Ramp	1000	1450 x 1140	85	860	91	HY1001
Table With Ramp	1000	1450 x 1250	85	860	92	HY1001-1250

1000kg capacity Turntable Accessory for HY001-1250

SPECIAL MODELS OF SCISSOR LIFT TABLES



ATEX Scissor Lift Table with Raised Frame Platform



Scissor Lift Table with Stainless Steel Top with Sides



Scissor Lift Table with Roller Top and Stabilising Screw Legs



Scissor Lift Table with Scale



with V-block Top and Side Controls