









### CHILDSPLAY SYSTEMS

ChildsPlay is a versatile surfacing system that can be installed over existing asphalt, concrete, soil or stone. The system suits a range of environments, from a mud-free recreational area through to a surfacing that's ideal under climbing frames, swings and other equipment and offers critical fall height protection of up to 3.0 metres.

Each variant of the ChildsPlay system is topped by VHAF NottsSward artificial turf, and so a single scheme may use a combination of bases to meet different uses and safety requirements.





#### **CHILDSPLAY 155**


Critical fall height upto 155cm

- VHAF NottsSward 1150
- 2. Notts Pad CP 35mm
- 3. Concrete / Asphalt
- 3 3

#### CHILDSPLAY 170

Critical fall height upto 170cm

- 1. VHAF NottsSward 1150
- 2. NottsFilm Stiff
- 3. NottsBase EPP 40
- 4. Sub base stone under a geotextile layer
- 5 Concrete / Asphalt



### **CHILDSPLAY 250**

Critical fall height up to 250cm

- 1. VHAF NottsSward 1150
- 2. NottsFilm Stiff
- 3. NottsBase EPP 65
- 4. Sub base stone under a geotextile layer
- 5. Concrete / Asphalt



#### **CHILDSPLAY 210**

Critical fall height up to 210cm

- 1. VHAF NottsSward 1150
- 2. NottsFilm Stiff
- 3. NottsBase EPP 55
- 4. Sub base stone under a geotextile layer
- 5. Concrete / Asphalt



#### **CHILDSPLAY 300**

Critical fall height up to 300cm

- 1. VHAF NottsSward 1150
- 2. NottsFilm Stiff
- 3. 2 No. NottsBase EPP 40
- 4. Sub base stone under a geotextile layer
- 5. Concrete / Asphalt

RECYCLABLE NOTTSBASE EPP TILE 🕾

NottsBase EPP is a specialist base layer used in ChildsPlay 170 through to ChildsPlay 300 systems, which offers safety benefits for children – and cost benefits for play providers. EPP stands for expanded polypropylene, which is moulded into tiles complete with hemispheres underneath – a feature that is unique to ChildsPlay.

The hemispheres create an air void through which energy is dispersed on impact ensuring enhanced performance over a traditional, flat EPP tile. NottsBase EPP is used in three depths – 40mm, 55mm and 65mm – with a fourth system available through 40mm tiles stacked to double depth, providing a critical fall height protection of up to 3.0 metres.



This enables ChildsPlay systems to employ different levels of critical fall height protection easily. For example: ChildsPlay 170, which offers protection from falls up to 1.7m, is appropriate for surfaces surrounding low-level play equipment, such as roundabouts and toddler apparatus, and uses a single layer of NottsBase EPP 40mm tiles. Higher levels of NottsBase EPP can be used for areas under climbing frames, swings and slides.



### COST-EFFECTIVE REFURBISHMENT SOLUTION

Refurbishing a problem rubber playground is simple and cost-effective with our VHAF NottsSward sand-filled synthetic grass carpet. This hard-wearing artificial turf surface is ideal for installing directly over the top of existing wetpour rubber or rubber tile areas – offering a cost-effective solution to transform damaged or old playgrounds into smarter facilities that will serve your school or community for years to come.

There's no need to worry about slopes, mounds or hollows on the site as these can easily be incorporated into the design without the need for expensive ground works. Overlaying rubber with the VHAF NottsSward carpet also puts an end to costly maintenance and repairs incurred by arson or vandalism. Unlike rubber, the sand-filled synthetic turf is resistant to fire damage, cutting and graffiti, and dos not shrink or expand, meaning play areas spend less time out of action.

As a result, Notts Sport surfacing solutions are the first choice among local authorities to resurface vandalised and shrinking rubber facilities providing local authorities with savings of as much as £500 per month on repairs where vandalism is a consistent issue.





### CHILDSPLAY EDUCATION MATS

Make imaginations sparkle with the specially developed ChildsPlay Education Mats that put extra excitement and adventure into outdoor learning – without overstretching budgets!

Our innovative educational Mats are designed to stimulate learning, meeting elements of Upper Foundation Stages and Key Stages 1 and 2 through imaginative free play as well as structured activities.

ChildsPlay Education Mats are an ideal way to include special areas for fun and games within the highly adaptable surface design of your ChildsPlay playground, and can be individually tailored towards activities for toddlers through to older children.

Freeform patterns from the general play area can flow into more conventional games such as 'life-size' chess and hopscotch, while distance markers, maps, letters and numbers can give children the opportunity to challenge themselves individually or in groups.

In the space of a single playtime, for example, children could go on a journey of discovery around the globe on a "World Map", or even planet-hop on a surface representing the entire solar system!



## CHILDSPLAY ACTIVE

Our exclusive ChildsPlay Active system is the perfect playground solution for encouraging healthy and lively young bodies and minds! This unique concept product brings together opportunities for sport, play and education as one playground to create the ideal bespoke 'outdoor classroom' for schools, nurseries and councils.

With a palette of 15 lively colours to choose from, patterns, themes and games can be incorporated into the tailor-made design of the vibrant and tactile artificial turf carpet to promote exercise, sociability and friendship – and excite imaginations. Following consultation with Primary School teachers, specialist Educational Mats, letters and numbers can also be incorporated into the surface design to make a ChildsPlay Active playground a place to stimulate learning in key areas of the National Curriculum Key Stages 1 and 2.

In fact, the design possibilities with ChildsPlay Active are almost limitless as the surface design can be completed to meet your own specific requirements!

With Notts Sport's top-quality Design and Advisory service available at no up-front cost, ChildsPlay Active offers the ideal holistic solution at a time when space and public budgets are tighter than ever.

We can offer expert advice on creating an educational area using ready-made patterns and innovative designs, or alternatively, clients can see their own ideas brought to life using the latest computer technology.

Children who will use the play area can even be invited to put forward their own ideas to be considered by the school or nursery for incorporation into the design.

With 15 vibrant colours to choose from, the possibilities are limitless.

WIND YELLOW

ENAM BLUE

MARINE GREEN

SJISET ORANGE

WAY BLUE

GRASS GREEN

PLATINUM GREY





### RESISTANT TO VANDALISM

VHAF NottsSward artificial turf feels so soft to the touch, but it's a force to be reckoned with for vandals. The sand infill held within the random pile of the surface makes it resistant to fire, containing damage to a small area which can be easily repaired or replaced at minimum cost.

The sand infill also makes it extremely difficult to cut into the carpet, even with a sharp knife. And unlike 'plastic' artificial grass, if graffiti is sprayed onto VHAF NottsSward, paint can be removed using a firm bristle brush. By choosing ChildsPlay, you can rely on Notts Sport's expert aftercare service for advice on any maintenance issues.



### THERMAL STABILITY

Unlike rubber wet-pour or tile surfacing the VHAF NottsSward surface used in the ChildsPlay systems is a thermally stable product. This stability means that the ChildsPlay systems do not contract in cold weather and expand in hot weather. This gives our ChildsPlay systems a distinct advantage over rubber surfaces which can react to the changes in temperature.

This often leads to the rubber surface moving away from the original edges of a play area, causing a small gap to appear at the perimeter. Once spotted by some of those using the play area this gap will usually get bigger and bigger, until you end up with the kind of damage shown in the photos below.

The benefits to the play provider of using ChildsPlay, in terms of the savings to be made in repair costs and time lost whilst the play area is closed, are there for all to see.





### ADVANTAGES OVER LOOSE-FILL

VHAF NottsSward offers a far smarter and more visually appealing alternative to loose-fill playground surfaces and, because it's a clean and quick-draining surface option, will greatly reduce the amount of playtime lost in wet weather. Loose-fill surfaces can hide broken glass and dog waste, but on VHAF NottsSward these dangers are easier to spot – and clear away.



Creating a play area is a fun and exciting project, and that's why Notts Sport lets you stay in control of your project, while being onhand to guide you through each step so that you achieve the very best results.

The ChildsPlay team is here to advise on feasibility, location and budget, to help you choose an inspirational design, and to assist you in finding potential funding, an expert installation team, and to make sure aftercare and advice is there when you need it.

To find out more about how you can benefit from Notts Sport's range of synthetic surfacing solutions and gain expert advice and assistance to plan, manage and complete your project, simply call us on 01455 883 730, email info@nottssport.com or visit the web site at www.nottssport.com.

### FREQUENTLY ASKED QUESTIONS

- Q. Why do we say that the VHAF NottsSward surface and ChildsPlay systems are vandal-resistant?
- A. The sand that inundates the pile of the VHAF NottsSward is the key. When somebody tries to cut the material using a knife it will be as though they are trying to cut through a bed of sand; extremely difficult for them to cause any damage. The sand within the pile of the VHAF NottsSward also ensures that there is very little oxygen within the pile for any fire to spread, therefore should a vandal manage to start a fire on the surface it will quickly burn itself out and the damage will be localised. If graffiti is a problem then once again the sand is the key to vandal-resistance as a large proportion of the paint sprayed onto the surface will end up not on the fibres of the VHAF NottsSward but rather on the sand itself. The affected sand can then be brushed out of the VHAF NottsSward, leaving the surface looking like it hasn't been subject to graffiti.
- Q. Why is sand brushed into the pile of the VHAF NottsSward surface?
- A. Apart from the reasons listed immediately above it also has the added benefit of protecting the fibres of the VHAF NottsSward. Thus the sand will add to the longevity of the surface.
- Q. How long will a VHAF NottsSward surface last?
- A. It is impossible to give an exact figure. However we indicate to potential customers that should they maintain the surface on a regular basis then the surface should last between 8-10 years. Many of our clients have had surfacing which has lasted a lot longer. There are many examples in the UK of ChildsPlay areas within public parks lasting for over 15 years.
- Q. How is VHAF NottsSward 'stuck down'?
- A. The material is not 'stuck down' to an existing surface. The previously mentioned sand is brushed into the VHAF NottsSward at a rate of between 18-20kg per metre and this is sufficient weight to hold it in place without having to stick it down. The VHAF NottsSward surface will also be tensioned and secured at the edges during installation, and this also helps keep the surface 'in place'.

- Q. How are different pieces of VHAF NottsSward stuck together?
- A. There are a number of scenarios where you will need to join two pieces of VHAF NottsSward together: when you come to adjacent rolls, where you have had to make a cut in the material so as to fit it around some play equipment or where you have different coloured pieces. Where such a scenario is encountered then a carrier tape with glue impregnated into it is evenly placed under both pieces of VHAF NottsSward. By means of a 150mm wide seaming iron the impregnated glue within the carrier tape is heated up. While the glue in the tape is still hot and before it cures, the VHAF NottsSward is placed over the carrier tape and the two pieces of VHAF NottsSward are bonded together instantly. The Hot Melt glue method is the most commonly used, but where that is not appropriate then cold glue may be used.
- Q. How is VHAF NottsSward secured at the edge of an area?
- A. There are two methods that are most commonly used. One is used on grass areas and the other on hard surface areas such as asphalt or concrete. We will deal with the grass one first:

### **GRASS**

- When the area to be surfaced has been defined then a timber frame is constructed around the perimeter of the area. The timber frame is set 5mm below the proposed finished level of the surface.
- When the VHAF NottsSward is due to be laid then the Authorised Installer will overlap the material by 100mm past the edge of the area to be surfaced.
- A deep channel of turf is cut out around the timber frame thus exposing the back of the timber framework.
- The 100mm overlap of VHAF NottsSward is then laid over the exposed timber and secured to the timber using 25mm galvanised nails.
- The channel of turf is then put back in place.
- The customer is left with a surface that leads straight onto the surrounding grass and one that is secured below the ground, making it virtually impossible to pick away at from the edges.

### ASPHALT/CONCRETE

- The Authorised Installer will cut a groove into the asphalt concrete at the perimeter of the area to be surfaced. The groove should be approx. 12mm in width and 50-75mm deep.
- When it gets to the point where the VHAF NottsSward is due to be laid then the Authorised Installer will overlap the material by 50-75mm past the edge of the area to be surfaced.
- Using a hammer and bolster they will then tuck the overlapped VHAF NottsSward into the groove created earlier.
- The VHAF NottsSward doubles up in the groove to create a tight fit that will remain.
- Q. What kind of surface can VHAF NottsSward be laid onto?
- A. VHAF NottsSward can be laid onto any kind of surface, as long as the surface that it is being laid onto is 'level, porous and firm'. So if you have a soil area that is level and porous but not firm then we recommend adding a stone base onto soil to aid drainage and suppress weed growth. If you have a concrete area that is firm and porous but not level then you would have to apply some form of levelling medium to the area etc.

**Notts Sport** Bridge Farm Holt Lane Ashby Magna LE17 5NJ United Kingdom

+44 [0]1455 883 730 info@nottssport.com

# nottssport///:











