



Protecting Supply Chains  
Worldwide with **Trusted Security  
Seals and Tamper Evident  
Solutions** since 1992.

**Security Seals**



Universal UK, 9 Portal Business Park,  
Eaton Lane, Tarporley, Cheshire, CW6 9DL



[www.universeal.co.uk](http://www.universeal.co.uk)

# About us

**Universeal UK is a manufacturer and distributor of a full range of anti-tamper / tamper-evident security seals and tamper-evident packaging.**

Universeal UK Ltd. is part of the worldwide Universeal Group of Companies. We combine to offer a comprehensive, competitive and innovative range of security seals and tamper-evident packaging for all sectors of industry and commerce.

## Our Company

With over 30 years' experience and thousands of satisfied customers, we pride ourselves in our friendly, knowledgeable approach. Whatever the security requirement, big or small we offer a fast, reliable service and second-to-none value for money products.

Universeal UK Ltd. is part of the worldwide Universeal Group of Companies; our partner networks extends across France, Ireland, South Africa, Australia, Canada, Japan, and USA. We combine to offer a comprehensive, competitive and innovative range of security seals and services for all sectors of industry and commerce.

Our Security Seals are used around the world to secure and seal cash bags, clinical waste, cages, containers, curtain sides, doors, enclosures, forensic bags, lorries, medical cabinets, railway cars, roll cages, oil drums, pallets, sacks, tankers, trucks, trailers, tote boxes, trolleys and valves. With over 30 years' experience and thousands of satisfied customers, we pride ourselves in our friendly, knowledgeable approach. Whatever the security requirement, big or small we offer a fast, reliable service and second-to-none value for money products.

## Service

**We are a small, friendly team who will go above and beyond to help our customers.**

Our comprehensive product knowledge can help find the solution that fits your enquiry, be it large or small and we pride ourselves in our fast, efficient service.

**We are here to support you, online, on the phone or in person!**

## Certification & Global Reach

Our High security seals and many of our plastic seals are made in ISO 9001 and ISO 14001 certified production facilities. Copies of certification are available upon request.

We have production facilities within the UK, Europe, North America and the Far East and sales teams within the UK, Europe and North America ready to support your requirements.

# Table of Contents

<b>Security Seals</b>	<b>3</b>
Plastic Pull-through Security Seals	4
Plastic Fixed Length Security Seals	13
ISO17712 High-Security Bolt Seals	16
ISO17712 Metal Cable Security Seals	18
Metal Strip Security Seals	22
Padlock Seals	24
Meter, Utility & Wire Security Seals	27





# Security Seals

Discover tamper-evident protection with Universeal UK's wide selection of security seals. Essential for safeguarding your cargo and assets, our seals provide security and visual deterrence across industry including logistics, retail & transport sectors. Our full range covers all applications including the sealing of trucks & trailers, sacks and bags, roll-cages and shipping containers. We manufacture both indicative seals (like plastic pull-through, fixed-length, and metal strip seals) & robust ISO 17712 certified high-security barrier seals such as bolt & cable seals.

Our seals are available in various lengths (16-120cm), tail diameters (1-8mm) and break strengths from easy-break 5KgF to formidable 2000KgF+ barrier seals. Seals are fully customisable and available in colour options including white, red, blue, green, orange & yellow to support colour-coded identification. Universeal is a UK-based manufacturer ensuring local customer service, fast lead times and adherence to high standards.

- PLASTIC PULL-THROUGH SECURITY SEALS
- PLASTIC FIXED LENGTH SECURITY SEALS
- ISO17712 HIGH-SECURITY BOLT SEALS
- ISO17712 METAL CABLE SECURITY SEALS
- METAL STRIP SECURITY SEALS
- PADLOCK SEALS
- METER, UTILITY & WIRE SECURITY SEALS
- HOSPITAL & CLINICAL WASTE SEALS
- ECO-FRIENDLY SECURITY SEALS
- REUSABLE ELECTRONIC SECURITY SEALS

## Industries

-  GOVERNMENT & CUSTOMS
-  AIRLINES & AVIATION
-  ASSET & INSPECTION
-  HEALTHCARE
-  TRANSPORT & LOGISTICS
-  FOOD & PHARMACEUTICAL
-  INDUSTRIAL & MANUFACTURING
-  CASH & VALUABLES HANDLING
-  RETAIL & HOSPITALITY
-  UTILITIES & ENERGY
-  WASTE COLLECTION



# Plastic Pull-through Security Seals

Plastic pull-through seals (anti-tamper/tamper-evident) protect against unauthorised interference and indicate tampering in supply chains. They are ideal for sacks, fire extinguishers, first aid boxes, crates, or even truck and cargo doors. Available in various strengths and styles, they can be supplied plain, numbered, or custom-printed with logos, barcodes, and colours.



## Sustainability

100% Recyclable

## Removal Method

Scissors | Hand Removal

Industry 

## Tracewaste Security Seals

**SKU:** UV002

Cost-effective plastic pull through tamper-evident seals, manufactured in the UK.

- All-in-one inexpensive tamper-evident security seal
- Full range of customisation options.
- Available with or without tear-line feature for easy removal by hand.

**Applications:** Freight Containers, vehicle doors, curtain side buckles, enclosures of many kinds, storage bins, ID tags, sprinkler systems, tractors & trailers.

**Customisation Options:** Laser, thermal transfer or hot-foil print: Printed text, logos, sequential numbers, barcodes/QR codes and white write-on surfaces. Double-sided printing available.

**Material:** Polypropylene


**Break strength:** 25 KGF

**Security Level:** Indicative

**Product Size Guide:** 295mm (overall length)

**Useable Length:** 190mm

**Pack Size:** Carton of 1000



## Sustainability

100% Recyclable | 30% Recycled Material

## Removal Method

Scissors | Hand Removal

Industry 

## TabLock Security Seals

**SKU:** UV008

Low-cost all-in-one pull-through seals in two lengths (tail length 200mm or 300mm).

- Available in two lengths – 200 and 300mm tail lengths
- Fully customisable – bespoke numbering / logos / barcoding / QR coding
- Optional tear-line tab for easy removal without tools

**Applications:** Wide application across industry: waste sacks, mail/cash bags, trailers, roll-cages.

**Customisation Options:** Thermal transfer print: Printed text, logos, sequential numbers, barcodes/QR codes.

**Material:** Polypropylene


**Break strength:** 25 KGF

**Security Level:** Indicative

**Product Size Guide:** 250mm / 350mm

**Useable Length:** 145, 245mm

**Pack Size:** Carton of 1000



## Plastic Pull-through Security Seals




### Sustainability

100% Recyclable, 30%+ Recycled Material, 80% Recycled Material, Reusable.

### Removal Method

Scissors | Hand Removal

Industry  

## MiniLock Security Seals

SKU: UV009

Small seals with narrow 3mm tail, suitable for sealing kits, bags and trolleys. Available with or without tear-line.

- Available with or without easy break tear-line (MiniLock T / MiniLock S)
- Narrow 3mm tail fits many types of smaller applications / narrow apertures

**Applications:** Crates, trolleys, small equipment kits and bags, zip/puller eyelets and other small apertures.

**Customisation Options:** *Laser-print:* Logos, barcodes, text, bespoke number ranges.

**Material:** Polypropylene


**Product Size Guide:** 225mm (overall length)

**Break strength:** 12 KGF

**Useable Length:** 150mm

**Security Level:** Indicative

**Pack Size:** Carton of 2000



### Sustainability

100% Recyclable | 30% Recycled Material

### Removal Method

Scissors

Industry 

## UniFlag Big Tag Security Seals

SKU: UVFLAG586

Robust all-in-one seals with big tag for adhesive labels/ custom print. Recycled plastic option.

- Strong and robust flag seals for recycling and postal mail bag and sacks.

**Applications:** Mail sacks, waste sacks, bags, garden waste, asset identification, roll cages, trailer doors.

**Customisation Options:** Laser, pad-print or thermal transfer print: Printing of full flag with text, logos, sequential numbers, barcodes.

**Material:** Polypropylene


**Product Size Guide:** 460mm (overall length)

**Break strength:** 40 KGF

**Useable Length:** 240mm

**Security Level:** Indicative

**Pack Size:** Carton of 500



All dimensions in mm.

## Plastic Pull-through Security Seals



### Sustainability

100% Recyclable

### Removal Method

Hand removal

Industry  

## Fire Seal Equipment Tamper Seals

**SKU:** UVFIRE

Anti Tamper Fire Extinguisher Seals to prevent unauthorised access whilst still allowing emergency use.

- Easy-Breaking Tamper Fire Extinguisher Seals.
- Ideal as a Single Use Equipment Seal for Medical Kit Bags, Trolleys

**Applications:** Fire extinguishers, fire doors, medical cabinets, small containers, suitcases, crash trolleys.

**Customisation Options:** Laser or hot-foil print: Printed text, logos, sequential numbers, barcodes.

**Material:** Polypropylene

**Break strength:** 5 KGF

**Security Level:** Indicative

**Product Size Guide:** 195mm (effective length)

**Useable Length:** 210mm

**Pack Size:** Carton of 1000



### Sustainability

100% Recyclable

### Removal Method

Scissors

Industry 

## SecureLock Smooth Tail Security Seals

**SKU:** UVM285

High quality pull-through smooth tail seals with aesthetic and distinctive black surround.

- Versatile 2.3mm pull-through seal suitable for wide use across logistics.

**Applications:** Boxes and bins, hatches, roll cages, airline cargo, lockers and tote boxes / attached lid containers (ALC's).


**Customisation Options:** Laser print (5000pcs MOQ): Printed text, logos, sequential numbers, barcodes.

**Material:** Polypropylene

**Useable Length:** 120, 200, 300mm

**Break strength:** 15 KGF

**Security Level:** Indicative





## Plastic Pull-through Security Seals

### SecureLock Easy-Tear Security Seals

**SKU:** UVM300T

High quality pull-through seal with high contrast flag marking. Tear-line for removal by hand.

- 2.3mm smooth tail seal with tear-line for easy removal

**Applications:** Boxes and bins, hatches, roll cages, airline cargo, lockers and tote boxes / attached lid containers (ALC's)

**Customisation Options:** Laser print (5000pcs MOQ): Printed text, logos, sequential numbers, barcodes.

**Material:** Polypropylene



**Product Size Guide:** 353mm

**Break strength:** 15 KGF

**Useable Length:** 300mm

**Security Level:** Indicative

**Pack Size:** Carton of 1000



#### Sustainability

100% Recyclable

#### Removal Method

Hand removal

**Industry** 

### Securelock Ridged Tail Security Seals

**SKU:** UVCOMBI

Small nylon pull-through tamper seals with ridged tail, resistant to cold-weather upto -40°C.

- Miniature but mighty: 19cm seal with high 18Kgf break strength.

**Applications:** Boxes and bins, roll cages, inspection hatches, lockers, vehicle doors, secure containers and bags, courier bags.

**Customisation Options:** Laser print (5000pcs MOQ): Printed text, logos, sequential numbers, barcodes.

**Material:** Polypropylene


**Product Size Guide:** 190mm

**Break strength:** 18 KGF

**Useable Length:** 135mm

**Security Level:** Indicative

**Pack Size:** Cartons of 1000



#### Sustainability

100% Recyclable

#### Removal Method

Scissors

**Industry** 

## Plastic Pull-through Security Seals

### UniStrap 410 Security Seals

**SKU:** UV410

Strong and cost-effective all-in one pull through seals, with tear-line. 4,000pcs MOQ.

- Strong 35KgF seal suitable for mail and postal sacks.
- 400mm long and 7mm width tail, for sturdy application

**Applications:** Mail and postal sacks, truck and trailer doors.

**Customisation Options:** Laser-print: alphanumeric text, bespoke numbering, logos, barcoding.

**Material:** Polypropylene


**Product Size Guide:** 400mm

**Break strength:** 35 KGF

**Useable Length:** 280mm

**Security Level:** Indicative

**Pack Size:** Carton of 1000



#### Sustainability

100% Recyclable

#### Removal Method

Hand removal

**Industry**  

### UniStrap 412 S/L/XL Security Seals

**SKU:** UV412

Strong, metal insert cash and postal bag security seals, in 3 lengths, with or without tear-line for easy hand removal.

**Applications:** Cash bags, mail bags, fuel valves, freight containers, secure transportation, enclosures of many kinds, ID tags, retail, sprinkler systems, tractors & trailers.

**Customisation Options:** Laser, thermal transfer or pad print: Printed text, logos, sequential numbers, barcodes/QR codes and white write-on surfaces.

**Material:** Polypropylene,  
Recycled-Content Plastic


**Product Size Guide:** 330mm (overall length) 430mm (overall length) 510mm (overall length)

**Useable Length:** 315, 210, 380mm

**Pack Size:** Cartons of 1000

**Break strength:** 40 KGF

**Security Level:** Indicative



#### Sustainability

100% Recyclable | 30% Recycled Material

#### Removal Method

Scissors | Hand removal

**Industry**  

## Plastic Pull-through Security Seals



### Sustainability

100% Recyclable | 30% Recycled Material

### Removal Method

Scissors

Industry  

## UniTite 411 Security Seals

**SKU:** UV411

Strong pull-up metal-insert seals with 3.7mm diameter tail, up to 360mm length.

**Applications:** Election ballot boxes, postal and mail applications, fuel and inspection hatches, secure logistics and transport applications.

**Customisation Options:** Laser, thermal transfer or hot-foil print: Printed text, logos, sequential numbers, barcodes/QR codes and white write-on surfaces. Double-sided printing available.

**Material:** Polypropylene


**Useable Length:** 270mm

**Break strength:** 30 KGF

**Security Level:** Indicative

**Product Size Guide:** 290mm (overall length) 360mm (overall length)

**Pack Size:** Cartons of 1000



All dimensions in mm.



### Sustainability

100% Recyclable | 30% Recycled Material

### Removal Method

Scissors

Industry  

## UniTite 413 Security Seals

**SKU:** UV413

Strong pull-up metal-insert seals with 3.7mm diameter tail and 490mm length. Recycled plastic options.

**Applications:** Cash bags, mail bags, fuel valves, freight containers, secure transportation, enclosures of many kinds, ID tags, retail, sprinkler systems, tractors & trailers.

**Customisation Options:** Laser, thermal transfer or pad print: Printed text, logos, sequential numbers, barcodes/QR codes and white write-on surfaces.

**Material:** Polypropylene


**Useable Length:** 410mm

**Break strength:** 30 KGF

**Security Level:** Indicative

**Product Size Guide:** 490mm (overall length)

**Pack Size:** Cartons of 1000



All dimensions in mm.



## Plastic Pull-through Security Seals

### UniTite 414 Security Seals

**SKU:** UV414

Pull-through metal-insert seal with 2mm tail, available in two sizes.

- Flexible and versatile use in logistics and retail.
- Integrated metal insert for higher tamper-resistance.

**Applications:** Enclosures: tote boxes, election boxes and trolleys, secure transportation, laboratory equipment, fuel / tanker valves.

**Customisation Options:** Laser, thermal transfer or pad print: Printed text, logos, sequential numbers, barcodes/QR codes and white write-on surfaces.

**Material:** Polypropylene


**Useable Length:** 330, 230mm

**Break strength:** 15 KGF

**Security Level:** Indicative

**Product Size Guide:** 420mm (overall length), 320mm (overall length)

**Pack Size:** Carton of 1000



All dimensions in mm.

#### Sustainability

100% Recyclable | 30% Recycled Material

#### Removal Method

Scissors

**Industry**   



### UniStrap 415 Security Seals

**SKU:** UV415

Metal insert cash bag seal, with tear-off and label-holder option.

**Applications:** Cash bags, mail bags, fuel valves, freight containers, secure transportation, enclosures of many kinds, ID tags, retail, sprinkler systems, tractors & trailers.

**Customisation Options:** Available with label holder, or tear-off option. Laser, thermal transfer or pad print: Printed text, logos, sequential numbers, barcodes/QR codes and white write-on surfaces.

**Material:** Polypropylene


**Break strength:** 40 KGF

**Security Level:** Indicative

**Product Size Guide:** 430mm size

**Useable Length:** 280mm

**Pack Size:** Cartons of 1000



All dimensions in mm.

#### Sustainability

100% Recyclable | 30% Recycled Material

#### Removal Method

Scissors | Hand removal

**Industry**  

## Plastic Pull-through Security Seals

### UniTite 416 Security Seals

**SKU:** UV416

Versatile pull-through security seal with 2mm tail available in 3 lengths.

- Available in three different lengths

**Applications:** Enclosures, such as ATM cassettes, tote boxes, election boxes and airline trolleys, secure transportation, fuel / tanker valves.

**Customisation Options:** Text Print, Sequential numbering, Barcoding, Logo, Data Matrix/QR Code.

**Material:** Polypropylene


**Useable Length:** 160, 110, 240mm

**Break strength:** 12 KGF

**Security Level:** Indicative

**Product Size Guide:** 3 lengths available (overall length): S: 185 mm / L: 235 mm / XL: 320mm

**Pack Size:** Carton of 1000



All dimensions in mm.

#### Sustainability

100% Recyclable | 30% Recycled Material

#### Removal Method

Scissors

**Industry**  

### UNI540 Security Seals

**SKU:** UV540

Small seal with tear-line for removal by hand. Optional nylon model for increased strength.

- Available in polypropylene and nylon options.

**Applications:** Airline industries, cash bags, banking, hospital/clinical waste, petrochemical, laboratories, enclosures, cases, valves.

**Customisation Options:** Logo, text print, barcode, sequential numbering.

**Material:** Polypropylene / Nylon (with acetal), Polypropylene, Nylon 66


**Break strength:** 10 KGF

**Security Level:** Indicative

**Product Size Guide:** 175mm (overall length)

**Useable Length:** 135mm

**Pack Size:** Cartons of 1000



All dimensions in mm.

#### Sustainability

100% Recyclable

#### Removal Method

Hand Removal

**Industry** 

## Plastic Pull-through Security Seals



### Sustainability

100% Recyclable

### Removal Method

Scissors

Industry 

## MiniLock 570 Security Seals

**SKU:** UV570

Miniature pull-through seal for small applications e.g. utility meters, electricity meters & terminal covers.

- Ideal for securing small items such as utility meters, meter covers, cabinets etc.

**Applications:** Electricity, gas and water meters, trolleys, valves, small enclosures.

**Customisation Options:** Laser or inkjet print: Printed text, logos, and 6-digit sequential numbering.

**Material:** Nylon, Polypropylene


**Break strength:** 12 KGF

**Security Level:** Indicative

**Product Size Guide:** 190mm (overall length)

**Useable Length:** 160mm

**Pack Size:** Cartons of 1000



### Sustainability

100% Recyclable

### Removal Method

Scissors | Hand Removal

Industry 

## Garelock Security Seals

**SKU:** UVGL

Strong all-in-one pull through seal available with short and extra-long tail lengths.

- Available in short 220mm or extra-long 400mm tail lengths.
- Available with or without tear-line feature for easy removal by hand.

**Applications:** TCash bags, sacks, property bags, roll cages, tote boxes, polythene bags, clinical waste bags, taut liners.

**Customisation Options:** Hot-foil or laser print: Text, logos, sequential numbers, barcodes.

**Material:** Polypropylene

**Useable Length:** 360, 230mm

**Break strength:** 30 KGF

**Security Level:** Indicative

**Product Size Guide:** 220mm & 400mm (tail lengths)

**Pack Size:** Carton of 1000





# Plastic Fixed Length Security Seals

Truck and trailer fixed-length security seals or 'ring seals' (due to the fixed loop they form when sealed) are ideal for a range of transport operations – including road and rail. Ring seals are also referred to as truck seals and trailer door seals, as their main purpose is for use as an anti-tamper security seal on HGV trailer door locking hasps and curtain sider buckles.



## Sustainability

100% Recyclable | 30% Recycled Material

## Removal Method

Hand Removal

Industry 

## DoubleLock Truck Seals

**SKU:** UV001

Enhanced truck & trailer security seal with twin-lock & protruding tail. Recycled plastic option.

- Two-piece seal design, ideal as sophisticated truck and trailer seal.
- Tail of seal protrudes from locking mechanism once engaged for visual check.

**Applications:** Truck and trailer seal, freight containers, vehicle doors, curtain side buckles, various enclosures.

**Customisation Options:** Laser Print: Sequential numbering or barcode – text or logo possible if required.

**Material:** Polypropylene


**Break strength:** 20 KGF

**Security Level:** Indicative


**Product Size Guide:** 185mm (effective length)

**Useable Length:** 185mm

**Pack Size:** Cartons of 1000



All dimensions in mm.



## Sustainability

100% Recyclable

## Removal Method

Hand Removal

Industry 

## Fleetlock Ring Seals

**SKU:** UVFL

Fixed length ring seals with paddle end, suitable for trucks and trailers.

- Fast customisation lead times available
- Wide range of colours available

**Applications:** Truck body/trailer doors, container doors, tankers, TIR cables, roll cages.

**Customisation Options:** Laser or hot-foil print: Text, logos, duplicate sequential numbering.

**Material:** Polypropylene


**Break strength:** 5 KGF

**Security Level:** Indicative

**Product Size Guide:** 250mm

**Useable Length:** 185mm

**Pack Size:** Cartons of 1000



## Plastic Fixed Length Security Seals



### Sustainability

100% Recyclable

### Removal Method

Hand Removal | Scissors

Industry 

## Unifreight Ring Security Seals

**SKU:** UVFRE

Multipurpose truck and trailer seal.

- Strong polypropylene seal with acetal locking mechanism.
- Available in two versions: easy-breaking and high-resistance options.

**Applications:** Freight containers, tractors & trailers, vehicle doors, curtain side buckles, enclosures of many kinds, roll cages.

**Customisation Options:** Laser Print: Sequential numbering or barcode – text or logo possible if required.

**Material:** Polypropylene

**Product Size Guide:** 200mm

**Break strength:** 7 KGF

**Useable Length:** 162mm

**Security Level:** Indicative

**Pack Size:** Cartons of 1000



### Sustainability

100% Recyclable

### Removal Method

Scissors | Hand Removal

Industry 

## UNI560 Ring Seals

**SKU:** UV560

Trailer seal with paddle end, available in two lengths.

- Available in two different sizes: 230mm and 125mm.

**Applications:** Truck body/trailer doors, container doors, tankers, TIR cables, roll cages.

**Customisation Options:** Laser, thermal transfer or pad print: Printed text, logos, sequential numbers, barcodes/QR codes and white write-on surfaces.

**Material:** Polypropylene

**Product Size Guide:** 230mm

**Break strength:** 20 KGF

**Useable Length:** 230mm

**Security Level:** Indicative

**Pack Size:** Cartons of 1000



All dimensions in mm.

## Plastic Fixed Length Security Seals



### Sustainability

100% Recyclable

### Removal Method

Hand Removal

Industry  

## CrocLoc Tote Box Plug Seal

**SKU:** UV732

Tote box plug seals, produced in mats of 6pcs. Customisable with bespoke logos and barcoding.

- High-quality recyclable plug / arrow lock seal for crates, attached lid containers and tote boxes.

**Applications:** Sealing tote boxes and attached lid containers, for secure storage, transportation and archival operations.



**Customisation Options:** Choice of colours and full customisation, including logos and barcoding.

**Material:** Polypropylene

**Security Level:** Indicative

**Product Size Guide:** Approx 40x12x20mm

**Pack Size:** Carton of 3000pcs



### Sustainability

100% Recyclable

### Removal Method

Hand removal

Industry  


## BarrelSafe Drum Seals

**SKU:** UVDRM

Specialised drum seals for open top barrels.

**Applications:** Sealing of open top barrels. **Material:** Polypropylene

**Product Size Guide:** 60x15mm (unsealed)



All dimensions in mm



# ISO17712 High-Security Bolt Seals

High-Security Container Bolt seals are the most popular type of barrier security seals for the secure transportation of shipping containers, trucks and trailers during customs movements, including the customs border between the UK and EU post-Brexit. Locktainer bolt seals are ISO17712 'H' High Security certified and C-TPAT compliant, offering the highest protection for cargo security across the world. Our barrier seals are accepted by UK, US and EU custom authorities, and are regularly retested for compliance with ISO17712 certification standards. The Locktainer 2020 bolt seal has SSTA certification and is accepted by HMRC in the UK as a Group 1 customs trader barrier seal.



## ✂ Removal Method

Bolt Croppers

Industry  

## Locktainer 2020 Container Bolt Seal

**SKU:** UVL2020

High-Security Bolt Seals providing high level of security for containers. ISO17712, CT-PAT & HMRC Customs Accepted.

- High-quality, Anti Tamper Container Bolt Seal.
- C-TPAT-compliant & ISO17712:2013 Certified 'H' High Security Seal.

**Applications:** Containers, railway cars, truck trailers, international freight.

**Customisation Options:** Laser-print: Customer logo / text, sequential numbering.

**Material:** Low carbon steel core  
ABS coating

**Useable Length:** 45mm

**Break strength:** 1935 KGF

**Security Level:** ISO17712  
High-Security

**Product Size Guide:** Pin: 45mm sealing length  
Barrel: Overall – 22.5mm long x 24mm large x 31mm high Engaged Unit length: 82mm

**Pack Size:** Cartons of 250



## ✂ Removal Method

Bolt Croppers

Industry  

## Locktainer 2000 Bolt Seal

**SKU:** UVL2000

Container seal with encapsulated marking for increased security. ISO17712:2013 'H' approved.

- Marking encapsulated under transparent shield.

**Applications:** Containers, railway cars, truck trailers, international freight.

**Customisation Options:** Laser-print: Customer logo / text, sequential numbering.

**Material:** Low carbon steel core  
ABS coating

**Break strength:** 1935 KGF


**Security Level:** ISO17712  
High-Security

**Product Size Guide:** Pin: 45mm sealing length / Engaged Unit length: 80.5mm

**Useable Length:** 55mm

**Pack Size:** Cartons of 250

## ISO17712 High-Security Bolt Seals



**✂ Removal Method** Bolt Croppers

**Industry**  

### Specialist Bolt Seals

**SKU:** UVBOLT

Specialist bolt seals for bespoke use.

**Applications:** Containers, railway cars, truck trailers, international freight.

**Customisation Options:** Laser-print: Customer logo / text, sequential numbering.

**Material:** Low carbon steel core ABS coating

**Useable Length:** Custom

**Break Strength:** 1935 KGF

**Security Level:** ISO17712 High-Security



**✂ Removal Method** Steel Grinder

**Industry**  

### Unibar TS Barrier Seals

**SKU:** UVBAR-TS

Super strong high grade carbon steel barrier seal, requiring steel grinder for removal.

• The Toughest Container Barrier Seal Around – Requires Steel Grinder To Remove.

**Applications:** Containers, railway cars, truck trailers, international freight.

**Customisation Options:** Laser-print: sequential numbering, company name, logos are available.

**Material:** Cast Carbon Steel and Chrome Plated

**Useable Length:** upto 560mm

**Security Level:** ISO17712 High-Security

**Product Size Guide:** 5mm thickness / 40mm height / Assembled length: 196-560mm

**Pack Size:** Cartons of 10



**✂ Removal Method** Bolt Croppers

**Industry**  

### Fork Seals

**SKU:** UVFORK

High-security seal lock providing unparalleled barrier protection for shipping containers.

• Unparalleled combination of strength and security at an affordable cost

**Applications:** Containers, railway cars, truck trailers, international freight.

**Customisation Options:** Embossed: bespoke text, bespoke numbering.

**Material:** Galvanised Steel

**Useable Length:** 505mm

**Break strength:** 1935 KGF

**Security Level:** ISO17712 High-Security


**Product Size Guide:** Assembled size: 505x411x35mm.

**Pack Size:** Cartons of 25

# ISO17712 Metal Cable Security Seals

Cable Seals are strong, flexible tamper security seals used for sealing of trailer doors, shipping containers, air cargo containers and railcars. Metal cable seals are also used for securing plastic distribution boxes during import and export processes. Their metal wire cable construction provides increased robustness over indicative plastic seals. Cable seals are removed with cutting tools – they are therefore known as "barrier seals" which delay intrusion into sealed containers, providing a "barrier" to entry.

The Flexigrip 150M cable seal is certified by the Security Seal Testing Authority (SSTA) as an accepted HMRC customs seal, and for international shipping containers sent by sea freight, our Flexigrip 325M & Flexigrip 500M seals are ISO17712 'H' High Security Classification and C-TPAT compliant – accepted by customs agencies worldwide, including US customs.



## ✂ Removal Method

Cable Cutters

Industry  

## Plastic Flexigrip 100S Seal

**SKU:** UVFL100S

Affordable and light-weight plastic 1.5mm cable seal for increased security.

- Affordable plastic cable seal with 1.5mm diameter cable.

**Applications:** Bags, pouches, boxes, drums, airline trays, valve lockout.

**Customisation Options:** Laser-print: Logos, barcodes, text, bespoke number ranges.

**Material:** Body: ABS plastic Cable: non pre-formed galvanised aircraft cable.

**Useable Length:** 250mm, Custom

**Break strength:** 95 KGF

**Security Level:** Indicative

**Pack Size:** Cartons of 500

**Product Size Guide:** Body Base:

26(L)x21(W)x7(D)mm Cable diameter 1.5 mm

Standard cable length: 250 mm



## ✂ Removal Method

Cable Cutters

Industry  

## Plastic Flexigrip 150S Seal

**SKU:** UVFL150S

Medium-duty plastic 1.5mm cable seal, with encapsulated markings.

- Encapsulated markings for increased security

**Applications:** Bags, pouches, boxes, drums, airline trays, valve lockout.

**Customisation Options:** Laser-print: B/W or colour logos, barcodes, text, bespoke number ranges.

**Material:** Body: ABS plastic Cable: non pre-formed galvanised aircraft cable.

**Useable Length:** 250mm, Custom

**Break strength:** 150 KGF

**Security Level:** Indicative

**Pack Size:** Cartons of 500

**Product Size Guide:** Body Base:

42(L)x34(W)x9(D)mm Cable diameter 1.5 mm

Standard cable length: 250 mm

## ISO17712 Metal Cable Security Seals



**Removal Method** Cable Cutters  
**Industry**  

### Flexigrip 150M Cable Seals

**SKU:** UVFL150M

Light-weight metal construction 1.5mm cable seal, accepted as Group 2 HMRC Customs seal.

- Certified as a HMRC Group 2 customs-accepted seal.

**Applications:** Bags, crates, pouches, boxes, drums, tanks, airline trays, valve lockout.

**Customisation Options:** Laser-print: Logos, barcodes, text, bespoke number range.

**Material:** Body: Aluminium alloy Locking mechanism: zinc alloy and steel Cable: non pre-formed galvanised aircraft cable.

**Useable Length:** 250mm, Custom

**Break strength:** 330 KGF

**Security Level:** Indicative

**Pack Size:** Cartons of 500

**Product Size Guide:** Body Base:

26(L)x22(W)x6(D)mm Cable diameter: 1.5 mm Cable length: 250mm (custom lengths available on request)



**Removal Method** Cable Cutters  
**Industry**  

### Flexigrip 250M Cable Seals

**SKU:** UVFL250M

Mid-range 2.5mm cable seal for multi-purpose applications. ISO17712:2013 'S' Security seal.

- Highly resistant steel locking mechanisms with high pulling loads.

**Applications:** Crates, boxes, drums, tankers, airline cargo, trucks, inter-modal containers, valve lockout.

**Customisation Options:** Laser-print: Logos, barcodes, text, bespoke number ranges.

**Material:** Body: Aluminium alloy Locking mechanism: zinc alloy and steel Cable: non pre-formed galvanised aircraft cable.

**Useable Length:** 250mm, Custom

**Break strength:** 600 KGF

**Security Level:** ISO17712 Security

**Pack Size:** Cartons of 500

**Product Size Guide:** Body Base:

26(L)x22(W)x6(D)mm Cable diameter: 2.5 mm Standard cable lengths: 250mm & 600mm length (custom lengths available upon request)



**Removal Method** Cable Cutters  
**Industry**  

### Flexigrip 325M Cable Seals

**SKU:** UVFL325M

3.25mm diameter cable seal, ISO17712 'H' High-Security & C-TPAT compliant for customs sealing.

- Custom-printing and two lengths (25cm & 100cm lengths) available from UK.

**Applications:** Railway cars, truck trailers, containers, international freight, valve lockout.

**Customisation Options:** Laser-print: Logos, barcodes, text, bespoke number ranges.

**Material:** Body: Aluminium alloy Locking mechanism: zinc alloy and steel Cable: non pre-formed galvanised aircraft cable.

**Useable Length:** 250mm, 1000mm, Custom

**Break strength:** 1193 KGF

**Security Level:** ISO17712 High Security

**Pack Size:** Cartons of 250

**Product Size Guide:** Body:

26(L)x26(W)x7.5(D)mm Cable diameter: 3.25 mm Standard cable lengths: 250mm & 1000mm length (custom lengths available upon request)



## ISO17712 Metal Cable Security Seals



**Removal Method** Cable Cutters

**Industry**  

### Flexigrip 500M Cable Seals

**SKU:** UVFL500M

Our strongest cable seal with 5mm diameter cable. ISO17712:2013 'H' High Security Seal.

- Our strongest cable seal with 5mm diameter cable

**Applications:** Railway cars, truck trailers, containers, international freight, valve lockout.

**Customisation Options:** Laser-print: Logos, barcodes, text, bespoke number ranges.

**Material:** Body: Aluminium alloy Locking mechanism: zinc alloy and steel Cable: non pre-formed galvanised aircraft cable.

**Useable Length:** 250mm, Custom


**Break strength:** 2035 KGF

**Security Level:** ISO17712 High-Security

**Pack Size:** Cartons of 100

**Product Size Guide:** Body Base:

30(L)x38(W)x10(D)mm Cable diameter: 5.0 mm Standard cable length: 250mm (custom lengths available upon request)



**Removal Method** Bolt Croppers

**Industry**  

### Flexi 500MD Double Lock

**SKU:** UVFL500MD

Our strongest 5mm cable seal, with double-locking arrangement. Steel material.

- Our strongest cable seal with 5mm diameter cable, with double-locking arrangement.

**Applications:** Railway cars, truck trailers, containers, international freight, valve lockout.

**Customisation Options:** Laser-print: Logos, barcodes, text, bespoke number ranges.

**Material:** Body: Aluminium alloy Locking mechanism: zinc alloy and steel Cable: non pre-formed galvanised aircraft cable.

**Useable Length:** 1000mm, Custom


**Break strength:** 2035 KGF

**Security Level:** ISO17712 High-Security

**Pack Size:** Cartons of 50

**Product Size Guide:** Body Base:

40(L)x48(W)x11(D)mm Cable diameter: 5.0 mm



**Removal Method** Cable Cutters

**Industry**  

### Plastic/Metal Flexigrip 100ZP

**SKU:** UVFL100ZP

Lightweight 1.5mm cable seal with metal inner body and ABS coating.

- Cable seal with metal inner construction and ABS coating.
- Available in extended body options, for long print requirements.

**Applications:** Bags, pouches, boxes, drums, airline trays, valve lockout.

**Customisation Options:** Laser-print: Logos, barcodes, text, bespoke number ranges.

**Material:** Body: ABS plastic Cable: non pre-formed galvanised aircraft cable, ABS Plastic, Zinc Alloy Body, Galvanised Steel Cable.


**Useable Length:** 250mm, Custom

**Break strength:** 240 KGF

**Security Level:** Indicative

**Pack Size:** Cartons of 500

## ISO17712 Metal Cable Security Seals



**✂ Removal Method** Cable Cutters

**Industry**  

### Plastic/Metal Flexigrip 180ZP

**SKU:** UVFL180ZP

High performance, strong 1.8mm cable ISO17712 security seal.

- Strong 380KgF tensile strength.
- Extended body to accommodate large printable area.

**Applications:** Bags, pouches, boxes, drums, airline trays, valve lockout.

**Customisation Options:** Laser-print: Logos, barcodes, text, bespoke number ranges.


**Material:** ABS Plastic, Zinc Alloy Body, Galvanised Steel Cable.

**Useable Length:** 250mm, Custom

**Break strength:** 380 KGF

**Security Level:** ISO17712 Security

**Pack Size:** Cartons of 500



**✂ Removal Method** Bolt Croppers

**Industry**  

### Plastic Flexigrip 500S Seals

**SKU:** UVFL500S

Heavy-duty plastic 5mm cable seal with 5mm diameter cable

- High-security cable seal
- Plastic encapsulation of markings for high tamper-evidence

**Applications:** Railway cars, truck trailers, containers, international freight, valve lockout.

**Customisation Options:** Laser-print: Logos, barcodes, text, bespoke number ranges.

**Material:** Body: ABS plastic Cable: non pre-formed galvanised aircraft cable.

**Product Size Guide:** Body Base: 52(L)x48(W)x18(D)mm Cable diameter 5.0 mm  
Standard cable length: 250mm.

**Useable Length:** 250mm, Custom

**Break strength:** 1730 KGF

**Security Level:** ISO17712 High-Security

**Pack Size:** Cartons of 100



**✂ Removal Method** Cable Cutters

**Industry**  

### StrapSecure Pallet Seal

**SKU:** UVSTRAP

Innovative seal for increased security of pallets in transit

- Fits all popular sizes of strapping (6-15mm wide)

**Applications:** Pallet and carton security, customs movements.

**Customisation Options:** Laser-print: Logos, barcodes, text, bespoke number ranges.

**Material:** Cable seal: ABS plastic and non pre-formed galvanised aircraft cable /  
Cross-plate: Aluminium.

**Product Size Guide:** Cable: 1.5mm diameter / 200mm length Plate (sealed): 37mm diameter.

**Useable Length:** 250mm, Custom

**Break strength:** 50 KGF

**Security Level:** Indicative

**Pack Size:** Cartons of 150

# Metal Strip Security Seals

Metal Strip Seals provide a strong security solution for many logistics and haulage applications. They are stronger than plastic indicative seals, having pulling strengths between 40 and 70 KgF, and require snips/cutters to remove. Their narrow thickness makes them suitable for use with TIR cables around curtain side of trucks and trailers.



## Sustainability

100% Recyclable

## Removal Method

Scissors

Industry 

## Globe Metal Strip Seals

**SKU:** UV006

Secure cargo protection for road and rail – ISO17712 'I' & Group 3 HMRC customs seal for trucks and trailers.

**Applications:** Freight Containers, Vehicle Doors, TIR Cables, Curtain Side Buckles, Enclosures of many kinds, Storage Bins, ID Tags, Sprinkler systems, Tractors & Trailers.

**Customisation Options:** Embossed: Company names and custom sequential number ranges. Custom Lengths. Full and part paint finishes.

**Material:** Tin Plate Steel


**Break strength:** 70 KGF

**Security Level:** Indicative

**Product Size Guide:** 216mm x 7.9mm x 0.03mm

**Useable Length:** 215mm

**Pack Size:** Carton of 1000



## Ball-end Metal Strip Seals

**SKU:** UV011N

Strong and cost-effective ball-end metal strip security seal, with 70KgF break strength.

- Rolled edge for safe handling.

**Applications:** Railcars, trucks and trailers, wagons, shipping containers.

**Customisation Options:** Embossed: Company names and custom sequential number ranges. Custom Lengths. Full and part paint finishes.

**Material:** Tin Plate Steel

**Useable Length:** 215mm

**Break strength:** 70 KGF

**Security Level:** Indicative

**Product Size Guide:** 215mm x 8mm x 0.03mm

**Pack Size:** Carton of 1000



## Sustainability

100% Recyclable

## Removal Method

Scissors

Industry 

## Metal Strip Security Seals



### Sustainability

100% Recyclable

### Removal Method

Scissors

**Industry** 

## Flat-end Metal Strip Seals

**SKU:** UV012N

Robust flat-end metal strip security seal, with 60KgF break strength.

- Rolled edge for safe handling.

**Applications:** Railcars, trucks and trailers, wagons, shipping containers.

**Customisation Options:** Embossed: Company names and custom sequential number ranges. Custom Lengths. Full and part paint finishes.

**Material:** Tin Plate Steel

**Useable Length:** 215mm

**Break strength:** 60 KGF

**Security Level:** Indicative

**Product Size Guide:** 217mm x 8mm x 0.03mm

**Pack Size:** Carton of 1000



### Sustainability

100% Recyclable

### Removal Method

Cable Cutters

**Industry** 

## StripLock Metal Seals

**SKU:** UV443

Combined plastic / metal strip security seal with high quality print flag.

- Strong fixed-length seal, with pull-apart strength of 50KgF

**Applications:** Railway cars, vehicle trailer doors, TIR cables, curtain side buckles, enclosures of many kinds.

**Customisation Options:** Laser or Thermal Transfer print: company logo, numbering, barcoding/numbering/data matrix.

**Material:** Polypropylene and steel


**Useable Length:** 200mm

**Break strength:** 50 KGF

**Security Level:** Indicative

**Product Size Guide:** Flag size: 80x20mm, Metal strip length: 200mm long x 9mm wide

**Pack Size:** Carton of 1000



All dimensions in mm.

# Padlock Seals

Padlock seals are a compact form of tamper-evident security seal, designed for smaller applications where space is limited. Common uses include key cabinets, airline trolleys, medical kits, and retail stockrooms. Once applied, these single-use seals provide visible proof of interference and cannot be reused. Available in both durable metal hasp seals (which require cutters to remove) and easy-break versions (ideal for emergency kits and NHS medical trolleys), they combine security with convenience. Their lightweight design and quick application make them especially suited for confined spaces such as cabinets, lockers, and toolboxes.



## ✂ Removal Method

Cable Cutters

Industry  

## Unipad S Padlock Seal

**SKU:** UVPADS

Plastic padlock security seal with metal hasp, suitable as key tag.

- Available in red or blue colour, with sequential numbering and writeable face.

**Applications:** Key holding, utility meters, airlines, hatches, tote boxes, drums, medical cabinets, cable signalisation, switches and valves.

**Customisation Options:** Laser-print: sequential numbering or barcode.; customer marking or logo also available.

**Material:** Polypropylene


**Product Size Guide:** Padlock body: 40x23mm

**Break strength:** 45 KGF

**Useable Length:** 20mm

**Security Level:** Indicative

**Pack Size:** Cartons of 1000



## ✂ Removal Method

Cable Cutters

Industry  

## Unipad C Padlock Seal

**SKU:** UVPADC

Padlock seal with clear core to verify integrity.

- Seal integrity can be monitored through clear window.

**Applications:** Key holding, utility meters, airlines, hatches, tote boxes, drums, medical cabinets, cable signalisation, switches and valves.

**Customisation Options:** Laser-print: numbers or barcodes, are encapsulated inside the clear acrylic material, making alteration or tampering impossible.

**Material:** Clear acrylic core - overmoulded polypropylene shell.


**Break strength:** 45 KGF

**Product Size Guide:** Width:

**Security Level:** Indicative

23.4mm Length: 76.7mm (total) / 36mm (hasp).

**Pack Size:** Cartons of 1000





## Padlock Seals

### Customisable Plastic/Metal Padlock Seals

**SKU:** UV530

Small space-saving padlock security seal, custom-printed to your needs.

- Custom printed for your requirements.

**Applications:** Aircraft carts, Drums, Hoppers, Medical Cabinets, Switches, Valves, Utility Meters, Key holding.

**Customisation Options:** Laser-print: alphanumeric characters, logos, barcoding.

**Material:** Polyacethale body and steel hook.

**Useable Length:** 20mm

**Break strength:** 40 KGF

**Security Level:** Indicative

**Pack Size:** Cartons of 1000


**Product Size Guide:**

Unlocked: 80.6 x 19 x 4.4mm

Locked: 64.8 x 19 x 4.4mm,

Sealed size: 75x22x5mm.

1mm hasp.



All dimensions in mm.



**Removal Method** Cable Cutters

**Industry**  

### Uniflex D Padlock Seals

**SKU:** UVFLEX

Versatile tamper-proof easy-break padlock seal / locking tag.

- Versatile single-use padlock seal for varied application on cases, containers and trays.

**Applications:** Utility meters, airlines, banks, hospitals, drums etc.

**Customisation Options:** Laser-print: sequential numbering, company name, logos are available.

**Material:** HDPE/polypropylene body and acetal locking, Polypropylene.


**Useable Length:** 31mm

**Break strength:** 7 KGF

**Security Level:** Indicative

**Pack Size:** Cartons of 1000

**Product Size Guide:** Width (when locked): 38mm 2.5mm shackle diameter.



**Sustainability**

100% Recyclable

**Removal Method**

Hand Removal

**Industry**  

## Padlock Seals

### UNI520 Padlock Seal

**SKU:** UV520

Cost-effective one-piece padlock seal, with easy one-handed application.

- Slimline design and construction.

**Applications:** Airline trolleys, medical / clinical trolleys and hospital cabinets, emergency kits. Also applications in food & drink and communication sectors.

**Customisation Options:** Text Print, Sequential numbering, Barcoding.

**Material:** Polypropylene

**Break strength:** 10 KGF

**Security Level:** Indicative

**Product Size Guide:** Body: 35x32mm /

Overall locked size: 45x35mm

**Pack Size:** Cartons of 1000


#### Sustainability

100% Recyclable

#### Removal Method

Hand Removal

**Industry**  



All dimensions in mm.

# Meter, Utility & Wire Security Seals

Our range of wire security seals are the most suitable seal for meter security – for use with electricity meters, gas meters, water meters and many other industrial meter applications. We supply many types – including our ferrules, flag ferrules, lead seals, plastic meter seals, Twister seals and anchor seals – each with their own unique benefits and uses in particular applications. Our connection locks can also be used in conjunction with our meter seals to prevent access to safety-critical valves and connectors.



## ✂ Removal Method

Scissors

Industry 

## Lead Seals

**SKU:** UVLD


Multi-purpose lead seals used in conjunction with sealing wire for industrial applications.

**Applications:** Gas meters, fuel meters, electric meters, taxi meters, telephone meter sealing, industrial valves.

**Material:** Lead

**Product Size Guide:** 10mm Diameter, 12.5mm Diameter.

**Pack Size:** Bags of 1000



Reference	Size (mm)	Type I	Type II
A	Diameter	10.0	12.5
B	Thickness	4.0	5.5
C	Hole width	2.5	3.2
D	Hole height	2.2	3.4
E	Chamber width	7.0	9.0



## ♻ Sustainability

100% Recyclable

## ✂ Removal Method

Scissors

Industry 

## Plastic Meter Seals

**SKU:** UVLD-PM10

Plastic meter seals, an alternative to lead seals.

- Less hazardous alternative to traditional lead meter seals.

**Applications:** Gas meters, fuel meters, electric meters, taxi meters, telephone meter sealing, industrial valves.

**Customisation Options:** 3 alphanumeric character embossing available via personalised crimping tool.

**Material:** Polypropylene

**Product Size Guide:** 10mm

**Security Level:** Indicative

**Pack Size:** Bags of 1000

## Meter, Utility & Wire Security Seals



Industry 

### Sealing Wire (Reel Format)

**SKU:** UVWR

Sealing wire for use with meter and wire seals, reel format.

- A range of sizes from 0.6 – 1.6mm available.
- Multi-purpose sealing wire for use with different seal types





**Applications:** Gas meters, fuel meters, electric meters, taxi meters, telephone meter sealing, industrial valves.

**Customisation Options:** Pre-cut lengths available, bagged in 100pcs. PVC coating available.

**Material:** Galvanised steel, stainless steel, copper, and PVC coating options, Galvanised Steel, Stainless Steel, Nylon/copper.

**Product Size Guide:** 0.6mm – 1.6mm diameters available Pre-Cut Lengths Spooled wire from 0.5kg

**Useable Length:** Custom

DESCRIPTION	DRAWING
Galvanised Steel 7 lines Ø0,66mm	 Ø0,66mm
Stainless Steel 7 lines Ø0,66mm	
Galvanised Steel 7 lines, PVC coated	 Ø0,90mm
Stainless Steel 7 lines, PVC coated	
Galvanised Steel 2 lines, Ø0,45mm+Ø0,25mm	 Ø0,90mm
Stainless Steel 2 lines, Ø0,45mm+Ø0,25mm	
Nylon/Copper 2 lines Ø0,50mm+Ø0,30mm	 Ø1,00mm

All dimensions in mm.

## Meter, Utility & Wire Security Seals



Industry 

### Sealing Wire (Pre-cut Lengths)

**SKU:** UVWR

Sealing wire in range of pre-cut lengths to suit your application.

- Supplied in pre-cut lengths.
- Multi-purpose sealing wire for use with different seal types.

**Applications:** Gas meters, fuel meters, electric meters, taxi meters, telephone meter sealing, industrial valves.

**Customisation Options:** Pre-cut lengths available, bagged in 100pcs. PVC coating available.

**Material:** Galvanised steel, stainless steel, copper, and PVC coating options, Galvanised Steel, Stainless Steel, Nylon/copper.

**Product Size Guide:** 0.6mm – 1.6mm diameters available Pre-Cut Lengths Spooled wire from 0.5kg.

**Useable Length:** Custom **Pack Size:** Bundles



Industry 

### Lead Seal Sealing Pliers

**SKU:** UVPLIER

For use in conjunction with lead seals or plastic meter seals to secure sealing wire.

- Effective and secure close of the 10mm lead seal or plastic meter seal.

**Applications:** Sealing of 10mm UVLD Lead Seals.

**Customisation Options:** 6 alphanumeric characters per side.

**Material:** Cast Carbon Steel and Chrome Plated.

**Product Size Guide:** Standard 200x4.8mm size.

**Pack Size:** 1 pair



Industry 

### Sealing Ferrules

**SKU:** UVFER


Cylindrical ferrules, for use with galvanised wire for sealing meters. Suitable for ComCoP use.

**Applications:** Gas meters, fuel meters, electric meters, taxi meters, telephone meter sealing, industrial valves.

**Material:** Ferrules: Annealed copper, tin-plated / Sealing Wire: Galvanised 7-strand steel wire, Annealed copper, tin-plated.

**Product Size Guide:** Ferrules: Length 6mm / 12mm option. Diameter: 4mm (outer) / 2.1mm (inner), Sealing Wire: Pre-Cut 15cm strands as standard (0.93mm outer diameter)

**Useable Length:** 150mm **Break strength:** 60 KGF **Pack Size:** Bags of 100




D	Ø4mm
d	Ø2.1mm
L	6 / 12mm

tolerance  $\pm 3\%$

Sealing Ferrule Dimensions



## Meter, Utility & Wire Security Seals



Industry  

### 6mm Flag Ferrules

**SKU:** UVFER-F6

Flag sealing ferrules, plain or with customised 2-character marking. Suitable for ComCoP use.

- 6mm length x 4.4mm diameter - with 9mm protruding flag.
- Flag allows for customised 2-character marking per side.

**Applications:** Gas meters, fuel meters, electric meters, taxi meters, telephone meter sealing, industrial valves.


**Customisation Options:** 2-character marking on protruding flag.

**Material:** Ferrules: Annealed copper, tin-plated / Sealing Wire: Galvanised 7-strand steel wire, Annealed copper, tin-plated.

**Product Size Guide:** Ferrules: Length 6mm / Diameter 4.4mm (outer diameter) Protruding flag 9.5mm.

**Break Strength:** 60 KGF

**Pack Size:** Bags of 100



Industry 

### ComCoP Ferrule Sealing Pliers

**SKU:** UVFER-PLC

Custom ferrule pliers for sealing of electricity meters (available to ComCoP signatories - previously MOCO PA)

**Applications:** Water, gas and electric meters (including MOCOPA use), taxi meters, telephone meter sealing, industrial valves.

**Material:** Steel sealing jaws, strong plastic handles.

**Product Size Guide:** 220mm overall length. Suitable for 6 and 12mm ferrules.

**Pack Size:** 1 pair

## Meter, Utility & Wire Security Seals



### Sustainability

100% Recyclable

### Removal Method

Cable Cutters

Industry 

## Twister Security Meter Seal

**SKU:** UV110

Tamper-evident meter seal for using with sealing wire, suitable for OAMI applications.

**Applications:** Gas meters, fuel meters, electric meters, taxi meters, telephone meter sealing, industrial valves.

**Customisation Options:** Laser-print: Laser-marked company logo and 8-digit consecutive numbering.

**Material:** Polypropylene

**Useable Length:** Custom


**Break strength:** 40 KGF

**Security Level:** Indicative

**Product Size Guide:** Body:

W23xH25xD19mm (UNI110 model).

**Pack Size:** Cartons of 1000



All dimensions in mm.



### Sustainability

100% Recyclable

### Removal Method

Cable Cutters

Industry 

## UNI120 Anchor Security Seal

**SKU:** UV120

Polycarbonate security seal, alternative to traditional lead seals.

• Simple-to-use alternative to traditional lead seals, applied without tools

**Applications:** Utility meter sealing, petroleum, taxis, telecommunications, postboxes, retail.

**Customisation Options:** Laser-print: company logos/names and 8 digit numbering on body.

**Material:** Polycarbonate body


**Break strength:** 30 KGF

**Security Level:** Indicative

**Product Size Guide:** Body size 22 x 18mm

**Useable Length:** Custom

**Pack Size:** Cartons of 1000



All dimensions in mm.

## Meter, Utility & Wire Security Seals



### Sustainability

100% Recyclable

### Removal Method

Cable Cutters

Industry 

## UNI125 Anchor Security Seal

**SKU:** UV125

Anchor seal with additional security features and pre-assembled sealing wire.

- Available with cut wire lengths pre-attached, for easy application.

**Applications:** Utility meter sealing, petroleum, taxis, telecommunications, postboxes, retail.

**Customisation Options:** Laser-print: company logos/names and 8 digit numbering on body.

**Material:** Polycarbonate body, polyacetal (POM) anchor and steel sealing wire.


**Useable Length:** Custom

**Break strength:** 30 KGF

**Security Level:** Indicative

**Product Size Guide:** 22x19mm (extended lengths: 31x23mm / XL: 31x32mm)

**Pack Size:** Cartons of 1000



## All in One Meter Seals

**SKU:** UVAMS

All-in-one meter seal for small apertures. Unique numbers moulded in high-relief make forgeries virtually impossible.

- All-in-one seal is easy to apply - no need for sealing wire or pliers.

**Applications:** Utility meter sealing, petroleum, taxis, telecommunications, postboxes, retail.

**Customisation Options:** Custom marking moulded in high-relief (MOQ's apply).

**Material:** Polypropylene

**Break strength:** 3 KGF

**Security Level:** Indicative

**Product Size Guide:** 54x8mm

**Useable Length:** 13cm

**Pack Size:** Cartons of 5000



### Sustainability

100% Recyclable


### Removal Method

Hand Removal

Industry 



## Meter, Utility & Wire Security Seals



### Sustainability

100% Recyclable

### Removal Method

Scissors

Industry 

## N, L & L1-L3 Electrical Cable Ties

**SKU:** UVZIP-20048

Printed electrical cable ties for identification of live and neutral wire cables.

- Printed electrical cable ties pre-marked for wide adoption in electrical applications.

**Applications:** Electrical meter, fuse box and other electrical installations in residential and industrial sectors.

**Material:** Nylon 66

**Useable Length:** 170mm

**Break Strength:** 22 KGF

**Product Size Guide:** Standard 200x4.8mm size.

**Pack Size:** Bags of 1000



Protecting Supply Chains Worldwide with  
**Trusted Security Seals and Tamper  
Evident Solutions** since 1992.

📍 **Universeal UK, 9 Portal Business Park,  
Eaton Lane, Tarporley, Cheshire, CW6 9DL**

🌐 **[www.universeal.co.uk](http://www.universeal.co.uk)**

✉ **[sales@universeal.co.uk](mailto:sales@universeal.co.uk)**

☎ **+44 (0) 1829 760000**