



Protecting Supply Chains
Worldwide with **Trusted Security**
Seals and Tamper Evident
Solutions since 1992.

Lockout Safety



Universal UK, 9 Portal Business Park,
Eaton Lane, Tarporley, Cheshire, CW6 9DL



www.universeal.co.uk

About us

Universéal UK is a manufacturer and distributor of a full range of anti-tamper / tamper-evident security seals and tamper-evident packaging.

Universéal UK Ltd. is part of the worldwide Universéal Group of Companies. We combine to offer a comprehensive, competitive and innovative range of security seals and tamper-evident packaging for all sectors of industry and commerce.

Our Company

With over 30 years' experience and thousands of satisfied customers, we pride ourselves in our friendly, knowledgeable approach. Whatever the security requirement, big or small we offer a fast, reliable service and second-to-none value for money products.

Universéal UK Ltd. is part of the worldwide Universéal Group of Companies; our partner networks extends across France, Ireland, South Africa, Australia, Canada, Japan, and USA. We combine to offer a comprehensive, competitive and innovative range of security seals and services for all sectors of industry and commerce.

Our Lockout Safety products are used to isolate valves, switches, control panels, electrical circuits, machinery and process lines, helping to prevent accidental start-up and protect maintenance personnel. Supporting customers across manufacturing, utilities, engineering, petro-chemical and many other sectors, we combine over 30 years' experience with practical, easy-to-use solutions that integrate into your lockout/tagout procedures. Whether the requirement is simple valve lockout or a complete multi-point isolation system, we provide clear advice, rapid supply and reliable products that represent excellent value for money.

Service

We are a small, friendly team who will go above and beyond to help our customers.

Our comprehensive product knowledge can help find the solution that fits your enquiry, be it large or small and we pride ourselves in our fast, efficient service.

We are here to support you, online, on the phone or in person!

Certification & Global Reach

The majority of our products are manufactured in ISO 9001 and ISO 14001 certified production facilities. Copies of certification are available upon request.

We have production facilities within the UK, Europe, North America and the Far East and sales teams within the UK, Europe and North America ready to support your requirements.

Table of Contents

Lockout Safety	3
Valve Lockout	4
Car Seals & Car Seal Tags	8
Safety Padlocks	10
Lockout Hasps	11
Lockout Tags	12
Lockout Kits & Stations	15

Lockout Safety



Lockout safety products assist in the deployment of workplace safety systems to prevent injury caused by the accidental release of energy running through machinery, equipment and other industrial systems. Such lockout devices, when deployed as part of appropriate lockout tagout procedures, ensure that dangerous energy sources present in industrial systems are isolated and rendered inoperative.

- VALVE LOCKOUT
- SAFETY PADLOCKS
- CAR SEALS & CAR SEAL TAGS

- LOCKOUT KITS & STATIONS
- LOCKOUT HASPS
- LOCKOUT TAGS

Industries

-  GOVERNMENT & CUSTOMS
  AIRLINES & AVIATION
  ASSET & INSPECTION
  HEALTHCARE
  TRANSPORT & LOGISTICS
  FOOD & PHARMACEUTICAL
-  INDUSTRIAL & MANUFACTURING
  CASH & VALUABLES HANDLING
  RETAIL & HOSPITALITY
  UTILITIES & ENERGY
  WASTE COLLECTION



Valve Lockout

Valve lockout devices enable the secure operation of mechanical valves by preventing the accidental actuation of equipment. Lockout devices are therefore crucial for safe inspection and maintenance operations in industrial settings. Our mechanical lockout devices are designed to suit all configurations of valve, including lockout of quarter-turn ball valves, 3,4,5-way valves, gate valves and butterfly valves. Reusable cable lockout devices such as our CB03 and CB01 models are particularly popular as flexible and adjustable length solutions for lockout of complicated / group apparatus. We also offer single-use car seals for the lockout of safety valves, popular in oil and gas sectors.



Industry 

CB01 Cable Lockout

SKU: UVLOC-CB01-6

Valve lockout device with 4mm or 6mm cable.

- Available in full traffic light colour coding – red, yellow and green.
- Customisable write-on panels can be used repeatedly.

Applications: Lockout of many types of industrial valve (such as gate valves), handles and other large devices and equipment.

Customisation Options: Custom length cables to suit your requirements.

Product Size Guide: 4mm and 6mm diameter options available (model CB01-4 & CB01-6)

Material: Industrial resin body / insulation coated stainless steel cable (PVC free)

Features: Upto 4 lockout padlocks can be used in the device body for multiple lockout applications. CB01 features highly visible, re-usable, write-on safety labels.

Available Colours: Red as standard – bespoke colours on request, including yellow and green for traffic light colour coding.



Industry 

CB03 Cable Lockout

SKU: UVLOC-CB03-R

Cable valve lockout device with 4mm diameter insulated wire. Red, green and yellow colours as standard.

- Flexible, adjustable and reusable cable lockout device for valves.

Applications: All varieties of isolation points, including gate valves, "T" valve handles, electrical disconnects, and much more.

Product Size Guide: 4mm diameter cable, with loop end. 2metre length as standard- custom lengths available on request.

Material: Industrial durable nylon with insulation-coated stainless steel rope.

Features: Up to 8 lockout padlocks can be used in the device body for multiple lockout applications.

Available Colours: Red as standard – bespoke colours on request, including yellow and green for traffic light colour coding.

Valve Lockout



Industry  

Clamshell Gate Valve Lockouts

SKU: UVLOC-SGVL

Clamshell lockout for gate valves, available in 6 sizes.

- Simple and easy design and use.


Applications: Lockout gate valves across industrial sectors.

Product Size Guide: 6 sizes to accommodate valve handles 2.5cm-45cm in diameter.

Material: Durable Polypropylene

Features:

Available Colours: Red as standard - other colours available upon request.



Part NO.	A	B	C
SGVL01	80	30	20
SGVL02	142	37	45
SGVL03	184	44	63
SGVL04	280	67	89
SGVL05	364	67	105



Industry  

Ball Valve Lockout

SKU: UVLOC-ABVL

Simple to use ball valve lockout device, available in two sizes.

- Suitable for pipes from 12mm to 200mm in diameter.
- Used with together with padlocks/seals for effective lockout.

Applications: Lockout of ball valve handles.

Product Size Guide: Available in two sizes: ABVL01 to suit pipes 12mm-63mm diameter / ABVL02 to suit pipes 50-200mm.

Material: Durable ABS, crack resistant

Features: Simple to use, hard-wearing product, fully encompassing ball valve. Available in a range of colours as required (custom - MOQ's may apply).

Available Colours: Red as standard - bespoke colours on request.



Industry  

Universal Valve Lockouts

SKU: UVLOC-UVL

For lockout of gate, butterfly, quarter-turn & 3, 4, 5-way valves.

- Modular design ensures flexible lockout design.

Applications: Lockout of quarter-turn, butterfly, gate, large levers and other mechanical valve configurations.






Product Size Guide: Max handle width 40mm (handle max thickness 28mm). Please see overleaf for further information on all configurations.

Material: Industrial grade steel and nylon

Available Colours: Red as standard - other colours available upon request

Valve Lockout

Universal Valve Lockouts

Part No.	Illustration	Description
UVL01		With 1 arm -For quarter-turn ball valves
UVL02		With 2 arm - For 3, 4 or 5-way valves, or to lock valves in the "on", "off", or "throttled" position.
UVL03		With coated cable - Using cable attachment for gate valves
UVL04		Base Clamp only - For butterfly valves
UVL05		With 1 arm & coated cable - Universal valve lockout for most valves

Valve Lockout

UniTite 414 Security Seals

SKU: UV414

Pull-through metal-insert seal with 2mm tail, available in two sizes.

- Flexible and versatile use in logistics and retail.
- Integrated metal insert for higher tamper-resistance.

Applications: Enclosures: tote boxes, election boxes and trolleys, secure transportation, laboratory equipment, fuel / tanker valves.

Customisation Options: Laser, thermal transfer or pad print: Printed text, logos, sequential numbers, barcodes/QR codes and white write-on surfaces.

Material: Polypropylene

Useable Length: 330, 230mm



Break strength: 15 KGF

Security Level: Indicative

Product Size Guide: 420mm (overall length), 320mm (overall length)

Pack Size: Carton of 1000

Colour:



All dimensions in mm.


Sustainability

100% Recyclable | Biodegradable | 30% Recycled Material

Removal Method

Scissors

Industry



Industry

Valve Lockout Connectors

SKU: UVCOLO

Ideal lockout solution for industrial valves and connectors.

- Affordable valve lockout solution.

Applications: All industrial applications - including brewery, food manufacture, water processing.

Product Size Guide: Sizes for popular connection fittings: DN20 size (20mm or 3/4") DN25 (25mm or 1") DN40 (40mm or 1 1/2")

Material: Polycarbonate

Features: Simple to use, hard-wearing product, fully encompassing ball valve. Available in a range of colours as required (custom - MOQ's may apply).

Colour:

Valve Lockout Kit

SKU: UVLOC-LG06

Large nylon lockout kit bag with range of valve lockout devices in one kit.

- Complete range of popular lockout items in one kit.

Features: Safety padlock (P38S - 2pcs) / Laminated padlocks (LP01 & LP05 - 1pc) / Lockout hasps (SH01 & SH02 - 1pc) / Gate valve lockouts (SGVL01/02/03 - 1pc) / Adjustable gate valve lockout (AGVL01 - 1pc) / Adjustable ball valve lockout (ABVL01 - 1pc) / Air source lockout (AS04 - 1pc) / Cable lockout (CB01-6 - 1pc)

Pack Size: Individuals Kits



Industry

Car Seals & Car Seal Tags

Universeal Flexigrip car seals for lockout of valves are strong, single-use security devices which effectively lock safety valves in place. Car seals perform well as single-use lockout devices to seal a valve in the open or closed position, typically for long durations – for example, to permanently secure a sprinkler system valve. We hold a variety of 2.5mm, 3.25mm and 5mm diameter car seals in UK stocks, with long cable lengths for lockout of valves in large-scale operations. We also supply car seal tags for write-on lockout information, as well as lightweight & indicative plastic security seals for locking valves in position.



✂ Removal Method

Cable Cutters

Industry 

3.25mm x 1metre Car Seals

SKU: UVFL325M-1000-G (Green) | UVFL325M-1000-R (Red)

Green 'open' car seal with 1m length cable for valve lockout.

- Features an extra-long 1 metre cable length to valve lockout applications.

Applications: All types of valve lockout, including sprinkler systems, pressure safety valves, gate valves, etc.

Customisation Options: Laser-print: Logos, barcodes, text, bespoke number ranges.

Material: Body: Aluminium alloy Locking mechanism: zinc alloy and steel Cable: non pre-formed galvanised aircraft cable.

Useable Length: 1000mm

Break strength: 1193 KGF

Security Level: ISO17712 Security

Pack Size: Cartons of 200

Product Size Guide: Body: 26(L) x 26(W) x 7.5(D)mm / Cable diameter: 3.25 mm x 1 metre length (longer custom lengths available)

Colour: Red  Green 



✂ Removal Method

Cable Cutters

Industry 

2.5mm diameter x 60cm Car Seal, Blue

SKU: UVFL250M-600-BL

Flexible car seal for valve lockout, with 60cm cable.

- Features a 60cm cable length for many valve lockout applications.

Applications: All types of valve lockout, including sprinkler systems, pressure safety valves, gate valves, etc.

Customisation Options: Laser-print: Logos, barcodes, text, bespoke number ranges.

Material: Body: Aluminium alloy Locking mechanism: zinc alloy and steel Cable: non pre-formed galvanised aircraft cable.

Useable Length: 600mm

Break strength: 600 KGF

Security Level: ISO17712 Security

Pack Size: Cartons of 500

Product Size Guide: Body Base: 26(L)x22(W)x6(D)mm Cable diameter: 2.5 mm Standard cable lengths: 600mm length (custom lengths available upon request)

Car Seals & Car Seal Tags



Industry 

Write-On Car Seal Tags, Red/Green

SKU: UVLOC-LTCS

Write-on tags used in conjunction with car seals, in red 'closed' or green 'open' status.

- 100x50mm weatherproof tag with space for handwritten notes.

Applications: Used in conjunction with all lockout equipment, to convey key safety information.


Customisation Options: Full customised service available for bespoke printed information.

Material: PE film

Product Size Guide: 100x50mm

Pack Size: Packs of 100

Colour: Green Red



Sustainability

100% Recyclable | Biodegradable | 30% Recycled Material

Industry 

UniTite 414 Security Seals

SKU: UV414

Pull-through metal-insert seal with 2mm tail, available in two sizes.

Applications: Enclosures: tote boxes, election boxes and trolleys, secure transportation, laboratory equipment, fuel / tanker valves.

Customisation Options: Laser, thermal transfer or pad print: Printed text, logos, sequential numbers, barcodes/QR codes and white write-on surfaces.


Material: Polypropylene

Useable Length: 330, 230mm

Break strength: 15 KGF


Security Level: Indicative

Colour:



Product Size Guide: 420mm (overall length), 320mm (overall length)

Pack Size: Carton of 1000



All dimensions in mm.



Industry 

Safety Warning Tag - Equipment Locked Out

SKU: UVLOC-LT01

Re-writable safety warning tag - Equipment Locked Out

- Durable PVC tag, available in standard and custom versions

Applications: Used in conjunction with all lockout equipment, to convey key safety information.

Customisation Options: Full customised service available for bespoke printed information.

Product Size Guide: 75x146mm

Material: PVC tag

Pack Size: Packs of 20

Safety Padlocks

Safety Lockout Padlocks are an integral part of safety, audit and control of valves, pipes, access points and many more applications in the chemical, electrical and automotive industries, available in steel and nylon hasps, and many colour options.



Industry

38mm / 76mm Plastic Shackle Padlock

SKU: UVLOC-P38P (38mm) | UVLOC-P76P (76mm)

Safety padlock with nylon body and plastic shackle.

- All plastic, non-conductive construction.

Applications: Widely used in chemical, electrical and automotive industries.

Product Size Guide: Shackle Length: 38mm / 76mm

Material: Reinforced nylon body & plastic shackle, 6mm diameter.

Features: Warning signs on reverse of padlocks can be re-written with re-writeable pen. Key retaining feature (when shackle is open, key cannot be removed).

Colour: Red Green Blue Yellow Orange Black
Red White Purple



Industry

38mm Steel Shackle Padlock

SKU: UVLOC-P38S

Safety padlock with nylon body and steel shackle.

- High Security 12 pin cylinder lock, up to 50,000pcs Keyed Different locking mechanisms.

Applications: Widely used in chemical, electrical and automotive industries.

Product Size Guide: Shackle Length: 38mm

Material: Reinforced nylon body & triple-coated hardened steel shackle, 6mm diameter.

Features: Warning signs on reverse of padlocks can be re-written with re-writeable pen. Key retaining feature (when shackle is open, key cannot be removed).

Colour: Red Green Blue Yellow Orange Black
Red White Purple



Industry

76mm Steel Shackle Padlock

SKU: UVLOC-P76S

Safety padlock with nylon body and steel shackle.

- High Security 12 pin cylinder lock, up to 50,000pcs Keyed Different locking mechanisms.

Applications: Widely used in chemical, electrical and automotive industries.

Product Size Guide: Shackle Length: 76mm

Material: Reinforced nylon body & triple-coated hardened steel shackle, 6mm diameter.

Features: Warning signs on reverse of padlocks can be re-written with re-writeable pen. Key retaining feature (when shackle is open, key cannot be removed).

Colour: Red Green Blue Yellow Orange Black
Red White Purple

Lockout Hasps

Lockout Hasps allow for the safe isolation of switches and valves by multiple users – hasps can only be opened once all lockout positions are cleared. Hasps are used in conjunction with seals or padlocks for effective lockout to ensure removal of device only with full authorisation of organisation, once maintenance has been undertaken.



Industry 

Steel Lockout Hasps

SKU: UVLOC-SH01

Safety Lockout Hasps for isolation of equipment, machinery and pipework.

- Lockout of energy source with multiple safety padlocks.

Applications: Widely used in chemical, electrical and automotive industries – allows multiple padlocks to be used when isolating an energy source.

Product Size Guide: 1" (25mm) or 1.5" (38mm) sizes available

Material: Steel with red plastic or vinyl coated body

Features: Strong steel hasp and plastic lockout handle, with 6 positions for lockout with safety padlocks. Available also with incorporated wrap hook on steel hasp, to prevent possibility of hasp being removed by force.

Colour: Red as standard – other colours available upon request.



Industry 

NH01 Nylon Lockout Hasps

SKU: UVLOC-NH01

Safety Lockout hasp manufactured from non-conductive nylon.

- Manufactured from non-conductive nylon.

Applications: Widely used in the electricity industry – allows multiple padlocks to be used when isolating a single energy source.

Product Size Guide: Shackle Diameter: 4x6mm, Overall size: 43mm*173mm.

Material: Non-conductive nylon

Customisation Options: Custom colours available – also custom label requirements for bespoke operator instructions available.

Colour: Red as standard – other colours available upon request.



Industry 

NH04/05 Nylon Lockout Hasps

SKU: UVLOC-NH05

Safety Lockout hasp in nylon, with 3mm or 6mm diameter.

- Manufactured from non-conductive nylon.

Applications: Widely used in the electricity industry – allows multiple padlocks to be used when isolating a single energy source.

Product Size Guide: Shackle Diameter: 3mm or 6mm, Overall size: 61mm*107mm.

Material: Non-conductive nylon

Customisation Options: Custom colours available – also custom label requirements for bespoke operator instructions available.

Features: Instruction and warning signs on reverse of hasps can be re-written with re-writeable pen (certain models only). Available in 5 models.

Colour: Yellow as standard – other colours available upon request.

Lockout Tags

We hold a range of Do Not Operate Tags for lockout applications, providing name, department and date fields for completion by authorised users. Bespoke tags available upon request.



Industry

Safety Warning Tag - Equipment Locked Out

SKU: UVLOC-LT01

Re-writable safety warning tag - Equipment Locked Out

- Durable PVC tag, available in standard and custom versions

Applications: Used in conjunction with all lockout equipment, to convey key safety information.

Customisation Options: Full customised service available for bespoke printed information.

Product Size Guide: 75x146mm

Material: PVC tag

Pack Size: Packs of 20



Industry

Safety Warning Tag - Do Not Operate

SKU: UVLOC-LT02

Re-writable safety warning tag - Do Not Operate.

- Durable PVC tag, available in standard and custom versions.

Applications: Used in conjunction with all lockout equipment, to convey key safety information.

Customisation Options: Full customised service available for bespoke printed information.

Product Size Guide: 75x146mm

Material: PVC tag



Industry

200 micron Plastic InspectaTags

SKU: UVTAG200

Bespoke 200 micron equipment inspection and industrial tags.

- Fully-customisable and economical, 200 micron swing tag.
- Available in 6 colours as standard, perfect to equipment inspection.

Applications: Industrial tagging, including use as identification, warning and inspection tags for equipment, machinery, safety gear, etc.

Customisation Options: Custom sizes, die-cut shapes, optional eyelets or brass-reinforced eyelets. Text prints, numbering, barcoding, artwork (upto 4-colour print)

Product Size Guide: Fully customisable sizes - also available in standard self-tie sizes: 64x280mm, 54x220mm, 25x125mm.

Material: 200mic|200gsm clay coated tough plastic. Water resistant, oil resistant, tear resistant, temperature resistant and easy to write material, PET.

Colour: Red Green Blue Yellow Orange Pink

Lockout Tags

200mic Multi-part InspectaTags

SKU: UVTAG500-GCT

Bespoke multi-part tags for flange inspection and joint integrity tagging applications.

Applications: Flange inspection tags, suitable for use in oil & gas and offshore industries, and all manner of multiple stage inspection and lockout regimes.

Customisation Options: Custom sizes, die-cut shapes, optional eyelets or brass-reinforced eyelets. Text prints, numbering, barcoding, artwork (upto 5-colour print)

Product Size Guide: Fully-customisable. As standard, 120x75mm tag with multiple 45mm tear-off sections.

Material: As standard, 200 mic PET plastic material, or extra-durable 0.5mm polypropylene material. Water-resistant, oil-resistant, tear-resistant, temperature-resistant and easy-to-write material.



Industry

500mic Durable InspectaTags

SKU: UVTAG500

500mic durable polypropylene inspection tags, screen-printed for all-weather outdoor use.


- Suitable for use in oil & gas, chemical and other industrial sectors.

Applications: Industrial tagging, including use as identification, warning and inspection tags for equipment, machinery, safety gear, etc.

Customisation Options: Please contact us to discuss your customisation requirements.

Product Size Guide: Fully customisable sizes available

Material: Polypropylene



Sustainability
100% Recyclable

Industry

500mic Multi-part InspectaTags

SKU: UVMPTAG500

500mic durable multi-part flange / joint-integrity inspection tags, screen-printed.



- Customised durable 500mic tag with multiple tear-off section.

Applications: Inspection and maintenance operations tag for flanges, joints, valves, other pipeline, equipment and machinery.

Customisation Options: Please contact us to discuss your customisation requirements.

Product Size Guide: Fully customisable sizes available

Material: Polypropylene



Industry

Lockout Tags



Sustainability
100% Recyclable

Industry

Durable Gas Cylinder Tank Tags

SKU: UVTAG500-GCT

500mic durable tags for status identification of gas cylinder tanks.

- Durable 500mic polypropylene inspection tag with permanent screen-print.


Applications: Gas cylinder tank tags, other sealed industrial enclosures which require status identification.

Customisation Options: Please contact us to discuss your customisation requirements.

Product Size Guide: As standard, 210x70mm tag, with 2x perforated tabs. Fully customisable sizes also available.

Material: Polypropylene

Pack Size: Singles



Industry

Engraved 3mm Laminate Tags

SKU: UVTAG3

3mm engraved laminate industrial tags for most durable tag solution.

Applications: Industrial tagging, including identification of machinery and equipment, fixtures and fittings.

Customisation Options: Different colours available for colour-coding. Many different shapes and sizes available. Please contact us to discuss your custom print requirements.

Product Size Guide: Fully customisable sizes available

Material: 3mm laminate



Please enquire for other colours.

Lockout Kits & Stations

Lockout kits provide a convenient way for operatives to access or carry a range of popular lockout devices, such as safety padlocks, lockout hasps, clamshell lockouts and cable valve lockouts. This enables engineers to always have the right tools at their disposal to effectively and safely lockout devices as required. Kits come in various configurations – please contact us for more information about all ranges available.



Industry 

Valve Lockout Kit

SKU: UVLOC-LG06

Large nylon lockout kit bag with range of valve lockout devices in one kit.

- Complete range of popular lockout items in one kit.

Features: Safety padlock (P38S – 2pcs) / Laminated padlocks (LP01 & LP05 – 1pc) / Lockout hasps (SH01 & SH02 – 1pc) / Gate valve lockouts (SGVL01/02/03 – 1pc) / Adjustable gate valve lockout (AGVL01 – 1pc) / Adjustable ball valve lockout (ABVL01 – 1pc) / Air source lockout (AS04 – 1pc) / Cable lockout (CB01-6 – 1pc)

Pack Size: Individuals Kits



Protecting Supply Chains Worldwide with
**Trusted Security Seals and Tamper
Evident Solutions** since 1992.

📍 **Universeal UK, 9 Portal Business Park,
Eaton Lane, Tarporley, Cheshire, CW6 9DL**

🌐 **www.universeal.co.uk**

✉ **sales@universeal.co.uk**

☎ **+44 (0) 1829 760000**