

YEOMAN SHIELD

WALL & DOOR PROTECTION

THE COMPLETE PROTECTION SERVICE



INDEX


- PROTECTION RAILS 3 - 6
- HANDRAILS 7 - 10
- BED HEAD PROTECTION 11 - 14

- WALL PROTECTION 15 - 18
- DOOR PROTECTION 19 - 22
- HEAVY DUTY PROTECTION 23 - 26

- INSTALLATION 27 - 30
- FIRE DOOR SERVICES 31 - 34
- COLOUR INFORMATION 35 - 37

Ellipse Protection Rail

The Yeoman Shield Ellipse Protection Rail is designed to safeguard walls in busy environments such as hospitals and schools. Its curved, modern profile effectively absorbs impact, reduces maintenance costs and enhances interiors with a sleek, durable and easy-to-clean finish.





Scan the QR code for a comprehensive Data Sheet.



200, 125 & 75 Protection Rail

Yeoman Shield Protection Rails are designed for high-traffic environments like hospitals, schools and public buildings. They absorb impact, prevent damage, reduce maintenance and offer a stylish, hygienic solution with 3 different sizes and a wide choice of available colours. A stand-off version is also available as a handrail.




Scan the QR code for a comprehensive Data Sheet.





Shield Ultra 60 Rail

The Yeoman Shield Ultra 60 Protection Rail is a robust wall guard designed for high-traffic environments like hospitals and schools. Its 60 mm projection and angled profile absorb impacts, preventing wall damage from beds, trolleys and equipment it offers long-lasting, low-maintenance protection.



Three way impact reaction




Scan the QR code for a comprehensive Data Sheet.



Rub Rail

The Yeoman Shield Rub Rail is a compact yet robust wall and door protection solution, ideal for service corridors and as additional protection to door faces. Constructed with a continuous PVCu backing track and durable rubber accessories, it ensures long-lasting performance.




Scan the QR code for a comprehensive Data Sheet.



Guardian Handrail

The Yeoman Shield Guardian Handrail is designed for high-traffic environments like hospitals and care homes. It offers ergonomic support while protecting walls from impact damage. The handrail meets DDA requirements, is hygienic, easy to clean, durable and available in a wide range of colours.




Scan the QR code for a comprehensive Data Sheet.




Contour Hand/Crash Rail

The Yeoman Shield Contour Hand/Crash Rail combines ergonomic hand support with robust wall protection, ideal for healthcare and public buildings. Its hygienic PVCu surface is easy to clean and available in a wide choice of colours.




Scan the QR code for a comprehensive Data Sheet.



Oval 45mm Handrail

The Yeoman Shield Oval 45mm Handrail offers ergonomic support and wall protection in high-traffic areas such as hospitals and care homes. Its PVCu surface ensures hygiene and easy cleaning, while the durable construction resists impact damage. Available in various colours, it complements interior designs and meets DDA requirements for accessibility.




Scan the QR code for a comprehensive Data Sheet.



Oval Twin Handrail



The Yeoman Shield Twin Handrail combines a 45 mm diameter Oval handrail with a lower PVCu 200 mm or 125 mm protection rail, offering both support and wall protection in high-traffic environments like hospitals and care facilities. Available in various colours, it complements interior designs and its dual-component design enhances durability.



Scan the QR code for a comprehensive Data Sheet.





Guardian Bed Head Protectors

Standard Spacer

The Yeoman Shield Guardian Bed Head Protectors offer robust wall protection in healthcare settings, preventing damage from beds and equipment. Usually fixed vertically in pairs and manufactured from extruded PVCu, they offer a hygienic stippled finish and are available in a wide choice of colours.

Dumbbell Spacer



A: Available in 750 (illustrated), 900 or 1200 mm. lengths




Scan the QR code for a comprehensive Data Sheet.



125, 200mm Bed Head Protectors

The Yeoman Shield 125mm Bed Head Protector is designed to prevent damage from hospital beds and equipment. Usually fixed vertically in pairs they can be mounted flat to wall or on spacers to protect medical services. Constructed from extruded PVCu they offer a stippled finish and are available in a wide choice of colours.

[Back to Wall](#)



A: Available in 750 (illustrated), 900 or 1200 mm. lengths


Scan the QR code for a comprehensive Data Sheet.



Ultra Bed Head Protectors

The Yeoman Shield Ultra Bed Head Protectors are designed to safeguard walls in healthcare settings from beds and equipment. Usually fixed vertically in pairs they can be mounted flat to wall or on spacers to protect medical services. Constructed from extruded PVCu they offer a stippled finish and are available in a wide choice of colours.


[Back to Wall](#)



Ellipse Bed Head Protectors

The Yeoman Shield Ellipse Bed Head Protectors are the latest in our family of products designed to safeguard walls in healthcare settings from beds and equipment. Usually fixed vertically in pairs they can be mounted flat to wall or on spacers to protect medical services. Constructed from extruded PVCu they offer a stippled finish and are available in a wide choice of colours.

Back to Wall



A: Available in 750 (illustrated), 900 or 1200 mm. length

Scan the QR code for a comprehensive Data Sheet.



Textured Wall Panels

Yeoman Shield Textured Wall Panels offer durable, impact-resistant protection ideal for healthcare, education, retail and commercial spaces. Easy to clean and maintain, they enhance aesthetics while reducing repair costs—perfect for high-traffic environments demanding hygiene, safety and long-lasting performance.



**PVCu full sheet
(Panel Only)**
1250 x 2500 mm (All colours)
1000 x 2500 mm (**Limited colours**)

**PVCU wall protection panels
(Cut & Rout Top Edge)**
1250 x 2500 mm (All colours)

**PVCU wall protection panels
(All Edges Routed)**
1000 x 2500 mm
620 x 2500 mm
410 x 2500 mm

Panels can be cut to specific dimensions. Please speak to our Sales Office for more information.

Scan the QR code for a comprehensive Data Sheet.



Wall Cladding

Yeoman Shield Smooth Wall Panels deliver sleek, hygienic protection for healthcare, education, and commercial interiors. Their easy-clean surface resists impact and moisture, reducing maintenance costs while enhancing cleanliness and appearance—ideal for environments requiring durability, infection control, and a modern finish.



**PVCu full sheet
(PanelOnly)**

1220 x 2440 mm
1220 x 3050 mm

**PVCu cladding panels
(Cut & Rout Top Edge)**

1220 x 2440 mm

**PVCu cladding panels
(All Edges Routed)**




1220 x 2440 mm

Scan the QR code for a
comprehensive Data Sheet.



Corner Protection Angles

Yeoman Shield Corner Protection Angles—Standard and Ultra—plus Trims, safeguard vulnerable edges in hospitals, schools, retail and public buildings. Designed for durability and aesthetics, they prevent damage, reduce maintenance and maintain interior finishes in high-traffic, impact-prone environments.





Scan the QR code for a comprehensive Data Sheet.



Protection Strip

Yeoman Shield Protection Strips provide robust, impact-resistant wall defence for healthcare, education, retail and commercial spaces. Ideal for high-traffic areas, they prevent scuffs and damage, reduce maintenance costs and preserve interior aesthetics with a practical, long-lasting and easy-to-clean solution.



- 75 mm
- 125 mm
- 150 mm
- 200 mm
- 250 mm
- 300 mm



Scan the QR code for a comprehensive Data Sheet.



Textured Door Panels & Plates

Yeoman Shield Textured Door Protection Panels and Plates safeguard doors in hospitals, schools, retail and commercial settings. Durable and impact-resistant, they reduce wear, maintenance costs, and downtime while enhancing appearance—ideal for busy environments demanding long-lasting, hygienic surface protection.



PVCu door protection panels

- 1250 x 1250 x 2.0 mm
- 1250 x 830 x 2.0 mm
- 1250 x 620 x 2.0 mm
- 1250 x 495 x 2.0 mm
- 625 x 830 x 2.0 mm
- 625 x 620 x 2.0 mm

PVCu push/kick plates

- 310 x 1250 x 2.0 mm
- 310 x 830 x 2.0 mm
- 310 x 620 x 2.0 mm
- 250 x 830 x 2.0 mm
- 250 x 620 x 2.0 mm
- 200 x 1250 x 2.0 mm
- 200 x 830 x 2.0 mm
- 200 x 620 x 2.0 mm





Panels can be cut to specific dimensions. Please speak to our Sales Office for more information.

Scan the QR code for a comprehensive Data Sheet.



Door Edge Protectors

Yeoman Shield Door Edge Protectors defend vulnerable door edges in hospitals, schools, commercial, and public buildings. Preventing chips and splinters, they extend door life, reduce maintenance, and enhance safety—ideal for high-traffic areas requiring durable, hygienic and cost-effective protection.




Scan the QR code for a comprehensive Data Sheet.



Door Frame Protection

Yeoman Shield Door Frame Protection offers durable, impact-resistant solutions for hospitals, schools, retail and commercial buildings. Designed to prevent chips, dents and wear, it reduces maintenance costs and preserves aesthetics—ideal for busy environments requiring long-lasting, hygienic surface protection.



Extruded Architrave **internal** sizes:

Square/Radius
15 x 45 x 15 mm
supplied in 2.3 m lengths

Radius/Radius
18 x 45 x 18 mm
supplied in 2.3 m lengths

Square/Splayed
15 x 23 x 22 x 10 mm
supplied in 2.3 m lengths

Stop Lath **internal** sizes:

Softwood FD30 (1/2 Hr)
18 x 45 x 18 mm
supplied in 2.3 m lengths

Hardwood FD60 (1 Hr)
18 x 45 x 18 mm
supplied in 2.3 m lengths



Post Formed Frame protection also available. Please speak to our Sales Office for more information.

Scan the QR code for a comprehensive Data Sheet.



Glazing Bead and Clapping Lath

Yeoman Shield Glazing Bead provides robust, hygienic protection for glazed openings in healthcare, education and commercial settings. Designed to prevent damage and enhance durability, they offer a neat, safe finish ideal for high-traffic, safety-conscious environment.



Scan the QR code for a comprehensive Data Sheet.



Clapping Lath




Scan the QR code for a comprehensive Data Sheet.



Rubber Protection

Yeoman Shield Rubber Protection offers a range of durable, high-performance solutions designed to safeguard surfaces from damage and wear. Ideal for high traffic areas in industrial and commercial sectors, it provides long-lasting protection, reducing maintenance costs and extending asset life



Mini E-Fender
75 x 18 mm
supplied in 3.5 m lengths

Duo-Fender
60 x 30 mm
supplied in 3.5 m lengths

Mini Duo-Fender
30 x 30 mm
supplied in 3.5 m lengths


Midi-Fender
60 x 30 mm
supplied in 3.5 m lengths

Scan the QR code for a comprehensive Data Sheet.



Chequer Plate and Stainless Steel Angles

Yeoman Shield Chequer Plates and Stainless Steel Angles offer solutions for heavy-duty environments. Perfect for manufacturing and distribution industries, they enhance safety, durability, and protection. Reduce maintenance costs while ensuring long-lasting performance in demanding settings.



Scan the QR code for a comprehensive Data Sheet.



Stainless Steel 90° Corner Angle
1.5 mm thick

Chequer Plate 90° Corner Angle
2.0 mm thick

Chequer Plate Wall Panels
2.0 mm thick
Full Sheet 1250 x 2500 mm

Scan the QR code for a comprehensive Data Sheet.



Footrails

Yeoman Shield Stainless Steel Footrails provide strength and corrosion resistance, offering lasting protection in high-traffic areas. Ideal for hospitality, retail, and industrial sectors, they improve safety, reduce maintenance, and maintain a sleek, professional appearance in any environment.



50 mm dia Footrail
3.0 m Lengths

For Floor Brackets and Accesories
please refer to our Sales Office.




Scan the QR code for a
comprehensive Data Sheet.



Bollards

Yeoman Shield Bollards offer robust protection against vehicle impact, such as forklift trucks and trolley's and are ideal for high-traffic areas. Perfect for retail, commercial, and public sectors, they enhance safety, reduce damage risks, and provide long-lasting durability in demanding environments.



Scan the QR code for a comprehensive Data Sheet.



Installation Service

Yeoman Shield offers a professional in-house installation service for its extensive range of wall and door protection products. Their fully trained installation teams ensure that each project is completed efficiently, with minimal disruption to the client's operations. Whether for hospitals, schools, or commercial buildings, Yeoman Shield installations are carried out to the highest standards, meeting health and safety requirements. The service includes site surveys, product fitting, and aftercare support. With years of experience, Yeoman Shield guarantees durable, high-quality finishes that extend the life of interiors and reduce long-term maintenance costs. Their reliable service ensures client satisfaction from start to finish.

Site Surveys

Yeoman Shield offers comprehensive site surveys to ensure the most effective wall and door protection solutions for each project. Conducted by experienced professionals, these surveys assess areas of potential damage and recommend suitable products tailored to the building's needs. Accurate measurements and expert advice help streamline the installation process, reduce material waste, and ensure compliance with safety standards. Yeoman Shield's site surveys are a vital first step in delivering long-lasting, cost-effective interior protection solutions.



Scan the QR code for a comprehensive Data Sheet.



Health and Safety Standards


Our operatives are thoroughly trained in the installation of our wall and door protection products, guaranteeing a professional, high-quality finish every time. With all our installation teams holding CSCS cards, Yeoman Shield has achieved the prestigious CSCS Platinum standard. Furthermore, Harrison Thompson is accredited by CHAS and Construction Line, demonstrating our commitment to upholding the highest Health and Safety standards.

In addition to our wall and door protection services, Yeoman Shield also offers a complete Fire Door Services team. This team is equipped to handle fire door maintenance, inspections, installations, and the installation of fire door protection products, ensuring safety and compliance across your building projects.



Nationwide Coverage

Yeoman Shield provides nationwide coverage across the UK, delivering consistent, high-quality wall and door protection services wherever they're needed. Their dedicated teams operate regionally, ensuring prompt response times and efficient project delivery. This extensive reach allows Yeoman Shield to support a wide range of sectors, including healthcare, education, and commercial environments. Clients benefit from local expertise backed by a national infrastructure, ensuring reliable service, professional installation, and comprehensive support no matter the location.



FIRAS Company Member

Harrison Thompson & Co. Ltd. are now company members of FIRAS Warringtonfire. This 3rd party accreditation allows our customers peace of mind that all inspections and works carried out on the installation of fire rated timber doors and the addition of passive fire-resistant products (such as PVCu door protection) is done so under best practice following the guidelines laid out by the industry.



Fire Door Inspections

Fire doors are a critical component of the fire strategy of a building.

Article 17 of The Regulatory Reform (Fire Safety) Order 2005 states ***“Where necessary to safeguard the safety of relevant persons the responsible person must ensure that the premises and any facilities, equipment and devices provided in respect of the premises under this Order or, subject to paragraph (6), under any other enactment, including any enactment repealed or revoked by this Order, are subject to a suitable system of maintenance and are maintained in an efficient state, in efficient working order and in good repair”.***

This includes fire doors.

BS 9999 requires that all fire doors should be inspected every six months. The Fire Safety (England) Regulations 2022 requires that all fire doors in common parts of residential buildings with storeys over 11 metres high should be inspected quarterly and all flat entrances that lead onto a building’s commons part are inspected (on a best endeavour basis) annually.

BS8214 – Timber-based fire door assemblies – Code of practice, Section 13 Maintenance states ***“doors do deteriorate, and this is most likely to occur during the occupation of the building, since they are used in locations along pedestrian transit routes where they might be subject to significant damage or normal wear and tear”*** and the standard continues “it is important, therefore, for inspection, maintenance and repair of any damage to be undertaken on a regular basis if the required fire resistance is to be maintained”.

BS8214 states that ***“Inspection and maintenance should be undertaken by a competent person”.***

A competent person is someone with sufficient training and experience or knowledge and other qualities that allow them to undertake the task.

This is where Yeoman Shield Fire Door Services can assist you. All our fire door inspectors have taken industry-recognised courses and have a wealth of knowledge and experience.

We offer two types of inspections, an intrusive inspection where we will check at least 10% of the back of frames to ascertain if suitable fire stopping is present, this may involve the removal of architraves. A non-intrusive survey will not remove architraves, and no assumptions will be made with regard to fire stopping.

Once our survey is complete, we will issue a comprehensive report detailing any identified issues with recommended remedial work to bring the doors back to conformity.



Scan the QR code for a comprehensive Data Sheet.



By choosing Yeoman Shield Fire Door Services for your fire door inspections, you’re investing in the safety of your building and its occupants.

Contact us today to schedule an inspection and ensure your fire doors are ready to protect your people and property in case of a fire. Partner with Yeoman Shield for a safer tomorrow.

Our fire door inspectors operate throughout the UK.



Fire Door Installation



How We Can Help With Your Fire Door Installation Needs

This is where Yeoman Shield Fire Door Services can assist you. All our fire door onsite supervisors who undertake fire door installation have been assessed by Warringtonfire and are registered with FIRAS.

As members of the FIRAS third-party fire door installation scheme we are audited regularly, providing confidence to the client in our expertise and knowledge.

Scan the QR code for a comprehensive Data Sheet.



By choosing Yeoman Shield Fire Door Services for your fire door installations, you're investing in the safety of your building and its occupants.

Our operatives can install free-issue timber fire-rated doorsets or, when required, source, supply and install fire rated door sets.

We source fire rated doorsets from recognised third-party fire door manufacturers' schemes such as BWF Certifier, BMTRADA Q-Mark or IFC Certification Scheme.

This ensures that all doorsets supplied are tested to BS476 Part 22 or BS EN 1634-1.

Contact us today to discuss your requirements and ensure your fire doors are maintained to protect your people and property in case of a fire.

Partner with Yeoman Shield for a safer tomorrow.

Our third-party certified installers of fire doors operate throughout the UK.

Fire Door Maintenance

Fire Door Maintenance and Repairs

After your fire door inspection has been carried out and you've received your inspection report, you'll have the option to have our expert team carry out any Fire Door Maintenance work necessary to bring doors back to conformity. See our Fire Door Maintenance page for more information.

As members of the FIRAS third-party fire door maintenance scheme, we are audited regularly, providing confidence to clients in our expertise and knowledge.

By choosing Yeoman Shield Fire Door Services for your fire door maintenance, you're investing in the safety of your building and its occupants.

Contact us today to discuss your requirements and ensure your fire doors are maintained to protect your people and property in case of a fire.

Partner with Yeoman Shield for a safer tomorrow.

Our fire door third-party certified maintenance operatives operate throughout the UK.



What if my Fire Doors are beyond Maintenance or Repair?

Yeoman Shield is fully certified to install new fire rated doorsets if all other alternatives are exhausted and it is not possible to bring the fire doors back to acceptable conformity. See our installation page for more information.

What if my Fire Doors are receiving damage?

Yeoman Shield offer a suite of products that will reduce the risk of damage and can extend the lifespan of the doorset.

Scan the QR code for a comprehensive Data Sheet.



Fire Door Protection

Yeoman Shield's range of fire rated* door protection products can help maintain a fire door's integrity by protecting against damage. This damage can be caused by the footfall and movement of equipment and objects in people busy buildings.

Products such as Yeoman Shield door edge protectors, protection panels and PVCu clad glazing beads, when installed, prevent damage from occurring; helping to maintain the function of the fire doors, prolonging the lifecycle and so reducing expenditure for the replacement and repair of fire doors.



Fire doors are put in place to help slow down the spread of smoke and flame, protecting other parts of the building as well as allowing more time for people to get to safety.

A damaged fire door can result in the diminished functioning of the door and seals, proving costly to both buildings and potentially, human life.

The people in charge of buildings such as schools, hospitals, offices blocks etc., are responsible for meeting the criteria of the RRO regulatory reform (fire safety) order 2005 (FSO) regulations which includes checking regularly the working condition of fire doors.

Yeoman Shield's range of fire rated door protection products can provide a solution to new or damaged doors, helping to reduce maintenance and repair costs.

*For full fire test reports on Yeoman Shield door protection products email info@yeomanshield.com or call 0113 279 5854

Scan the QR code for a comprehensive Data Sheet.



Standard colours

N.B. Not all products are available in all of the colours shown.
Please check below or with our Sales Office for availability.

ON TREND RANGE

Light Grey

RAL/BS No	BS 00 A 01
LRV*	57

Mid Grey

RAL/BS No	BS 00 A 05
LRV*	37

Dark Grey

RAL/BS No	RAL 7015
LRV*	12

Dusty Grey

RAL/BS No	RAL 7037
LRV*	26

Graphite

RAL/BS No	RAL 7046 (nearest)
LRV*	21

White

RAL/BS No	RAL 9016
LRV*	86

Yeoman Shield On Trend and Premier colour ranges are held in stock for quick delivery.

PREMIER COLOUR RANGE

Heather

RAL/BS No	
LRV*	23

Amethyst

RAL/BS No	RAL 4012 (nearest)
LRV*	17

Lilac

RAL/BS No	RAL 4001
LRV*	19

Aubergine

RAL/BS No	BS 24 C 39 (nearest)
LRV*	7

Steel Blue

RAL/BS No	RAL 5011
LRV*	6

Trafalgar Blue

RAL/BS No	RAL 5000 (nearest)
LRV*	11

Dark Blue

RAL/BS No	RAL 5002
LRV*	8

Royal Blue

RAL/BS No	RAL 5017 (nearest)
LRV*	11

Regatta Blue

RAL/BS No	BS 18 E 53
LRV*	15

Cornflower Blue

RAL/BS No	RAL 5012 (nearest)
LRV*	19

Pastel Blue

RAL/BS No	RAL 5024
LRV*	20

Powder Blue

RAL/BS No	BS 20 C 33
LRV*	55

Pigeon Blue RAL/BS No BS 18 C 35 LRV* 45	Sky Blue RAL/BS No LRV* 60	Light Green RAL/BS No RAL 6027 LRV* 43
Aqua Blue RAL/BS No RAL 5018 LRV* 26	Green RAL/BS No BS 14 E 53 LRV* 17	Opal Green RAL/BS No RAL 6004 LRV* 8
Pastel Green RAL/BS No RAL 6019 LRV* 49	Sage Green RAL/BS No BS 14 C 35 (nearest) LRV* 39	Brown RAL/BS No BS 08 B 29 LRV* 7
Mushroom RAL/BS No BS 08 B 17 LRV* 51	Buff RAL/BS No LRV* 36	Mocha RAL/BS No BS 08 B 21 (nearest) LRV* 24
Cream RAL/BS No BS 10 B 15 LRV* 79	Red RAL/BS No BS 04 E 53 LRV* 15	Yellow RAL/BS No BS 08 E 51 LRV* 51
Grapefruit RAL/BS No BS 10 E 50 LRV* 72	Black RAL/BS No BS 00 E 53 LRV* 4	

REFERENCES/NUMBERS EXPLAINED

RAL: Colour matching system which defines colours for paints, coatings and plastics.

BS: British Standard specifying the colours of paint for building and construction works.

*LRV: Light Reflectance Value which is a measure of visible, usable light that is reflected from a surface when illuminated by a light source.

The scale used is from 0 (Black) to 100 (White).

FINISHES



STIPPLED FINISH PRODUCTS
Protection Rails, Guardian Handrail, Standard Corner Protection Angle, Ultra Corner Protection Angle are all available in the On Trend and Premier Colour Range.
Ellipse Protection Rail, Contour Hand/Crash Rail, Oval Handrail are available in a more limited colour range, please refer to the individual product pages on our website for specific colours.



FALMOUTH FINISH PRODUCTS
Wall & Door Protection Panels, Protection Strip, Door Edge Protectors, Glazing Beads, Formed Frame & Architraves, Formed Angles.
All supplied in the On Trend and Premier Colour range.

COLOUR MATCHING
Matching of colours is possible but is subject to a minimum order quantity with a possible additional set up charge.

GOOD TO KNOW
The manufacturing process of **Yeoman Shield** products (either extrusion or injection moulding) offer a superior stability on colour matching.
These materials are UV stabilised to reduce the effect of fading when exposed to direct sunlight.

PRODUCT COLOUR INFORMATION

A Perfect Finish
Products with a Stippled finish, such as Protection Rails, Guardian Handrail, Contour Handrail and Oval Handrail, along with Standard and Ultra Corner Protection Angles are available in the On Trend and Premier Colour range, please refer to product pages in our brochure for specific colours.
Wall & Door Protection Panels, Door Edge Protectors, Glazing Beads, Formed Architrave Protectors and Angles are all supplied in Falmouth finish in the On Trend and Premier Colour range.
Items such as Skirting, Extruded Door Architrave/ Frame Protection, Wall Cladding and Corner Trims have a Smooth finish and are only available in certain colours please refer to our Sales Office for advice.

Free Samples to help you Choose
Due to the printing process of the chart, please be aware that the colours shown are for identification purposes only.
We advise, that for precise colour options, a sample piece of the desired product is requested from our office.
BS and RAL colour references are stated, or the nearest colour reference given where possible.
Request a sample by emailing info@yeomanshield.com or go to our website.

Happy to Help
For all queries on Yeoman Shield colours and finishes please contact our Sales Office on 0113 279 5854 or email info@yeomanshield.com, where someone will be 'happy to help'
Design your own colour scheme - use our interactive Colour Picker



SUGGESTIONS FOR DEMENTIA FRIENDLY ENVIRONMENTS


Colour and contrast can be used in design schemes to help people with dementia identify key features and rooms.
Light reflectance values can assist with choosing the right contrasting colours for a design scheme.

Coloured Doors
Having doors, such as bedroom and bathrooms, finished in different colours can help a service user identify important rooms.

Contrasting Key Features
Using a contrasting colour to the background can make key features such as railings and handrails easier to locate.
Utilising a different colour for doorways to that of the walls makes it easier for people to use.
A distinguishing change in colour to highlight hazards such as corners and changes in direction in corridors draws attention to danger that they may pose.

The above are only suggestions, here is a link to useful information.





YEOMAN SHIELD

WALL & DOOR PROTECTION



- PROTECTION RAILS
- HANDRAILS
- WALL PROTECTION
- DOOR PROTECTION
- HEAVY DUTY PROTECTION

and FIRE DOOR SERVICES

Head Office: t: 0113 279 5854 | e: info@yeomanshield.com | www.yeomanshield.com

firas



NAFDI