


D&E 6200 series dual profile lockcases

CI/SfB		
31/59	Xt 7	
September 2007		



UK style reversible mortice lockcase range to suit oval and euro profile cylinders.
Tested to BS 5872 Cat. B.

DE6237SS	dual cylinder nightlatch - 60mm backset	sat. stainless steel
DE6237PB	dual cylinder nightlatch - 60mm backset	pol. brass
DE6255SS	latch - 60mm backset	sat. stainless steel
DE6255PB	latch - 60mm backset	pol. brass
DE6258SS	dual cylinder deadlock - 60mm backset	sat. stainless steel
DE6258PB	dual cylinder deadlock - 60mm backset	pol. brass
DE6264/85/SS	bathroom lock - 8/5mm - 60mm backset	sat. stainless steel
DE6264/85/PB	bathroom lock - 8/5mm - 60mm backset	pol. brass
DE6264/88/SS	bathroom lock - 8 / 8mm - 60mm backset	sat. stainless steel
DE6264/88/PB	bathroom lock - 8 / 8mm - 60mm backset	pol. brass
DE6269SS	dual cylinder sashlock - 60mm backset	sat. stainless steel
DE6269PB	dual cylinder sashlock - 60mm backset	pol. brass

Centres:	euro profile cylinder:	57mm
	oval profile cylinder:	56mm
	bathroom / wc:	63mm

Case: steel, enamelled

Latchbolt: reversible, brass

Deadbolt: 14.5mm single throw, brass with hardened steel rollers


Follower: 8mm heavy sprung to suit unsprung door furniture

Supplied complete with fixings and strike plate.

NOTE: 13mm & 25mm rebates sets are available to special order

D&E G7030 - euro cylinder sashlock - BS3621

CI/SfB		
	31/59	Xt 7
September 2007		



UK style reversible mortice sashlock lockcase range to suit euro profile cylinders. Tested to BS 3621.

<i>DEG7030BS/63/SS</i>	2½" euro profile cylinder sashlock 45mm backset supplied complete with cylinder & escutcheons - BS 3621	sat. stainless steel
<i>DEG7030BS/63/SB</i>	2½" euro profile cylinder sashlock 45mm backset supplied complete with cylinder & escutcheons - BS 3621	sat. brass
<i>DEG7030BS/76/SS</i>	3" euro profile cylinder high security sashlock 57mm backset supplied complete with cylinder & escutcheons - BS 3621	sat. stainless steel
<i>DEG7030BS/76/SB</i>	3" euro profile cylinder high security sashlock 57mm backset supplied complete with cylinder & escutcheons - BS 3621	sat. brass
<i>DEG7030/63/SS</i>	2½" euro profile cylinder sashlock 45mm backset	sat. stainless steel
<i>DEG7030/63/SB</i>	2½" euro profile cylinder sashlock 45mm backset	sat. brass
<i>DEG7030/76/SS</i>	3" euro profile cylinder sashlock 57mm backset	sat. stainless steel
<i>DEG7030/76/SB</i>	3" euro profile cylinder sashlock 57mm backset	sat. brass

Case: hardened steel - epoxy polyester powder coated.

Latchbolt: reversible, brass.

Deadbolt: 16mm single throw, with 2 hardened steel rollers.

Follower: 8mm brass, suitable for use on sprung door furniture.

Cylinder: euro profile Grundman AP2000 - dimensions: 70mm overall length (30/10/30mm)

Supplied complete with fixings and box strike plate.

Sales: 01733 896123




I-1002

Fax: 01733 894466

E&OE

D&E G7034 - euro cylinder deadlock - BS3621

CI/SfB		
	31/59	Xt 7
September 2007		



UK style reversible mortice deadlock lockcase range to suit euro profile cylinders. Tested to BS 3621.


<i>DEG7034BS/63/SS</i>	2 1/2" euro profile cylinder sashlock 45mm backset supplied complete with cylinder & escutcheons - BS 3621	sat. stainless steel
<i>DEG7034BS/63/SB</i>	2 1/2" euro profile cylinder sashlock 45mm backset supplied complete with cylinder & escutcheons - BS 3621	sat. brass
<i>DEG7034BS/76/SS</i>	3" euro profile cylinder high security sashlock 57mm backset supplied complete with cylinder & escutcheons - BS 3621	sat. stainless steel
<i>DEG7034BS/76/SB</i>	3" euro profile cylinder high security sashlock 57mm backset supplied complete with cylinder & escutcheons - BS 3621	sat. brass
<i>DEG7034/63/SS</i>	2 1/2" euro profile cylinder sashlock 45mm backset	sat. stainless steel
<i>DEG7034/63/SB</i>	2 1/2" euro profile cylinder sashlock 45mm backset	sat. brass
<i>DEG7034/76/SS</i>	3" euro profile cylinder sashlock 57mm backset	sat. stainless steel
<i>DEG7034/76/SB</i>	3" euro profile cylinder sashlock 57mm backset	sat. brass

Case: hardened steel - epoxy polyester powder coated.

Deadbolt: 16mm single throw, with 2 hardened steel rollers.

Cylinder: euro profile Grundman AP2000 - dimensions: 70mm overall length (30/10/30mm)

Supplied complete with fixings, security escutcheons and box strike plate.



UK style 5 lever reversible mortice sashlock range.
Tested to BS 3621.

DEG5050/63/SS	5 lever 2½" sashlock 45mm backset - 57mm centres - BS 3621	sat. stainless steel
DEG5050/63/SB	5 lever 2½" sashlock 45mm backset - 57mm centres - BS 3621	sat. brass
DEG5050/76/SS	5 lever 3" sashlock 57mm backset - 57mm centres - BS 3621	sat. stainless steel
DEG5050/76/SB	5 lever 3" sashlock 57mm backset - 57mm centres - BS 3621	sat. brass

Case: hardened steel - epoxy polyester powder coated

Latchbolt: reversible, brass

Deadbolt: 20mm single throw, with 2 hardened steel rollers


Follower: 8mm brass, suitable for sprung door furniture only

Differs: 1000

Supplied complete with fixings and box strike plate.

D&E G5054 - 5 lever deadlock - BS3621

CI/SfB		
	31/59	Xt 7
September 2007		



UK style 5 lever mortice deadlock range.
Tested to BS 3621.


<i>DEG5054/63/SS</i>	5 lever 2½" deadlock 45mm backset - BS 3621	sat. stainless steel
<i>DEG5054/63/SB</i>	5 lever 2½" deadlock 45mm backset - BS 3621	sat. brass
<i>DEG5054/76/SS</i>	5 lever 3" deadlock 57mm backset - BS 3621	sat. stainless steel
<i>DEG5054/76/SB</i>	5 lever 3" deadlock 57mm backset - BS 3621	sat. brass

Case: hardened steel - epoxy polyester powder coated

Deadbolt: 20mm single throw, with 2 hardened steel rollers

Differs: 1000

Supplied complete with fixings and box strike plate.



UK style sashlock lockcase range to suit euro profile cylinders.

DEG7000/63/SS	2½" euro profile cylinder sashlock 45mm backset - 51mm centres	sat. stainless steel
DEG7000/63/SB	2½" euro profile cylinder sashlock 45mm backset - 51mm centres	sat. brass
DEG7000/76/SS	3" euro profile cylinder sashlock 57mm backset - 51mm centres	sat. stainless steel
DEG7000/76/SB	3" euro profile cylinder sashlock 57mm backset - 51mm centres	sat. brass
DEG7000/101/SS	4" euro profile cylinder sashlock 82mm backset - 51mm centres	sat. stainless steel
DEG7000/101/SB	4" euro profile cylinder sashlock 82mm backset - 51mm centres	sat. brass
DEGY7000/63/SS	2½" euro profile cylinder sashlock 45mm backset - 48mm centres	sat. stainless steel
DEGY7000/63/SB	2½" euro profile cylinder sashlock 45mm backset - 48mm centres	sat. brass
DEGY7000/76/SS	3" euro profile cylinder sashlock 57mm backset - 48mm centres	sat. stainless steel
DEGY7000/76/SB	3" euro profile cylinder sashlock 57mm backset - 48mm centres	sat. brass
DEGE7000/63/SS	2½" euro profile cylinder sashlock 45mm backset - 57mm centres	sat. stainless steel
DEGE7000/63/SB	2½" euro profile cylinder sashlock 45mm backset - 57mm centres	sat. brass
DEGE7000/76/SS	3" euro profile cylinder sashlock 57mm backset - 57mm centres	sat. stainless steel
DEGE7000/76/SB	3" euro profile cylinder sashlock 57mm backset - 57mm centres	sat. brass

D&E G7000 - euro cylinder sashlock

CI/SfB			
	31/59	Xt 7	
September 2007			

Case: hardened steel - epoxy polyester powder coated.

Latchbolt: reversible, brass.


Deadbolt: 14mm single throw, with 2 hardened steel rollers.

Follower: 8mm brass, heavy sprung for use on unsprung door furniture.

Supplied complete with fixings and box strike plate.

D&E G7004 series - euro cylinder deadlock

CI/SfB		
31/59	Xt 7	
September 2007		




UK style mortice deadlock lockcase range to suit euro profile cylinders.

DEG7004/63/SS	2½" euro profile cylinder deadlock 45mm backset	sat. stainless steel
DEG7004/63/SB	2½" euro profile cylinder deadlock 45mm backset	sat. brass
DEG7004/76/SS	3" euro profile cylinder deadlock 57mm backset	sat. stainless steel
DEG7004/76/SB	3" euro profile cylinder deadlock 57mm backset	sat. brass
DEG7004/101/SS	4" euro profile cylinder deadlock 82mm backset	sat. stainless steel
DEG7004/101/SB	4" euro profile cylinder deadlock 82mm backset	sat. brass

Case: steel - epoxy polyester powder coated.

Deadbolt: 14mm single throw, with 2 hardened steel rollers.

Supplied complete with fixings and strike plate.



UK style roller lock lockcase range to suit euro profile cylinders.

DEG7002/63/SS	2 1/2" euro profile cylinder roller lock 45mm backset - 51mm centres	sat. stainless steel
DEG7002/63/SB	2 1/2" euro profile cylinder roller lock 45mm backset - 51mm centres	sat. brass
DEG7002/76/SS	3" euro profile cylinder roller lock 57mm backset - 51mm centres	sat. stainless steel
DEG7002/76/SB	3" euro profile cylinder roller lock 57mm backset - 51mm centres	sat. brass
DEG7002/101/SS	4" euro profile cylinder roller lock 82mm backset - 51mm centres	sat. stainless steel
DEG7002/101/SB	4" euro profile cylinder roller lock 82mm backset - 51mm centres	sat. brass


Case: steel - epoxy polyester powder coated.

Latchbolt: brass roller bolt for double action doors.

Deadbolt: 14mm single throw, with 2 hardened steel rollers.

Follower: 8mm brass, heavy sprung for use on un-sprung door furniture.

Supplied complete with fixings and strike plate.



UK style roller lock lockcase range to suit euro profile cylinders.

<i>DEG8020/63/SS</i>	2½" bathroom lock - 8/5mm followers 45mm backset	sat. stainless steel
<i>DEG8020/63/SB</i>	2½" bathroom lock - 8/5mm followers 45mm backset	sat. brass
<i>DEG8020/76/SS</i>	3" bathroom lock - 8/5mm followers 57mm backset	sat. stainless steel
<i>DEG8020/76/SB</i>	3" bathroom lock - 8/5mm followers 57mm backset	sat. brass
<i>DEG8020/101/SS</i>	4" bathroom lock - 8/5mm followers 82mm backset	sat. stainless steel
<i>DEG8020/101/SB</i>	4" bathroom lock - 8/5mm followers 82mm backset	sat. brass
<i>DEG8021/63/SS</i>	2½" bathroom lock - 8/8mm followers 45mm backset	sat. stainless steel
<i>DEG8021/63/SB</i>	2½" bathroom lock - 8/8mm followers 45mm backset	sat. brass
<i>DEG8021/76/SS</i>	3" bathroom lock - 8/8mm followers 57mm backset	sat. stainless steel
<i>DEG8021/76/SB</i>	3" bathroom lock - 8/8mm followers 57mm backset	sat. brass
<i>DEG8021/101/SS</i>	4" bathroom lock - 8/8mm followers 82mm backset	sat. stainless steel
<i>DEG8021/101/SB</i>	4" bathroom lock - 8/8mm followers 82mm backset	sat. brass

D&E G8020 / G8021 series - bathroom locks

CI/SfB			
	31/59	Xt 7	
September 2007			

Case: steel - epoxy polyester powder coated

Latchbolt: reversible, brass


Deadbolt: 14mm single throw

Follower: 8mm brass, suitable for use on sprung door furniture

Supplied complete with fixings and strike plate

D&E G4061 series - budget tubular latch

CI/SfB		
	31/59	Xt 7
September 2007		



General use tubular latch range.

<i>DEG4061/63/PB</i>	mortice tubular latch - 46mm backset	pol. brass
<i>DEG4061/63/PB</i>	mortice tubular latch - 46mm backset	sat. stainless steel

<i>DEG4061/76/PB</i>	mortice tubular latch - 58mm backset	pol. brass
<i>DEG4061/76/PB</i>	mortice tubular latch - 58mm backset	sat. stainless steel

Case: steel - epoxy polyester powder coated


Latchbolt: brass

Follower: 8mm brass, suitable for use on sprung door furniture

Supplied complete with fixings and strike plate.

D&E G4060 series - heavy duty tubular latch

CI/SfB		
	31/59	Xt 7
September 2007		



Heavy duty tubular latch range.

<i>DEG4060/80/PB</i>	heavy duty mortice tubular latch - 80mm case depth - 60mm backset	pol. brass
<i>DEG4060/80/SS</i>	heavy duty mortice tubular latch - 80mm case depth - 60mm backset	sat. stainless steel
<i>DEG4060/100/PB</i>	heavy duty mortice tubular latch - 100mm case depth - 75mm backset	pol. brass
<i>DEG4060/100/SS</i>	heavy duty mortice tubular latch - 100mm case depth - 75mm backset	sat. stainless steel
<i>DEG4060/127/PB</i>	heavy duty mortice tubular latch - 127mm case depth - 100mm backset	pol. brass
<i>DEG4060/127/SS</i>	heavy duty mortice tubular latch - 127mm case depth - 100mm backset	sat. stainless steel
<i>DEG4060/151/PB</i>	heavy duty mortice tubular latch - 151mm case depth - 130mm backset	pol. brass
<i>DEG4060/151/SS</i>	heavy duty mortice tubular latch - 151mm case depth - 130mm backset	sat. stainless steel

Case: steel - epoxy polyester powder coated


Latchbolt: brass

Follower: 8mm brass - chrome plated, heavy sprung for use on un-sprung door furniture

Supplied complete with fixings and strike plate.

D&E mortice privacy deadbolt

CI/SfB			
	31/59	Xt 7	
September 2007			



D&E mortice privacy deadbolt

DE404/52 D&E mortice privacy deadbolt saa

Case: bright zinc plated

Case size: 55 x 78 x 13mm

Follower: 8mm

Deadbolt: polished brass shoot

Suitable for use with Bezault thumbturn / indicator 6420/WC.



D&E mortice wc indicator / privacy bolt

CI/SfB

31/59

Xt 7

September 2007



D&E wc indicator lock - DE2710/4.



Backset: 50mm

Tube: 70 x 17.5mm diameter.

SAA thumbturn and indicator.
(brassed version available to order)

Polished brass shoot.

Emergency release.



D&E mortice door bolt - DE2610/4.

Backset: 50mm

Tube: 70 x 17.5mm diameter

SAA thumbturn.
(brassed version available to order)

Polished brass shoot.

Sales: 01733 896123



I-1015

Fax: 01733 894466

E&OE

CI/SfB			
	31/59	Xt 7	
September 2007			



D&E hook spindle - DESP5001/65

For use on applications where a lever is installed on one side of the door only. The hook is secured by tightening the grub screw located down the centre of the spindle.

DESP5001/65 hook spindle - 65mm

Door thickness: 50 - 55mm
Diameter: 8mm

Supplied complete with allen key.

Suitable for use with any D&E lockcase with an 8mm through follower.



D&E half spindle - PVCu handles

For use with PVCu handles with a bolt through fixing - lever / offset lever or pad.

DESP5011/55 half spindle - 55mm

DESP5011/65 half spindle - 65mm

DESP5011/75 half spindle - 75mm

Diameter: 8mm

Supplied complete with allen key.

Suitable for use with any D&E lockcase with an 8mm through follower.

D&E split spindle

For use on applications where anti-panic locks with a 8mm split follower are installed.



DESP5002/100 8mm split spindle - 50 / 50mm

DESP5003/100 9mm split spindle - 50 / 50mm

Door thickness: 54mm

D&E split spindle - PVCu handles

For use with PVCu handles with a bolt through fixing - lever / lever or pad.

Primarily for use on nightlatch multi-point locks.



DESP5004/120 8mm split spindle - 55 / 65mm

Door thickness: 70mm

D&E pitts mortice spindle

For use on applications where a set of levers or knob furniture is used which rely on the rose or backplate fixings to secure them to the door.

This spindle is highly recommended for use on handles for PVCu and Aluminium applications.




DESP5005/150 5mm pitts mortice spindle - 150mm

DESP5007/150 7mm pitts mortice spindle - 150mm

DESP5008/150 8mm pitts mortice spindle - 150mm

All above D&E Pitts mortice spindles will suit a door thickness up to 90mm

D&E spindle sleeve range.



<i>DERBSL58</i>	spindle sleeve 5mm up to 8mm
<i>DERBSL67</i>	spindle sleeve 6mm up to 7mm
<i>DERBSL68</i>	spindle sleeve 6mm up to 8mm
<i>DERBSL78</i>	spindle sleeve 7mm up to 8mm
<i>DERBSL89</i>	spindle sleeve 8mm up to 9mm

Dimensions: 15mm standard length

Packaging: each

<i>DERBSL67/1</i>	spindle sleeve 6mm up to 7mm
<i>DERBSL68/1</i>	spindle sleeve 6mm up to 8mm
<i>DERBSL78/1</i>	spindle sleeve 7mm up to 8mm

Dimensions: 1 metre length

Packaging: each