



FOAM CLEANER PLUS

Heavy Duty Foam Cleaner Technical Information

Foam Cleaner Plus is a foaming alkaline cleaning fluid incorporating sanitising and de-staining actions that is specifically designed for use within the food and fish processing industries where clean hygienic conditions are demanded.

It comprises of an aqueous blend of sodium hydroxide, sodium hypochlorite, surface-active agents and sequestrants.

The product possesses excellent foam stability for maximum cleaning effectiveness.

Primary features attributable to Foam Cleaner Plus are:

- Effective heavy duty cleaner;
- Excellent foam stability;
- Easy to use,
- Cost effective utilisation.

Applications

Foam Cleaner Plus is formulated to emulsify oils, fats, greases and protein.

The product finds particular application in cleaning of:

- Walls, Floors and Ceilings;
- Work Surfaces;
- Plant and equipment.

The product is highly effective for use within plants processing fish, poultry and animals and abattoirs.

Compatibility

Foam Cleaner Plus is compatible with paints, plastics and rubbers normally encountered in the food and fish processing industries. Steel parts are unaffected however aluminium and zinc (galvanized) surfaces may be attacked and care will need to be exercised in its use.



Certificate No. GB06/69741

Safer
Solutions
For Industry

Health and Safety

Foam Cleaner Plus is classified as Corrosive.

Users should avoid contact with skin and eyes and wear suitable protective gloves and safety glasses. Users should also avoid ingesting the cleaner or inhaling vapours.

Do not eat, drink or smoke during use.

See Safety Data Sheet for details.

Typical Properties

Appearance	Clear colourless liquid
Odour	Slight detergent odour
Density, g/cm ³ @ 20 °C	1.12
Solubility in water	Completely miscible
pH (10% Solution)	13.4 units
(1% Solution)	12.5 units

Storage life of product is 24 months in original containers when stored at temperatures between 0°C and 30 °C.

Directions for Use

Application:

Foam Cleaner Plus is normally applied using specialised foaming equipment or through a high-pressure water washer equipped with a foam lance.

Set concentration to achieve between 3 and 8% of Foam Cleaner Plus.

Use temperature necessary to effect cleaning.

Apply the cleaner working from the base upwards, ensuring that any gaps, crevices and corners receive particular attention.

Leave cleaner in contact with surface for about 15 minutes to enable it to work. Any stubborn contaminants should be agitated using a nylon fibre pad or stiff bristle brush to assist emulsification and obtain the best results.

DO NOT ALLOW THE CLEANER TO DRY OUT.

Finally, rinse the surfaces well with water, working from the bottom upwards.

NOTE: Do not use on sensitive surfaces/materials. If in doubt test a small inconspicuous area before application.

Any gross soiling can be removed by applying neat fluid using a brush followed by rinsing with water through a hosepipe.

For complete hygiene, it is recommended that Terminal Sanitizer compound is used in the rinse water.

CONTACT DETAILS:

For UK and Rest of the World:

Amity International,
Libra House, West Street
Worsborough Dale,
BARNSELY
S YORKS, S70 5PG,
ENGLAND

Tel: +44 (0) 1226 770787
Fax: +44 (0) 1226 291936

E-mail: sales@amityinternational.com

Web site: <http://www.amityinternational.com>

For any further information, please contact your distributor or Amity.

In the event of any technical queries, please contact:
Mr. Ram Singh at the UK/ROW address, above, or by e-mail to:

rsingh@amityinternational.com

For North America:

Amity International,
PO Box 5254,
1704 Denver Road,
ANDERSON,
SOUTH CAROLINA,
SC29623, USA.

Tel: 864 622 2233
Fax: 864 622 2234

Packaging Details:

Foam Cleaner Plus is available in:

- 25 Litre containers.