

MULTIWIPE™ 150

The Economic Cleaning System Technical Information Sheet

Description & Application:

Multiwipe 150 is the trade name for a novel cleaning system that combines a pre-impregnated wiper with a special blend of solvent cleaners.

The system provides a simple method of use for cleaning ink, grease, resins and paint from hard surfaces.

Primary features attributable to Multiwipe 150 are:

- Simple product delivery system;
- Excellent performance;
- · Improved user comfort and ease of use;
- Reduced user costs in separately provisioning component parts;
- Improved environmental impact through reduced fugitive emissions, up to 85% reduction in product usage compared to conventional application methods;
- Optimizes user productivity time.

Applications

Multiwipe 150 will remove resins, inks, grease and paint from hard surfaces and finds a welcome application as an effective graffiti remover.

Compatibility

Multiwipe 150 may be safely applied to a wide range of substrate materials without detriment.



Safer Solutions For Industry

Issue: 10 Aug 2012

Health and Safety

Multiwipe 150 is an economic product delivery system that yields some benefits to handling and use of the various pre-impregnated products.

Multiwipe 150 contains solvent and detergent components that are classed as IRRITATING to eyes and skin. Common sense precautions must be observed when handling the product.

Refer to Material Safety Data Sheet for details.

Typical Properties

Appearance	Pale straw coloured liquid Impregnated on paper wipes
Odour	Slight citrus smell
Density, g/cm ³ @ 20 °C	0.94
Solubility in water	Emulsifies
рН	Not applicable

Storage life in original, unopened sealed tubs, at between 0 °C and 30 °C (32° to 86 °F), is not less than 12 months.

Multiwipe 150 is supplied as pre-impregnated roll of paper wipes in a sealed plastic tub. Each roll contains about 150 wiper sheets.

Product Use

Use the pre-impregnated wipers as supplied from the tub container.

Product Application

Pull off sufficient wipers for the task in hand.

Wipe on to the affected surface and allow to work for a few minutes.

Wipe off with wiper or wash off using clean water.

Notes:

1) If soils are being removed from delicate fabric or paintwork it is strongly advised that suitability and compatibility is confirmed by testing a small inconspicuous area before general application takes place.

Page 2 of 3 Issue: 10 Aug 2012

CONTACT DETAILS:

For UK and Rest of the World:

Amity International, Libra House, West Street Worsbrough Dale, BARNSLEY S YORKS, S70 5PG, ENGLAND

Tel: +44 (0) 1226 770787 Fax: +44 (0) 1226 770757

E-mail: sales@amityinternational.com **Web site**: http://www.amityinternational.com

For any further information, please contact your distributor or Amity.

In the event of any technical queries, please contact: Mr. Ram Singh at the UK/ROW address, above, or by e-mail to:

rsingh@amityinternational.com

Packaging Details:

Multiwipe 150 is available in:

Tubs of pre-impregnated wipes;

For North America:

Amity International, PO Box 5254, 1704 Denver Road, ANDERSON, SOUTH CAROLINA, SC29623, USA.

Tel: 864 622 2233 Fax: 864 622 2234

Page 3 of 3 Issue: 10 Aug 2012