

FAST TRACK

A complete off-the-shelf washroom in 48 hours

Fast Track is one of the most comprehensive fast-delivery washroom ranges available. Including cubicles, ducting and vanity units, Fast Track is a stylish, durable and economical washroom for dry areas, delivered box packed for easy handling. Panels are cut to size on-site and edges concealed in continuous channels.

A stylish and economical cubicle featuring durable dark grey fixtures and fittings. A choice of square edge or postformed pilasters is available as well as a children's height door and the option of enlarged and ambulant cubicles.

Laminate
MFC
Square edge with matching 1mm PVC lipping
Dark Grey
1950mm (including floor clearance)
100mm
6 Colour options for all panels





Hinge





Pedestal Foot

Wall Channel and H Section



Doors: Oak | Pilasters: Sand | Fittings: Charcoal | Vanity: Counter Top Vanity Unit in Oak with Sand undervanity and Oak panels | Basin: Shenley 500 Counter Top Basin | Tap: Langley Mono Basin Mixer Tap

FAST TRACK CUBICLES

- All components delivered to standard dimensions, boxed and clearly labelled
- Partitions and doors can be cut to size on site and edges concealed in channels
- Channels accommodate out of line walls
- Packs include detailed installation instructions

C1 Door Pack with Pilasters

Outward opening/inward opening Wheelchair, Ambulant and Enlarged

- 1 door 1850 x 900mm
- 1 pilaster 1850 x 220mm
- 1 pilaster drilled for hinge 1850 x 115mm
- 1 pilaster no hinge 1850 x 115mm
- 1 pilaster for enlarged cubicle drilled for hinge 1850 x 400mm
- 3 UPVC door cap/wall channels 1850mm
- 1 Aluminium headrail Dark Grey 1800mm

C1C Children's Door Pack with Pilasters

- 1 door 1850 x 900mm
- 1 pilaster 1850 x 220mm
- 1 pilaster drilled for hinge 1850 x 115mm
- 1 pilaster no hinge 1800 x 115mm
- 1 pilaster for enlarged cubicle drilled for hinge 1850 x 400mm
- 3 UPVC door cap/wall channels 1850mm
- 1 aluminium headrail Dark Grey 1800mm

C2 Partition Pack

- 2 partitions "halves" 925 x 1800mm
- 1 UPVC H section 1750mm
- 1 UPVC door cap/wall channel 1850mm

C3 Inline Pack with Pilasters

- 1 large pilaster 1850mm x 900mm
- 1 pilaster drilled for hinge 1850 x 550mm
- 1 aluminium headrail Dark Grey 1800mm

C1FB Fittings Pack


- 1 polycarbonate indicator bolt
- 1 outward keep
- · 3 hinges Dark Grey
- 1 toilet roll holder
- 1 coat hook
- 1 polycarbonate pedestals



C4 Floor to Ceiling Post

Required when ordering free standing cubicles.

- 1 floor to ceiling post 3750mm
- 2 flanges
- 1 UPVC door cap/wall channel 1850mm
- Screws, plugs and channel through bolt fixings



FAST TRACK DUCT PANELS

Fast Track duct panels can incorporate most standard sanitaryware items.

- All components delivered to standard dimensions, boxed and clearly labelled
- Duct widths and heights can be varied by adjusting width of flashgaps
- Installer to provide appropriate timber frame to support duct panels (typically 50mm x 50mm softwood frame)
- Packs include detailed installation instructions

Shelf Height

P4 Plain Panel

• 1 plain panel 2250 x 300mm

Plain Panel/Return End



Standard Height


F1 Flashgap Pack

- 2 flashgaps unedged 2600 x 200mm
- 1 flashgap edged 2600 x 201mm
- 16 shrinkage plates and screws

P1 Washbasin/WC Panel Pack

- 1 bottom panel 405 x 700mm
- 1 middle panel 670 x 700mm
- 1 top panel 1125 x 700mm
- 1 x 1mm PVC re-edging strip 2500mm
- 16 plastic clips and screws

Duct depth to suit application



P2 Uringl Panel Pack

- 1 bottom panel 225 x 700mm
- 1 middle panel 850 x 700mm
- 1 top panel 1125 x 700mm
- 1 x 1mm PVC re-edging strip 2500mm
- 16 plastic clips and screws

P3 Plain Panel

- 1 plain panel 2250 x 700mm
- 1 x 1mm PVC re-edging strip 2500mm



- 1 plain panel 2250 x 300mm
- 1 x 1mm PVC re-edging strip 2500mm
- 10 plastic clips and screws



FAST TRACK VANITIES

Fast Track vanity units can incorporate most standard sanitaryware items.


- All components delivered to standard dimensions, boxed and clearly labelled
- For longer lengths, units can be butt jointed/cut to length on site
- Packs inclusive of detailed installation instructions

Performance	Vanity top: HPL		
	Vanity underpane	l: MFC	
Colours	6 colour options f	or all panels	
Service	Fast Track		
Upstand	Integral upstand		
Dimensions	Length	1500mm	
	Bed Depth	555mm	
	Downstand	100mm	

V1 Vanity Unit

- 1375 x 555mm top with 75mm postformed upstand and 100mm downstand, returns and support brackets
- 2 loose underframe return ends 750 x 455mm
- 1 under panel 1245 x 645mm
- Clips and screws
- 3 unedged flashgaps 1300 x 200mm





Fast Track Colours

Our colours are graded with a light reflective value (LRV) to help ensure your washroom complies with current legislation*.



Cubicle Fittings



^{*} Contact your local access control officer.

A step by step guide to selecting your Fast Track washroom packs.

Call our friendly sales team who will help process your order on 01536 533620.

1. Cubicle selection

- · Identify the layout of the cubicles you require from these four options and refer to the table next to it
- Identify the number of cubicles you require along the top row of the grid
- Read down the column to determine the pack and quantity you require

Between walls



_									
	No. Cubicles	1	2	3	4	5	6	7	8
II	Door Pack	1	2	3	4	5	6	7	8
II	Fittings Pack	1	2	3	4	5	6	7	8
II	Partition Pack	0	1	2	3	4	5	6	7
П	Floor/Ceiling post pack	0	0	0	0	0	0	0	0
	Max. Width (mm)	1060	2120	3180	4240	5300	6360	7420	8480

Against watts								
No. Cubicles	1	2	3	4	5	6	7	8
Door Pack	1	2	3	4	5	6	7	8
Fittings Pack	1	2	3	4	5	6	7	8
Partition Pack	1	2	3	4	5	6	7	8
Floor/Ceiling post pack	0	0	0	0	0	0	0	0
Max. Width (mm)	1060	2120	3180	4240	5300	6360	7420	8480

Options

- Children's door instead of standard door pack
- · Door packs and in-line packs available with square edge pilaster or postformed pilaster
- Ambulant/enlarged grab rails and door opening bars are available separately



rreestanding								
No. Cubicles	1	2	3	4	5	6	7	8
Door Pack	1	2	3	4	5	6	7	8
Fittings Pack	1	2	3	4	5	6	7	8
Partition Pack	2	3	4	5	6	7	8	9
Floor/Ceiling post pack	1	1	1	2	2	2	2	2
Max. Width (mm)	1060	2120	3180	4240	5300	6360	7420	8480





\	Inline Cubicles	Between Walls	Against Walls	
		1	1	
,	Door Pack	1	1	
	Fittings Pack	1	1	
	Partition Pack	0	1	
	Inline Pack	1	1	
	Max. Length (mm)	2000	2000	
	Miss College Windle 750 and			

Min. Cubicle Width 750mm.

2. Ducting selection

- For each range of panels determine how many you want of each type
- · Check they will fit in the space available

Please note: Always leave a vertical gap 25mm wide between a panel and a wall. Leave a 25mm wide vertical gap between each panel. For WC panels, leave 50mm for fixing a cubicle partition. Plain panel packs P3 and P4 can be cut down and re-edged on site to cater for ranges that do

not accommodate 700mm modules.

3. Vanitu Selection

· Determine how many vanity basins you require in each top.

1500mm long top Up to 2 basins	Pack V1
--------------------------------	---------

- Check that the vanity top will fit into the available space
- The vanity pack includes under panel, return end, flashgap and a fixing kit
- · Supporting timber framework to be supplied by site

For more information on junction details visit our website www.bushboard-washrooms.co.uk Please note for each panel you will need one flash gap pack.