PRODUCT INFO + ADVICE 01483 418 418



COLD CURE PAINTS AND COATINGS

Formulated for high performance maintenance in low and freezing temperatures.



We've created a cure for the cold...

We've used the latest resins and technology to reformulate our most popular products so you can use them in low and freezing temperatures. We've also gone a step further and developed a Specialist range which will perform and protect in freezing temperatures down to minus 20°C.

Whether you're painting, repairing or line marking in freezing conditions, our range will provide a long lasting, hard wearing finish that stands tough, even in the toughest environments.

Engineered by watco[®] to perform even in cold and freezing conditions.

Keeping on top of repairs and maintenance all-year round is essential for the upkeep of your commercial premises. Not only to uphold your businesses appearance but also for the safety of all visitors and employees.

Traditionally, most products will not cure in the cold, which can make completing projects during the winter months extremely problematic, especially if the area is unheated. That's why our chemists have formulated a dedicated range of paints and repair mortars specially formulated to excel in freezing conditions.



See our full range of cold resistant flooring products at watco.co.uk or scan the QR code.

Easy ordering





CONCREX® SUB ZERO

Epoxy mortar for long lasting concrete repairs at minus 20°C.

(....

SPECIALIST Concrex® Sub Zero

SPÉCIALISTE Concrex[®] Grand Froid

SPEZIALIST Concrex[®] Unter Null

Watco Concrex Sub Zero For essential repairs in freezing temperatures. Coverage: 1.2m² at 5mm thick per 10kg Curing time: 48 hours at minus 20°C + 10kg £146.20 (excl. VAT) SHOP NOW

When it comes to concrete repairs in unheated areas or freezing temperatures, ordinary mortars would fail, Thanks to its polyaspartic technology, Concrex Sub Zero takes the cold in its stride and provides a virtually indestructible, long lasting repair. Its exceptional strength will support thin section and feather edged repairs even in the coldest conditions.

Features

- - Ideal for use in freezer or chiller rooms



Use inside or out in temperatures as low as minus 20°C

Heavy duty, polyaspartic resin repair mortar




Repairs can be feather edged









Recommended Extras



Watco Tack Coat Sub Zero

A polyaspartic resin primer for use at low temperatures.

+ 3m² £36.85 (excl. VAT)

SHOP NOW



For more information about Concrex products, scan the QR code or visit https://www.watco.co.uk/products/watco-concrex-sub-zero



Concrex Cold Set

Long lasting formula for repairs in cold conditions. Cures down to 0°C.

The Concrex Family

- + 10kg £121.65 (excl. VAT)
- + 25kg £244.40 (excl. VAT)

SHOP NOW

SHOP NOW

deep in one layer.

Concrex Deep Fill Cold Set Fills essential holes up to 100mm

+ 25kg £244.40 (excl. VAT)



Concrex Vertical Cold Cure

Permanent repairs to vertical or overhead surfaces in cold conditions.

+ 10kg £130.20 (excl. VAT)

SHOP NOW

Watco Tack Coat

High strength 100% solids epoxy resin adhesive primer.

- + 1m² £29.00 (excl. VAT)
- + 6m² £82.95 (excl. VAT)

SHOP NOW


05



FAST, POURABLE **REPAIRS**

In sub zero temperatures. Our bestselling pourable repair mortar, Flowpatch, has been reformulated using a magnesium phosphate-based formula, allowing essential maintenance even in temperatures of minus 20°C.

Flowpatch's pourable formulation makes it extremely easy to apply and exceptionally tough. It can withstand weight up to 350kg and it cures within 2 hours, making it ideal for heavily trafficked areas which need to be put back into use quickly.




- + 10kg £89.85 (excl. VAT)
- + 25kg £223.75 (excl. VAT)

SHOP NOW



Easy to use rapid dry formula



Just add water, mix and pour

Allows for essential maintenance even in freezing conditions

For more information about Flowpatch Sub Zero scan the QR code or visit watco.co.uk/products/watco-flowpatch-sub-zero



Also in our repair range



Watco Bitu-Mend

Easy and instant repairs to potholes in concrete and asphalt. Our bitumen based material is soft and flexible when applied to allow for easy tampering. The material then begins to harden quickly, leaving you with a long lasting repair.

+ 25kg £68.85 (excl. VAT)

SHOP NOW





Fine Crack Filler Cold Cure

100% solids epoxy formula for tough and easy crack repairs in the cold. Fine Crack Filler is a simple to use, incredible tough product for filling unslightly cracks in concrete floors. It's liquid formulation ensures no sanding down will be needed to make it level once cured.

+ 1L £40.80 (excl. VAT)

SHOP NOW

COATINGS FOR USE IN THE COLD

Watco pioneered the development of Polyaspartic resins for everyday use in Europe. This innovative two-part floor coating technology paved the way for new and improved product application and performance, including:

- Cold Curing allowing interior and exterior projects to continue, even at minus 10°C.
- UV resistance resistance to chalking, fading or peeling after time in the sun.
- Chemical resistance the ability to defend against a wide range of commercial and industrial chemicals.
- **Fast curing -** allowing two coats to be put down in a day, saving you time and money.

Polyaspartic resin technology has changed the face of floor coatings. Most notably, providing paints and coatings that can cure in extremely cold temperatures, as low as 20°C.

The temperature of a floor is typically 8°C lower than the air temperature so when temperatures drop, it's usually extremely difficult to paint a floor. Whether it's freezing weather, unheated areas or due to works in cold storage or freezer rooms, polyaspartic coatings will give a high quality, long lasting finish, even in extreme temperatures.

Features Allows essential maintenance during the winter Ideal for use in chiller rooms and loading bays **Excellent abrasion and** UV resistance Withstands heavy wear and tear watco SPECIALIST **Cold Set Coating** Tile Red Mid Grey DR USE AT LOW TE SPÉCIALISTE Mid Blue Safety Yellow Light Grev Grand Froid Époxy SPEZIALIST Watco Cold Set Coating Bodenbeschichtung A high performance coating that can be Kalttrocknend applied at minus 10°C. + 2.5L £151.70 (excl. VAT) SHOP NOW 2.5L



For more information about Cold Set Coating scan the QR code or visit watco.co.uk/products/watco-cold-set-coating

08



watco.co.uk | email sales@watco.co.uk | tel 01483 418 418 | Watco app



FASTER PAINTING IN THE COLD WITH WATCO FASTCOAT

SPECIALIST Fastcoat IN ONE DAY


SPÉCIALISTE Rapid'sol

SPEZIALIST

Express-Beschichtung

If operational pressures mean a floor cannot be out of action for long while maintenance takes place, a fast drying formulation is essential. Our specialist rapid drying coatings have changed the face of floor maintenance. Polyaspartic resin products are cutting edge and out-perform epoxy resins in a number of respects.

The coatings can be recoated in as little as 4 hours and are ready for traffic in 6 hours. This means 2 coats can be applied in 1 day and be ready for use the next. Abrasion, scratch and UV resistance are all also superior.



Fastcoat

The fastest drying performance coating you can buy.

- · Minimise downtime
- Two part polyaspartic resin technology
- · Excellent UV and chemical resistance
- A second coat in 2 hours saves time and costs
- + Original 2.5L £151.70 (excl. VAT)
- + Anti Slip 2.5L £157.05 (excl. VAT)

SHOP NOW

EXCEPTIONAL PROTECTION WITH A HIGH GLOSS FINISH

1. 1 (0. 0 Protecta-Coat EXCEPTIONALLY DURABLE FLOOR PROTECTION **Protèg'plus** REVÊTEMENT INCOLORE POUR PROTECTION OPTIMALE DES SC Schutzschicht 2-KOMPONENTEN HARZ 2-KOMPONENTEN HAKZ BESCHICHTUNG FÜR DIE ANWENDUNG IM INNEN- UND AUSSENBEREICH, BASIEREND AUF DER NEUESTEN POLYASPARTIK-HARZ-TECHNOLOGIE 2.5L



For more information scan the QR code or visit watco.co.uk/products/watco-protectacoat

່ 10 ີ

2.5L

Busy floors and walkways need a tough finish for long lasting protection. Watco Protecta-Coat is an extremely hard wearing, clear coating that will protect floors from heavy wear and tear. Ideal for bare and painted concrete, it dries to a high gloss finish.

Protecta-Coat

Clear and protective coating for bare or painted concrete floors. Offering protection and a high gloss finish.

- · Can be applied at temperatures as low as minus 10°C
- Protects decorative and coloured coatings from heavy wear and tear
- · Exceptional UV resistance
- + Original 2.5L £133.90 (excl. VAT)
- + Anti Slip 2.5L £146.20 (excl. VAT)

SHOP NOW

11

ANTI SLIP PROTECTION, INSIDE AND OUT

Safety Gripe AN EXTREMELY TOUCH EPOX RESIN FLOOR COATING

Epoxy Grip® Maxi PEINTURE DE SOL EXTRÊMEMENT RÉSISTANT

Epoxygrip SEHR STARK BELASTBARE EPOXIDHARZ-BODENBESCHICHTUNG

Safety Grip® EXTREEM RESISTENTE ANTISLIP VLOERCOATING



Safety Grip Cold Cure

A tough, coarse textured, two pack epoxy resin coating for use in cold conditions. Able to cure at 0°C, anti slip and chemically resistant.

+ 5M² £147.60 (excl. VAT)

SHOP NOW

Features

Ideal for cold loading bays or outside steps



Slip resistant even when wet or oily

Heavy duty with excellent chemical resistance

Impressive test results for abrasion, scratch and impact resistance

For more information scan the QR code or visit watco.co.uk/cold-cure



watco

SPECIALIST Safety Coat Cold Cure

Époxy Grip® Version Froid PEINTURE DE SOL ANTIDERAPANTE OUI PEUT S'APPLIQUER JUSQU'A

SPEZIALIST Anti-Rutsch Beschichtung Kalttrocknend

2.51

ODENBESCHICHTUNG, DIE SELBST BE IIEDRIGEN TEMPERATUREN VON -10°C UFGETRAGEN WERDEN KANN

12 **Watco** SPECIAL EDITION | CURING IN THE COLD

Light Grey

Mid Grey




Safety Coat Cold Cure

Watco Safety Coat Cold Cure is our finely textured, high performance, anti slip coating with the added ability of being able to cure at minus 10°C. Ideal for walk-in fridges, cold stores, production areas, loading bays and unheated warehouses.

+ 2.5L £157.05 (excl. VAT)

SHOP NOW

Features



LINE MARKING AND **SAFETY TAPES**

Toughline Resi Résine Époxy Ligne Ultra oughline inienmarkierung Harz White Yellow Toughline Curing Agent Durcisseur Époxy Ligne Ultra Toughline Linienmarkierung Härte

Features

Perfect line marker for unheated warehouses, walk in fridges, cold stores and loading bays Resists chalking, fading, weathering and UV discolouration

Takes heavy wear and tear

Excellent chemical resistance

Curing Times

	5°C	0°C	-10°C
Recoatable	10 - 12 hrs	16 hrs	30 hrs
Light Traffic	18 hrs	24 hrs	36 hrs
Heavy Traffic	24 hrs	36 hrs	48 hrs

Watco has a wide range of line marking and safety tapes because we know that it's not always possible to use a coating to mark out areas or highlight hazardous areas. Applying a coating is not always possible,



Long lasting tape for heavy wear areas.

· Chamfered edge to prevent tripping

SHOP NOW

+ From £116.30 (excl. VAT)

· Ultra durable compared to

conventional floor tapes

Self adhesive backing

Heavy Duty Line

Marking Tape

Watco Safety Tape

- Resin bonded aluminium oxide safety surface
- Low slip potential (wet PTV 71) • Full colour range including Yellow
- and Hazard
- + From £17.80 (excl. VAT)

SHOP NOW



Looking for a solution that's not paint or tape? Our fully comprehensive GRP range could be your solution. Scan the QR code or visit watco.co.uk for more information.

Watco Toughline + 1L £65.15 (excl. VAT)

SHOP NOW







especially on busy outdoor steps where frequent access is required. Our range of tapes are extremely durable and long lasting with excellent adhesion to surfaces even in cold conditions.



Tough, safe anti slip floor tapes.



Watco Chemi-Tape

Tough tape with excellent chemical resistance.

- Quick and easy application
- Resistant to most chemicals
- Takes forklift traffic

+ From £87.00 (excl. VAT)

SHOP NOW



If it's got **watco** on the tin, you can be sure it's like no other product you can buy. Easy to use, consistently reliable and backed-up by unrivalled knowledge and service.



VISIT OUR WEBSITE

When it comes to protecting people from slips and trips in your premises, or even outside, prevention is the best approach. If you would like further information on how maintain a safe environment, please visit the "Help & Advice" section on our website.

GO TO WEBSITE



SPEAK TO AN EXPERT

Contact our expert advisors using the details below: Email: sales@watco.co.uk Telephone: 01483 418 418 Live Chat: watco.co.uk

Watco UK Ltd, Eastgate Court, 195-105 High Street, Guildford, Surrey GU1 3AW





DOWNLOAD THE APP

You can also download the Watco App for instant help and support on the go, including live chats and video calls with our technical advisors, easy and instant quote management, and even virtual site visits.

DOWNLOAD APP

