

THE CLASSEQ RANGE

Product Guide



A proud distribution partner of Classeq UK.

Simple. Robust.
CLASSEQ

CHOOSING THE RIGHT WAREWASHER FOR YOU

No two kitchens or bars are the same. It's essential you select and specify the right machine for your business.

Making the right choice will ensure the best wash results, optimum performance, and the machine's longevity.

Remember... your new machine must be able cope with your busiest service.

Contents

Choosing a warewasher	02
Glasswashers	04
Dishwashers	06
Pass Through Dishwashers	08
Why Classeq?	10



Glasswashers

Undercounter glasswashers are specifically designed for washing glassware with the rinse temperature set to a lower temperature of 70°C to protect the glass.

Our machines are available as Standard or Duo models in three sizes:

1. **350 x 350mm basket** – 12 glasses per rack (available as a Standard model only)
2. **400 x 400mm basket** – 16 glasses per rack
3. **500 x 500mm basket** – 25 glasses per rack



Dishwashers

Undercounter dishwashers are a popular kitchen essential, they are easy to use, deliver quality results at high volumes and fit into small spaces.

Our machines are available as Standard or Duo models in two sizes:

1. **400 x 400mm basket** – x9 10" plates per rack
2. **500 x 500mm basket** – x18, 10" plates per rack



Pass Throughs

Pass Through dishwashers are capable of cleaning up to 720 plates every hour. Offering you the perfect solution for a busy kitchen.

The P500 is available in three versions defined by your wash volumes:

1. Everyday – x18, 10" plates per rack

2. Intermediate – x18, 10" plates per rack

3. Intensive Use – x18, 10" plates per rack

THINGS TO CONSIDER



Do I need a drain pump?

A drain pump is required when the waste water has to travel higher than the machine's waste outlet. A drain pump is an optional extra on standard machines, all Duo machines and Pass Throughs include a drain pump.



Do I need a chemical pump?

A chemical pump draws the correct amount of detergent and rinse aid into the machine. All undercounter Glasswashers and Dishwashers include a chemical pump as standard, it's an option on Pass Through machines.



Do I need a water softener?

Hard water can cause limescale to build up in your machine impacting its performance, wash results and lifespan. A water softener reduces the hardness of the water before it enters the machine preventing these issues.

If you're located in a hard water area you will require a water softener.



What is WRAS and why is it important?

WRAS Approval is the accepted way to demonstrate compliance with the Water Supply (Water fittings) Regulations and Scottish bylaws.

All Duo machines are fully compliant and feature a "Type AB" air gap, meaning that there is a physical air gap which completely prevents the water from entering and contaminating the mains water supply.

Standard machines have a lesser "Type B" certification which means the machine contains back flow prevention devices complying with EN 61770.

GLASSWASHER RANGE


Cheers to sparkling glassware.



Simple to use, simple to clean and robust enough to withstand the rigours of a busy bar or kitchen. Choose your model.


Standard models

Duo models



Giving you up to
**1,000 sparkling
 glasses every
 hour.***

Cheers to that.



Available in 3 sizes as a Standard Model and 2 sizes as a Duo model.

	G350	G400	G500	G400Duo	G500Duo
Basket Size	350mm	400mm	500mm	400mm	500mm
WxDxH	410x517x644mm	450x517x760mm	550x605x830mm	470x517x760mm	570x605x830mm
Theor. Racks p/hr	40	40	40	40	40
Pint sized glasses per rack	12	16	25	16	25
Glass clearance height	273mm	311mm	343mm	311mm	343mm
Drain pump	Optional	Optional	Optional	●	●
Auto dosing	●	●	●	●	●
WRAS compliant (type)	-	-	-	AB	AB
Rinse booster pump	-	-	-	●	●
Integral water softener	-	-	-	Optional	Optional
Required water pressure	2.0 bar	2.0 bar	2.0 bar	0.5 bar (2 bar ws)	0.5 bar (2 bar ws)

* Based on optimal set up of the G500.

● Included – Not included

DISHWASHER RANGE


Stands out, yet goes unnoticed.



Engineered for simplicity, our undercounter dishwasher will deliver clean results time after time with the minimum of fuss.

Standard models


Duo models



Capable of cleaning

540 dinner plates every hour.*

Ready for a great service.



Available in 2 sizes as a Standard Model and 2 sizes as a Duo model.

	D400	D500	D400Duo	D500Duo
Basket Size	400mm	500mm	400mm	500mm
WxDxH	450x517x760mm	550x605x830mm	470x517x760mm	570x605x830mm
Theor. Racks p/hr	30	30	30	30
10" plates per rack	9	18	9	18
Plate clearance height	311mm	343mm	311mm	343mm
Drain pump	Optional	Optional	●	●
Auto dosing	●	●	●	●
WRAS compliant (type)	-	-	AB	AB
Rinse booster pump	-	-	●	●
Integral water softener	-	-	Optional	Optional
Required water pressure	2.0 bar	2.0 bar	0.5 bar (2 bar ws)	0.5 bar (2 bar ws)

* Based on optimal set up of the D500.

● Included - Not included

PASS THROUGH RANGE

Works hard. Makes it look easy.



A range of simple to use, high-volume Pass Through machines available in three model levels based on your wash volumes – Everyday, Intermediate and Intensive Use.

Colour Coded LCD Display

- Display wash and rinse temperature
- Simple 2 button control
- Three wash programmes
- Light 1.5, Standard 3 and intense 5-minute cycles

Reduced Water Consumption

The 28-litre wash tank ensures running costs are kept to a minimum.

Continuous Hood Clean System

Simple to clean with continuous hood clean and removable wash arms.

Water Board (WRAS) Compliant

WRAS compliant with a Type AB air gap.

Standard Built-in Components

All models come with a built-in drain pump and rinse booster pump.

Optional Water Softener and Chemical Pump

Add an integral water softener and chemical pump to keep usage simple and save space with external alternatives.

Configurations and Tabling

Easily configured with a range of straight through or corner tabling options.

Power Options

- 30 Amp – Single Phase, Total Connected Load – 6.68kW
- 12 Amp – Three Phase, Total Connected Load – 6.68kW
- 16 Amp – Three Phase, Total Connected Load – 9.32kW
- 22 Amp – Three Phase, Total Connected Load – 12.68kW

A true workhorse, washing up to
**720 gleaming
 plates every
 hour.**

Keeping every service moving.



	Everyday P500A30	Everyday P500A12	Intermediate P500A16	Intensive P500A22
Basket Size	500mm	500mm	500mm	500mm
WxDxH	630x720x1890mm	630x720x1890mm	630x720x1890mm	630x720x1890mm
Theor. Racks p/hr	40	40	40	40
10" plates per rack	18	18	18	18
Glass clearance height	440mm	440mm	440mm	440mm
Drain pump	●	●	●	●
Auto dosing	Optional	Optional	Optional	Optional
WRAS compliant (type)	AB	AB	AB	AB
Rinse booster pump	●	●	●	●
Integral water softener	Optional	Optional	Optional	Optional
Required water pressure	2.0 bar	2.0 bar	2.0 bar	2.0 bar
Rating	6.68kw/single-phase (Hot fill recommended)	6.68kw/3-phase (Hot fill recommended)	9.32kw/3-phase	12.68kw/3-phase

● Included – Not included

SIMPLE.
ROBUST.



WHY COMAX?

Comax UK is one of the largest wholesalers in the South, specialising in commercial catering equipment, janitorial and care products. For over 30 years our fleet of vehicles have delivered to Hampshire, Dorset, Wiltshire, Surrey and surrounding areas.

When you choose Comax you get more than quality products, you also get a professional and experienced team, committed to meeting customer needs. Many of the team have worked in the hospitality and leisure industries so have an understanding of the practicalities our customers face. We provide an unrivalled level of service and support from the point of order through to delivery.



With more than 25,000 product lines and strong partnerships with all major manufacturers, our dedicated sales team is able to offer you the right solution at the right price in order to meet your specific business needs.





For all enquiries please contact
our customer service team:

Email: sales@comaxuk.com
Tel.: 01202 684111
www.comaxuk.com



Simple. Robust.
CLASSEQ