TEACHWALL 900 ELITE GLASS SLIDING FOLDING PARTITION

Fully automatic & manual glass panel system



Convenient and automatic, simply press a button, glass panels can be moved to a variety of individually pre-programmed positions under fully automatic control. The integrated monitoring system ensured that stops the panel movement the moment contact is made with an obstacle. The system operating behavior can be easily adjusted by parameter reconfiguration.

TEACHWALL 900 ELITE GLASS SLIDING FOLDING PARTITION



Characteristics:

- All glass panels or panels with framing.
- Pre-planned parking area.
- Opening and closing speeds of up to 1000mm per minute.
- Micro-processor control (bus system) for activation and monitoring of the operational sequence and functions
- In the event of a power failure, panels may be manually operated.
- Up to 30 panels per partition system, with up to 50 meters of track
- Single panel weights up to 150KG.
- Segmented and curved track layouts also possible
- Single or double glazing with thermal and acoustic insulation properties.
- No bottom guides or floor tracks
- Bottom insulation with rubber seals.



Max height: 4000mm

• Max pane width: 1200mm

Max pane weight: 150kg

• Max number of panes: unlimited

Grange Valley Limited (specialist glass division)

Contact: 07547 125493

Email: glynn.richards@aegpartitions.com

Factories and offices: UK, Spain, USA, Brazil, Jamaica