




Hamilton DATA & MEDIA Plates and Modules




Hamilton – making connections




Hamilton

DATA & MEDIA Plates and Modules



Holds one 50 x 50mm module or one 50 x 25mm module with two 12.5mm blanking plates or two 50 x 25mm modules

MOD-P2M WH



Holds one 50 x 50mm module and two 50 x 25mm modules or two 50 x 50mm modules or four 50 x 25mm modules

MOD-P4M WH

Other products available from the Hamilton Group

- Grid-It Grid Fix Accessories
- Sheer CFX Concealed Fixing
- Hartland CFX Concealed Fixing
- Linea-CFX Concealed Fixing Collection
- Sheer Range (Box Fix)
- Hartland Range (Box Fix)
- Cheriton Range (Box Fix)
- Woods & Bloomsbury Range
- Digital Mercury Lighting Controls
- IP Weatherproof Switches and Sockets
- Sheer Floor Sockets
- Hotel Card Switch
- Luxury Door Handles

All products listed conform to current British or European standards and the product information is correct at the time of going to press.

All accessories are manufactured under an accredited BS EN ISO 9001: 2000 Quality System.

It is the policy of the company to continually improve products as part of our development programme. Therefore, we reserve the right to alter designs and dimensions without prior notice.


Illustrations and diagrams are reproduced within the limitations of reproduction and printing processes and are not binding.

Due to manufacturing processes we cannot guarantee an exact colour match and shadings of certain finishes.

Hamilton

For further information please contact:

R. Hamilton & Co. Ltd., Quarry Industrial Estate, Mere, Wiltshire BA12 6LA, UK
Telephone: +44 (0)1747 860088 Facsimile: +44 (0)1747 861032
email: info@hamilton-litestat.com www.hamilton-litestat.com



BS EN ISO 9001:2000
CERT NO. FM1123R






















Linea-Rondo CFX® When ordering substitute * with prefix **LRX** e.g. **LRX EURO2 PB/PB**

Linea-Scala CFX® When ordering substitute * with prefix **LSX** e.g. **LSX EURO2 PB/PB**

Linea-Duo CFX® When ordering substitute * with prefix **LD** e.g. **LD EURO2 PB/PB**

2 Module Eurodata Plates Cut out size 50 x 50 mm

	Front Plate Finish						
Frame Finish	Polished Brass	Satin Brass	Antique Brass	Bright Steel	Satin Steel	Black Nickel	Piano* Black
Polished Brass	 *EURO2 PB/PB	 *EURO2 PB/SB	 *EURO2 PB/AB	 *EURO2 PB/BS	 *EURO2 PB/SS		
Satin Brass		 *EURO2 SB/SB			 *EURO2 SB/SS		
Antique Brass		 *EURO2 AB/SB	 *EURO2 AB/AB				
Bright Chrome	 *EURO2 BC/PB			 *EURO2 BC/BS	 *EURO2 BC/SS	 *EURO2 BC/BK	 *EURO2 BC/N <small>*only available in Linea-Rondo CFX</small>
Satin Nickel				 *EURO2 SN/BS	 *EURO2 SN/SS		
Black Nickel	 *EURO2 BK/PB			 *EURO2 BK/BS		 *EURO2 BK/BK	






















Linea-Rondo CFX® When ordering substitute * with prefix **LRX** e.g. **LRX EURO4 PB/PB**

Linea-Scala CFX® When ordering substitute * with prefix **LSX** e.g. **LSX EURO4 PB/PB**

Linea-Duo CFX® When ordering substitute * with prefix **LD** e.g. **LD EURO4 PB/PB**







4 Module Eurodata Plates Cut out size 50 x 100 mm


	Front Plate Finish						
Frame Finish	Polished Brass	Satin Brass	Antique Brass	Bright Steel	Satin Steel	Black Nickel	Piano Black *
Polished Brass	 *EURO4 PB/PB	 *EURO4 PB/SB	 *EURO4 PB/AB	 *EURO4 PB/BS	 *EURO4 PB/SS		
Satin Brass		 *EURO4 SB/SB			 *EURO4 SB/SS		
Antique Brass		 *EURO4 AB/SB	 *EURO4 AB/AB				
Bright Chrome	 *EURO4 BC/PB			 *EURO4 BC/BS	 *EURO4 BC/SS	 *EURO4 BC/BK	 *EURO4 BC/N <small>*only available in Linea-Rondo CFX</small>
Satin Nickel				 *EURO4 SN/BS	 *EURO4 SN/SS		
Black Nickel	 *EURO4 BK/PB			 *EURO4 BK/BS		 *EURO4 BK/BK	

Linea-Perlina CFX® When ordering substitute * with prefix **LPX**

Linea-Georgian CFX® When ordering substitute * with prefix **LGX**

2 Module Eurodata Plates







	Front Plate Finish		
Frame Finish	Polished Brass	Satin Brass	Antique Brass
Polished Brass	 *EURO2 PB/PB	 *EURO2 PB/SB	 *EURO2 PB/AB
Antique Brass	 *EURO2 AB/PB	 *EURO2 AB/SB	 *EURO2 AB/AB



Linea-Perlina CFX® When ordering substitute * with prefix **LPX**

Linea-Georgian CFX® When ordering substitute * with prefix **LGX**

4 Module Eurodata Plates

	Front Plate Finish		
Frame Finish	Polished Brass	Satin Brass	Antique Brass
Polished Brass	 *EURO4 PB/PB	 *EURO4 PB/SB	 *EURO4 PB/AB
Antique Brass	 *EURO4 AB/PB	 *EURO4 AB/SB	 *EURO4 AB/AB

Design

Linea-Rondo CFX

Linea-Scala CFX

Linea-Duo CFX

Linea-Perlina CFX

Linea-Georgian CFX

Plate Depth

4.2 mm

4.2 mm

4.2 mm

4.2 mm

4.2 mm

Nominal Plate Sizes

Single

91.4 x 91.4 mm

91.4 x 91.4 mm

86 x 86 mm

91.4 x 91.4 mm

95.5 x 95.5 mm

Double

150.4 x 91.4 mm

150.4 x 91.4 mm

145 x 86 mm

150.4 x 91.4 mm

154.5 x 95.5 mm

Polycarbonate Modules

Blanking Plates

	Module Size	Box Qty.	White Modules Order Code	Black Modules Order Code
Half Module Plate	50 x 12.5 mm	40	MOD-1/2BLANK WH	MOD-1/2BLANK BL
One Module Plate	50 x 25 mm	20	MOD-1BLANK WH	MOD-1BLANK BL



Data Outlets


	Module Size	Wall Box Depth	Box Qty.	White Modules Order Code	Black Modules Order Code	Technical Information
1 gang RJ45 Cat 5e (unshielded)	50 x 25 mm	35 mm	20	MOD-RJ45-C5 WH	MOD-RJ45-C5 BL	Enhanced Cat 5e performance (unshielded) - Can be used in both EIA 568A and EIA 568B wiring schedules.
1 gang RJ45 Cat 6e (unshielded)	50 x 25 mm	35 mm	20	MOD-RJ45-C6 WH	MOD-RJ45-C6 BL	Enhanced Cat 6e performance (unshielded) - Can be used in both EIA 568A and EIA 568B wiring schedules.
1 gang RJ45 Cat 6e (shielded)	50 x 25 mm	35 mm	20	MOD-RJ45-C6S WH	MOD-RJ45-C6S BL	Enhanced Cat 6e performance (shielded) - Can be used in both EIA 568A and EIA 568B wiring schedules.
1 gang RJ12	50 x 25 mm	35 mm	20	MOD-RJ12 WH	MOD-RJ12 BL	Can be used as either an RJ11 (4 wires) or RJ12 (6 wires).

Telephone Outlets Conform to BS6312 Part 2

	Module Size	Wall Box Depth	Box Qty.	White Modules Order Code	Black Modules Order Code	Technical Information
1 gang Telephone Master	50 x 25 mm	25 mm	20	MOD-TCM WH	MOD-TCM BL	Used as the first socket outlet on the installation.
1 gang Telephone Slave	50 x 25 mm	25 mm	20	MOD-TCS WH	MOD-TCS BL	Used as the extension socket outlets of the installation.


Television/Satellite Outlets

	Module Size	Wall Box Depth	Box Qty.	White Modules Order Code	Black Modules Order Code	Technical Information
1 gang TV Non Isolated	50 x 25 mm	35 mm	20	MOD-TV WH	MOD-TV BL	Non-isolated co-ax outlet (IEC 169 Female Socket).
1 gang TV Isolated	50 x 25 mm	35 mm	20	MOD-TVI WH	MOD-TVI BL	Isolated co-ax outlet (IEC 169 Female Socket).
1 gang Isolated TV + 1 Gang Isolated FM	50 x 50 mm	35 mm	10	MOD-TVFM WH	MOD-TVFM BL	Isolated diplexer co-ax outlets for use with combined TV and FM signal.
1 gang Satellite Non Isolated	50 x 25 mm	35 mm	20	MOD-SAT WH	MOD-SAT BL	Non-isolated F-type outlet for Satellite or Cable TV installations.
1 gang Satellite Isolated	50 x 25 mm	35 mm	20	MOD-SATI WH	MOD-SATI BL	Isolated F-type outlet for Satellite or Cable TV installations where a DC signal back to the LNB unit is NOT required.



Digital Television/Satellite Outlets Fully Screened Non Isolated

	Module Size	Wall Box Depth	Box Qty.	White Modules Order Code	Black Modules Order Code	Technical Information	Frequencies
1 gang Non Isolated TV + 1 gang Non Isolated FM + 1 gang Non Isolated Satellite 1 + 1 gang Non Isolated Satellite 2	50 x 50 mm	35 mm	10	MOD-DGENT WH	MOD-DGENT BL	For use with Digital Broadcasting/TV Systems and Interactive TV Services Quadplexer for use with combined TV, FM and Satellite Signals. (DAB Compatible)	TV = 5-68 MHz, 125-860 MHz FM = 88-108 MHz SAT DC = 950-2200 MHz
1 gang Non Isolated TV + 1 gang Non Isolated FM + 1 gang Non Isolated Satellite	50 x 50 mm	35 mm	10	MOD-DGTRID WH	MOD-DGTRID BL	Triplexer for use with combined TV, FM and Satellite Signal. (DAB Compatible)	TV = 5-68 MHz, 125-860 MHz FM = 88-108 MHz SAT DC = 950-2200 MHz
1 gang Non Isolated TV	50 x 25 mm	35 mm	20	MOD-DGTVF WH	MOD-DGTVF BL	TV outlet (IEC 169 Female Socket).	TV DC = 5-2200 MHz
1 gang Non Isolated FM	50 x 25 mm	35 mm	20	MOD-DGTVM WH	MOD-DGTVM BL	TV outlet (IEC 169 Male Socket). Usually used for FM (DAB) outlet or as a Return socket to a distribution system.	FM DC = 5-2200 MHz
1 gang Non Isolated Satellite	50 x 25 mm	35 mm	20	MOD-DGSAT WH	MOD-DGSAT BL	'F' type Satellite outlet.	SAT DC = 5-2200 MHz




Hotel Key Card Modules Adjustable Time Delay 10 secs - 5 mins with Blue LED Locator. Suitable for 44 mm and 54 mm width Hotel Key Cards.

	Module Size	Wall Box Depth	Box Qty.	Polished Brass/Black Order Code	Polished Brass/White Order Code	Satin Brass/Black Order Code	Satin Brass/White Order Code
1 gang On/Off 10AX (6AX)	50 x 50 mm	35 mm	10	MOD-C11 PB/BL	MOD-C11 PB/WH	MOD-C11 SB/BL	MOD-C11 SB/WH
1 gang On/Off 12-24V AC/DC ±10% - Suitable for KNX BUS System	50 x 50 mm	35 mm	10	MOD-C11KNX PB/BL	MOD-C11KNX PB/WH	MOD-C11KNX SB/BL	MOD-C11KNX SB/WH
	Module Size	Wall Box Depth	Box Qty.	Bright Chrome/Black Order Code	Bright Chrome/White Order Code	Satin Chrome/Black Order Code	Satin Chrome/White Order Code
1 gang On/Off 10AX (6AX)	50 x 50 mm	35 mm	10	MOD-C11 BC/BL	MOD-C11 BC/WH	MOD-C11 SC/BL	MOD-C11 SC/WH
1 gang On/Off 12-24V AC/DC ±10% - Suitable for KNX BUS System	50 x 50 mm	35 mm	10	MOD-C11KNX BC/BL	MOD-C11KNX BC/WH	MOD-C11KNX SC/BL	MOD-C11KNX SC/WH
	Module Size	Wall Box Depth	Box Qty.	Satin Steel/Black Order Code	Satin Steel/White Order Code		
1 gang On/Off 10AX (6AX)	50 x 50 mm	35 mm	10	MOD-C11 SS/BL	MOD-C11 SS/WH		
1 gang On/Off 12-24V AC/DC ±10% - Suitable for KNX BUS System	50 x 50 mm	35 mm	10	MOD-C11KNX SS/BL	MOD-C11KNX SS/WH		
	Module Size	Wall Box Depth	Box Qty.	Antique Brass/Black Order Code	Black Nickel/Black Order Code	Pearl Oyster/White Order Code	
1 gang On/Off 10AX (6AX)	50 x 50 mm	35 mm	10	MOD-C11 AB/BL	MOD-C11 BK/BL	MOD-C11 POWH	
1 gang On/Off 12-24V AC/DC ±10% - Suitable for KNX BUS System	50 x 50 mm	35 mm	10	MOD-C11KNX AB/BL	MOD-C11KNX BK/BL	MOD-C11KNX POWH	



Sheer Eurodata Plates

	Nominal Plate Size	Module Cut Out Size	Bright Stainless	Satin Stainless	Polished Brass	Satin Brass	Antique Brass	Satin Chrome	Bright Chrome	Black Nickel	Pearl Oyster
1 Module Front Plate	86 x 86 mm	50 x 25 mm	83 EURO1	84 EURO1	81 EURO1	82 EURO1	89 EURO1	86 EURO1	87 EURO1	88 EURO1	8P EURO1
2 Module Front Plate	86 x 86 mm	50 x 50 mm	83 EURO2	84 EURO2	81 EURO2	82 EURO2	89 EURO2	86 EURO2	87 EURO2	88 EURO2	8P EURO2
3 Module Front Plate	146 x 86 mm	50 x 75 mm	83 EURO3	84 EURO3	81 EURO3	82 EURO3	89 EURO3	86 EURO3	87 EURO3	88 EURO3	8P EURO3
4 Module Front Plate	146 x 86 mm	50 x 100 mm	83 EURO4	84 EURO4	81 EURO4	82 EURO4	89 EURO4	86 EURO4	87 EURO4	88 EURO4	8P EURO4



Bright Stainless

Satin Stainless

Polished Brass

Satin Brass

Antique Brass

Satin Chrome

Bright Chrome

Black Nickel

Pearl Oyster



8P EURO1+MOD-R12 WH



82 EURO4+MOD-DGTRID BL+MOD-TVF BL+MOD-TCS BL



84 EURO4+MOD-TVF BL+MOD-TCM BL

Sheer Media 1 Plates

Consisting of EURO4 Aperture with Fixing Grid and 2 gang 13A Unswitched Sockets

	Nominal Plate Size	Module Cut Out Size	Bright Stainless	Satin Stainless	Polished Brass	Satin Brass	Satin Chrome	Bright Chrome
MEDIA 1 Black Inserts	146 x 146 mm	50 x 100 mm	83 MEDIA1 BL	84 MEDIA1 BL	81 MEDIA1 BL	82 MEDIA1 BL	86 MEDIA1 BL	87 MEDIA1 BL
MEDIA 1 White Inserts	146 x 146 mm	50 x 100 mm	83 MEDIA1 WH	84 MEDIA1 WH	81 MEDIA1 WH	82 MEDIA1 WH	86 MEDIA1 WH	87 MEDIA1 WH

Sheer Media 2 Plates

Consisting of EURO4 Aperture with Fixing Grid and 4 gang 13A Unswitched Sockets

	Nominal Plate Size	Module Cut Out Size	Bright Stainless	Satin Stainless	Polished Brass	Satin Brass	Satin Chrome	Bright Chrome
MEDIA 2 Black Inserts	146 x 210mm	50 x 100 mm	83 MEDIA2 BL	84 MEDIA2 BL	81 MEDIA2 BL	82 MEDIA2 BL	86 MEDIA2 BL	87 MEDIA2 BL
MEDIA 2 White Inserts	146 x 210mm	50 x 100 mm	83 MEDIA2 WH	84 MEDIA2 WH	81 MEDIA2 WH	82 MEDIA2 WH	86 MEDIA2 WH	87 MEDIA2 WH



Bright Stainless

Satin Stainless

Polished Brass

Satin Brass

Satin Chrome

Bright Chrome



84 MEDIA 1 BL+MOD-DGTRID BL+MOD-DGTVF BL+MOD-TCS BL

Sheer CFX® Eurodata Plates

	Nominal Plate Size	Module Cut Out Size	Polished Brass	Satin Brass	Satin Stainless Finish	Bright Chrome	Black Nickel	Antique Brass
1 Module Front Plate	86 x 86 mm	50 x 25 mm	81C EURO1	82C EURO1	84C EURO1	87C EURO1	88C EURO1	89C EURO1
2 Module Front Plate	86 x 86 mm	50 x 50 mm	81C EURO2	82C EURO2	84C EURO2	87C EURO2	88C EURO2	89C EURO2
2 Module Front Plate	145 x 86 mm	50 x 75 mm	81C EURO3	82C EURO3	84C EURO3	87C EURO3	88C EURO3	89C EURO3
4 Module Front Plate	145 x 86 mm	50 x 100 mm	81C EURO4	82C EURO4	84C EURO4	87C EURO4	88C EURO4	89C EURO4



Polished Brass

Satin Brass

Antique Brass

Satin Stainless Finish

Bright Chrome

Black Nickel



84C EURO4+MOD-DGTRID WH+MOD-TV WH+MOD-TCS WH

White Polycarbonate Eurodata Plates

Complete with screw covers

	Nominal Plate Size	Module Cut Out Size	White Polycarbonate
2 Module Front Plate	86 x 86 mm	50 x 50 mm	MOD-P2M WH
4 Module Front Plate	146 x 86 mm	50 x 100 mm	MOD-P4M WH



MOD-P2M WH+MOD-RU45-CS WH+MOD-R12 WH



MOD-P2M WH




MOD-P4M WH

Holds one 50 x 50 mm module and two 50 x 25 mm modules or two 50 x 50mm modules or four 50 x 25 mm modules


Connectors for combining AV/Audio

Available on request



Hartland Eurodata Plates

	Nominal Plate Size	Module Cut Out Size	Bright Stainless	Satin Stainless	Polished Brass	Satin Brass	Antique Brass	Satin Chrome	Bright Chrome	Black Nickel	Pearl Oyster
1 Module Front Plate	88 x 88 mm	50 x 25 mm	73 EURO1	74 EURO1	71 EURO1	72 EURO1	79 EURO1	76 EURO1	77 EURO1	78 EURO1	7P EURO1
2 Module Front Plate	88 x 88 mm	50 x 50 mm	73 EURO2	74 EURO2	71 EURO2	72 EURO2	79 EURO2	76 EURO2	77 EURO2	78 EURO2	7P EURO2
3 Module Front Plate	144 x 85 mm	50 x 75 mm	73 EURO3	74 EURO3	71 EURO3	72 EURO3	79 EURO3	76 EURO3	77 EURO3	78 EURO3	7P EURO3
4 Module Front Plate	144 x 85 mm	50 x 100 mm	73 EURO4	74 EURO4	71 EURO4	72 EURO4	79 EURO4	76 EURO4	77 EURO4	78 EURO4	7P EURO4



Bright Stainless

Satin Stainless

Polished Brass

Satin Brass

Antique Brass

Satin Chrome

Bright Chrome

Black Nickel

Pearl Oyster



77 EURO1+MOD-RJ45-C6 WH



78 EURO4+MOD-DGTVF BL+MOD-RJ45-C5 BL+MOD-DGTVF BL+MOD-RJ45-C5 BL



71 EURO2+MOD-C11 PB&BL

Hartland Media 1 Plates

Consisting of EURO4 Aperture with Fixing Grid and 2 gang 13A Unswitched Sockets

	Nominal Plate Size	Module Cut Out Size	Bright Stainless	Satin Stainless	Polished Brass	Satin Brass	Satin Chrome	Bright Chrome
MEDIA 1 Black Inserts	146 x 146 mm	50 x 100 mm	73 MEDIA1 BL	74 MEDIA1 BL	71 MEDIA1 BL	72 MEDIA1 BL	76 MEDIA1 BL	77 MEDIA1 BL
MEDIA 1 White Inserts	146 x 146 mm	50 x 100 mm	73 MEDIA1 WH	74 MEDIA1 WH	71 MEDIA1 WH	72 MEDIA1 WH	76 MEDIA1 WH	77 MEDIA1 WH

Hartland Media 2 Plates

Consisting of EURO4 Aperture with Fixing Grid and 4 gang 13A Unswitched Sockets

	Nominal Plate Size	Module Cut Out Size	Bright Stainless	Satin Stainless	Polished Brass	Satin Brass	Satin Chrome	Bright Chrome
MEDIA 2 Black Inserts	146 x 210mm	50 x 100 mm	73 MEDIA2 BL	74 MEDIA2 BL	71 MEDIA2 BL	72 MEDIA2 BL	76 MEDIA2 BL	77 MEDIA2 BL
MEDIA 2 White Inserts	146 x 210mm	50 x 100 mm	73 MEDIA2 WH	74 MEDIA2 WH	71 MEDIA2 WH	72 MEDIA2 WH	76 MEDIA2 WH	77 MEDIA2 WH



Bright Stainless


Satin Stainless

Polished Brass

Satin Brass

Satin Chrome


Bright Chrome



71 MEDIA 2 BL+MOD-DGTRID BL+MOD-DGTVF BL+MOD-TCS BL

Hartland CFX® Eurodata Plates

	Nominal Plate Size	Module Cut Out Size	Polished Brass	Satin Brass	Antique Brass	Satin Stainless Finish	Bright Chrome	Black Nickel
1 Module Front Plate	86 x 86 mm	50 x 25 mm	71C EURO1	72C EURO1	79C EURO1	74C EURO1	77C EURO1	78C EURO1
2 Module Front Plate	86 x 86 mm	50 x 50 mm	71C EURO2	72C EURO2	79C EURO2	74C EURO2	77C EURO2	78C EURO2
3 Module Front Plate	145 x 86 mm	50 x 75 mm	71C EURO3	72C EURO3	79C EURO3	74C EURO3	77C EURO3	78C EURO3
4 Module Front Plate	145 x 86 mm	50 x 100 mm	71C EURO4	72C EURO4	79C EURO4	74C EURO4	77C EURO4	78C EURO4



Polished Brass

Satin Brass

Antique Brass

Satin Stainless Finish

Bright Chrome

Black Nickel




79C EURO2+MOD-TVFM-BL

77C EURO1+MOD-DGTVF BL

Cheriton Eurodata Plates

	Nominal Plate Size	Module Cut Out Size	Georgian Polished Brass	Georgian Satin Brass	Victorian Polished Brass	Victorian Satin Brass	Victorian Antique Brass	Victorian Bright Chrome	Victorian Satin Chrome	Victorian Black Nickel
1 Module Front Plate	88 x 88 mm	50 x 25 mm	90 EURO1	91 EURO1	92 EURO1	94 EURO1	93 EURO1	95 EURO1	96 EURO1	98 EURO1
2 Module Front Plate	88 x 88 mm	50 x 50 mm	90 EURO2	91 EURO2	92 EURO2	94 EURO2	93 EURO2	95 EURO2	96 EURO2	98 EURO2
3 Module Front Plate	146 x 86 mm	50 x 75 mm	90 EURO3	91 EURO3	92 EURO3	94 EURO3	93 EURO3	95 EURO3	96 EURO3	98 EURO3
4 Module Front Plate	146 x 86 mm	50 x 100 mm	90 EURO4	91 EURO4	92 EURO4	94 EURO4	93 EURO4	95 EURO4	96 EURO4	98 EURO4



Georgian Polished Brass

Georgian Antique Brass

Victorian Polished Brass

Victorian Satin Brass

Victorian Antique Brass

Victorian Bright Chrome

Victorian Satin Chrome


Victorian Black Nickel



90 EURO2+MOD-TV WH+MOD-RJ12 WH



96 EURO4 +MOD-DGTRID BL+MOD-TVF BL+MOD-TCS BL



92 EURO4+MOD-TVF BL+MOD-RJ12 BL