

IMPACT ABSORBING SURFACINGS FOR PLAY AREAS

- 300 EXTENT OF IMPACT ABSORBING SURFACING
- General: Lay to the impact areas shown in the relevant parts of BS EN 1176.
- 301 EXTENT OF IMPACT ABSORBING SURFACING
- General: Lay impact absorbing surfacing as indicated on drawings.
- 330A SAND SURFACING TO LONG JUMP LANDING PIT
- Sub-base: Geotextile Membrane
 - Manufacturer: Sports & Safety Surfaces, Tel: 01625 445760
 - Surface Course: Clean washed silica sand of smooth rounded particles
 - Manufacturer: Soft Surfaces Ltd, 35 Water Lane, Wilmslow, SK9 5AR
 - Tel: 01625 445760, Fax: 01625 525619
 - Email: info@softsurfaces.co.uk Website: www.softsurfaces.co.uk
 - Product reference: Long Jump Landing Pit
- 340A SURFACING TO LONG JUMP AREA
- Sub-base: Base Course Macadam
 - Thickness: 125mm Type 1 MOT
 - Thickness: 50mm Open Textured 20mm aggregate base course macadam
 - Manufacturer: Sports & Safety Surfaces, Tel: 01625 445766
 - Surface Course: EPDM polymeric [rubber surfacing](#)
 - Standard: To BS 7188
 - Manufacturer: Soft Surfaces Ltd, 35 Water Lane, Wilmslow, SK9 5AR
 - Tel: 01625 445760, Fax: 01625 525619
 - Email: info@softsurfaces.co.uk Website: www.softsurfaces.co.uk
 - Product reference: [Long Jump Runway Surfacing](#)
 - Colour: Red
 - Health and Safety: CHAS accredited, API accredited, CONSTRUCTIONLINE accredited
Substance known to be toxic or carcinogenic on skin or released as vapour or dust during normal use: Not permitted.
 - Submit:
 - Resistance to abrasive wear, slip resistance, resistance to indentation and ease of ignition: Evidence of testing to BS 7188.
 - Critical Fall Height: Evidence of testing to BS EN 1177.

COMPLETION

- 920 PLAY SURFACE TESTING
- Standard: To BS EN 1177 and BS 1177, where applicable.
 - Testing Body: A United Kingdom Accreditation Service (UKAS) independent laboratory.
 - Timing: Within ten days of completing the surface works.
 - Test Results: Submit.
- 930 DOCUMENTATION
- General: For all types of surfacing, provide the following:
 - Name and contact details of installer.
 - Date of installation.
 - Name and contact details of manufacturer.
 - Type/ description/ reference of products used.
 - Manufacturer's recommended inspection and maintenance procedures to maintain safety and impact absorbing performance.
 - Manufacturer's recommended cleaning and maintenance methods, where relevant.