



SAFETY DATA SHEET

Date of Issue: September 2005

Code: FWG/523/02

Page 1 of 3

1. Identification of the Substance/Preparation and Company

F 523 CARPET TILE TACKIFER

Company: Floorwise Group Ltd
Floorwise House, 22 High Street
Kegworth, Derby DE74 2DA
Tel: (01509) 673974 Fax: (01509) 674841

2. Composition/Information on Ingredient:

- AQUEOUS ACRYLIC EMULSION

CAS Number:	Chemical Name:	%:	Classification:
N/A	N/A	N/A	N/A

3. Hazard Identification:

No major health hazard exists. It is however advised that the product is used in well ventilated areas. As a general precaution repeated or prolonged skin contact should be avoided.

4. First Aid Measures:

Inhalation: Remove to fresh air. If discomfort persists seek medical advice
Skin Contact: Remove contamination with proprietary skin cleaner, followed by washing with soap and water. This procedure should also be followed prior to eating drinking, smoking and toilet functions.
Eye Contact: Irrigate immediately with clean water for 15 minutes and obtain medical attention.
Ingestion: If swallowed, seek medical advice immediately. Do not induce vomiting.

5. Fire-Fighting Measures:

Suitable Extinguishing Media:	Dry Powder, CO ₂ , Foam, Sand, Earth
Unsuitable Extinguishing Media:	Never use water jet
Special Exposure Hazards in Fires:	None known
Required Special Protective Equipment for fire fighters:	Wear suitable protective clothing

6. Accidental Release Measures:

Precautions: Contain flow with absorbent material. Prevent spills from entering drains and sewers. Dispose of at an appropriate licensed waste disposal site in accordance with current laws and regulations.



SAFETY DATA SHEET

Date of Issue: September 2005

Code: FWG/523/02

Page 2 of 3

7. Handling and Storage:

Handling: Ensure adequate ventilation.

Storage: Store between 5 and 30°C in tightly sealed containers. No special measures required against fire or explosion. Protect from frost.

8. Exposure Controls:-

UK Occupational exposure standards - EH40

- Non established

Respiratory Protection: None required at normal levels of ventilation.

Hand Protection: Not normally required

Skin Protection: Appropriate protective clothing

Eye Protection: Appropriate chemical resistant goggles if there is a risk of splashing.

9. Physical and Chemical Properties:

Appearance: White Emulsion

Flammability: Not applicable

Odour: Slight

Autoflammability: Not determined

pH: 7 approx

Explosive Properties: Not applicable

Boiling point / boiling point range: 100°C

Oxidising Properties: Not applicable

Vapour Pressure: Not determined

Melting point/ melting point range: 0°C

Relative Density: Approx 1.0

Solubility (water and fat): Soluble

Flashpoint (°C): > 100°C

10. Stability and Reactivity:

Stable up to 100°C

Hazardous decomposition products: Carbon dioxide, carbon monoxide.

11. Toxicological Information:

Short term exposure may lead to irritation. Long term exposure may lead to dermatitis.

12. Ecological Information:

The preparation has not been tested.



SAFETY DATA SHEET

Date of Issue: September 2005

Code: FWG/523/02

Page 3 of 3

13. Disposal Considerations:

Disposal of material in accordance with local regulations.

14. Transport Information:

Not classified as hazardous for conveyance

15. Regulatory Information:

Material is not classified.

16. Other Information:

Uses: PRESSURE SENSITIVE ACRYLIC ADHESIVE

The data contained in this Safety Data Sheet has been supplied as required by the Chemical (Hazard Identification and Packaging Regulations 1994), as amended, for the purpose of protecting the health and safety of industrial and commercial users who are deemed capable of understanding and acting on the information provided.

This information is given in good faith, being based on the latest knowledge available to Floorwise Group Ltd. No known relevant information has been omitted from this Safety Data Sheet and the information provided is designed to enable the user to use the product safely. The user should not assume on the basis of the information provided in this sheet that the product is suitable for any abnormal use. If the information provided is insufficient to ensure safety in any particular application, contact the Floorwise Group for further advice before the proposed application is undertaken.