



SAFETY DATA SHEET

Date of Issue: September
2005

Code: FWG/500/03
Page 1 of 3

1. Identification of the Substance/Preparation and Company

F500 SILICONE JOINT SEALANT

Company: Floorwise Group Ltd
Floorwise House, 22 High Street
Kegworth, Derby DE74 2DA
Tel: (01509) 673974 Fax: (01509) 674841

2. Composition/Information on Ingredients:

CAS Number:	Chemical Name:	%:	Classification:
8042-47-5	Hydrocarbon distillate	30-60	Xn, R65
17689-77-9	Ethyltriacetoxysilane 1 – 5		C; R14,34

3. Hazard Identification:

As a general precaution repeated or prolonged skin contact should be avoided. May cause irritation of eyes, respiratory system and skin.

4. First Aid Measures:

Inhalation: Remove to fresh air. Obtain medical attention if complaint persists.
Skin Contact: Remove contamination with proprietary skin cleaner, followed by washing with soap and water. This is particularly important before eating drinking, smoking or toilet functions.
Eye Contact: Irrigate immediately with clean water for 15 minutes and obtain medical attention.
Ingestion: If swallowed, seek medical advice immediately. Do not induce vomiting.

5. Fire-Fighting Measures:

Suitable Extinguishing Media:	Product will only burn when dry Dry Powder, CO ² , Foam, Sand, Earth, Water, Fog
Unsuitable Extinguishing Media:	Water Jet
Special Exposure Hazards in Fires:	None known
Required Special Protective Equipment for fire fighters:	Wear suitable protective clothing

6. Accidental Release Measures:

Precautions: Contain flow with absorbent material. Prevent spills from entering drains and sewers. Dispose of at an appropriate licensed waste disposal site in accordance with current laws and regulations.



SAFETY DATA SHEET

Date of Issue: September 2005

Code: FWG/500/03

Page 2 of 3

7. Handling and Storage:

Handling: Ensure adequate ventilation.

Storage: Store between 5 and 30°C in tightly sealed containers, away from direct sunlight or other heat sources.

8. Exposure Controls:

UK Occupational exposure standards - EH40

None established.

Respiratory Protection: Maintain good ventilation, avoid breathing fumes

Hand Protection: Not normally required

Skin Protection: Appropriate protective clothing

Eye Protection: Not normally required

9. Physical and Chemical Properties:

Appearance: Coloured Paste

Flammability: N/A

Odour: Of Acetic Acid

Autoflammability: N/A

pH: N/A

Explosive Properties: Not applicable

Boiling point /boiling point range: N/A

Oxidising Properties: Not applicable

Vapour Pressure: Not determined

Melting point/ melting point range: N/A

Relative Density: Approx 0.95

Solubility (water and fat): Insoluble

Flashpoint (°C): N/A

10. Stability and Reactivity:

Stable under normal handling and storage conditions.

Hazardous decomposition products: Carbon dioxide, carbon monoxide, dense black smoke, acetic acid.

11. Toxicological Information:

No known acute effects.

12. Ecological Information:

Material will not biodegrade.

13. Disposal Considerations:

Dispose of material in accordance with local and national regulations.



SAFETY DATA SHEET

Date of Issue: September 2005

Code: FWG/500/03

Page 3 of 3

14. Transport Information:

Not classified as hazardous for conveyance

15. Regulatory Information:

Not subject to labelling in accordance with EEC Directives.

16. Other Information:

Uses: SEALANT

The data contained in this Safety Data Sheet has been supplied as required by the Chemical (Hazard Identification and Packaging Regulations 1994), as amended, for the purpose of protecting the health and safety of industrial and commercial users who are deemed capable of understanding and acting on the information provided.

This information is given in good faith, being based on the latest knowledge available to Floorwise Group Ltd. No known relevant information has been omitted from this Safety Data Sheet and the information provided is designed to enable the user to use the product safely. The user should not assume on the basis of the information provided in this sheet that the product is suitable for any abnormal use. If the information provided is insufficient to ensure safety in any particular application, contact the Floorwise Group for further advice before the proposed application is undertaken.