

## National Coverage

Robinsons have over 100 greenhouse display sites conveniently located throughout Great Britain and Northern Ireland, enabling you to see display models and discuss your requirements with a local expert before you buy.

For details of your nearest retailer, call FREEPHONE 0800 975 8896 or visit our website.

**Robinsons Greenhouses, Station Works, Fenny Compton, Southam CV47 2XB**  
t: 01295 770717  
f: 01295 770819  
e: [sales@robinsonsgreenhouses.co.uk](mailto:sales@robinsonsgreenhouses.co.uk)  
w: [robinsonsgreenhouses.co.uk](http://robinsonsgreenhouses.co.uk)

Part of the Marshalls Mono Limited group of companies. Marshalls Mono Limited is a company registered in England and Wales under registration number 509579. Registered office: Birkby Grange, Birkby Hall Road, Huddersfield HD2 2YA. Our policy is one of constant development. We therefore reserve the right to make amendments to specifications and/or price without notice. Photographs in this brochure are actual customer installations; the colour of the building is a result of the film used, daylight conditions and angles taken. Variations of colour are caused by a combination of these factors.



Greenhouses for the heart of your garden

# WELCOME

For over 60 years, amateur and professional gardeners have recognised Robinsons as the name on the very best aluminium greenhouses.

Combining strength and durability with innovative designs and a host of features added for better growing, Robinsons is the benchmark against which other aluminium greenhouses are measured. So when you buy one for your garden, you know you're getting the very best.



### Precision Engineering

Robinsons' precision engineered designs utilise the most suitable materials available to produce high quality, extremely strong, maintenance-free greenhouses. Every Robinsons features fully aged-hardened 6063 T6 aluminium which has a very high quality surface ideal for powder coating. The aluminium is profiled in thick sections, cleverly configured to produce an extremely strong greenhouse that enables maximum light penetration without the need for obtrusive rails. This clever design, combined with the host of features that come as standard, ensures Robinsons is the greenhouse that outperforms all other aluminium greenhouses.

## CONTENTS

|    |                       |
|----|-----------------------|
| 2  | Welcome               |
| 4  | Why Choose Robinsons  |
| 5  | Ventilation           |
| 7  | Renaissance Octagonal |
| 8  | Regent                |
| 10 | Royale                |
| 12 | Riviera               |
| 14 | Rosette               |
| 16 | Regal                 |
| 18 | Dwarf Wall            |
| 20 | Lean-To               |
| 22 | Accessories           |

# WHY CHOOSE a Robinsons Greenhouse?

As you would expect from a premium quality brand, all models in the Robinsons range are well proven designs, manufactured with an emphasis on strength, high standard specification, complete with a quality fit and finish.



**Outstanding strength**  
The aluminium we use is considerably thicker than that used by our competitors. The result is a range of stronger greenhouses built to withstand the toughest of weather conditions.



**Toughened glass and bar capping**  
All our greenhouses feature full-length 4mm toughened safety glass (which complies with British Standard BS 6206 Class A) which is 4 times stronger than standard glass of the same thickness with no joins for unsightly mildew to gather. Our unique bar capping system securely holds the toughened safety glass in place.



**More headroom**  
Compared to our competitors, our greenhouses have the highest eaves. That means a more comfortable greenhouse thanks to more headroom, less bending and crouching – and more growing space for your plants.



**Low-level access**  
Our greenhouses feature a level door threshold for easy wheelbarrow or wheelchair access.



**Fit and finish**  
Our greenhouses are available in natural aluminium (Mill), or with a white or green powder-coated finish.



**Kick panels and extra strong sills**  
Kick panels make it easier and cheaper to replace glass if damaged. Extra strong sills along the bottom of the frame eliminate the need for a separate metal base.



**A-frame joining system**  
Our Robinsons A-frame joining system adds structural strength without the need for obtrusive front to rear rails, as well as enabling extension modules to be added easily.



**Extras as standard**  
Extras are supplied as standard with Robinsons, including Bayliss automatic roof vent openers for improved climatic control, door locks, and quality guttering and downpipes.

## OUR GUARANTEE

**Peace of mind**  
Our greenhouses are virtually maintenance free and they all come with a FREE 10 year framework guarantee.

**Exceptional service**  
Our nationwide network of retailers display our greenhouses and can advise you on the most appropriate model for your needs. If you need your site prepared or your greenhouse installed, they can arrange this for you.

# VENTILATION a breath of fresh air

Natural fresh air is as important to plants as regular watering. However, there's more to ventilation than simply opening the door; a current of air must circulate throughout the greenhouse, removing warm air and replacing it with fresh air, especially at ground level where plants are vulnerable to mould.

With good ventilation comes better growth and higher yields. Infestations and diseases are prevented and pollination is encouraged. It also prevents your greenhouse becoming a solar oven.

There are several ways in which you can optimise airflow in your Robinsons greenhouse, including:

**LOUVRE VENTS**  
Our 6-blade louvre vents provide low-level ventilation and ensure increased levels of air circulation throughout the greenhouse. Louvre vents are also available with an optional Bayliss Automatic opener.

**ROOF VENTS**  
Warm air rises, so a roof vent is essential to allow it to escape. Roof vents can be positioned in a variety of places along the ridge of your greenhouse, although not on adjoining panels. Our roof vents come with an auto opener enabling hot air to escape as soon as a certain temperature is reached.

**ADDITIONAL DOORS**  
Why have just one door when you could have one at either end? Add a partition and you can turn one greenhouse into two, with different climates creating different growing conditions.


## SIZING AND POSITIONING

Gardeners generally agree that you can never have too large a greenhouse. Therefore, we recommend you buy the widest model that your space and budget allow. You can always extend the length of your greenhouse in the future.

When deciding where to site your greenhouse, you should remember to position it with its ridge running east to west. This will ensure you make the most of the sunlight. Also, bear in mind that you may need to run power or water supplies to your greenhouse.

If space is limited in your garden or you would like your greenhouse as close to your house as possible, a Lean-To greenhouse may be the answer. It can be built against any exterior wall, preferably one that faces south.

All our greenhouses are supplied with self-assembly instructions. However, we recommend that your greenhouse is installed by an experienced professional. Your local retailer will be able to arrange this service.



# RENAISSANCE OCTAGONAL

Neat, stylish and beautifully proportioned, the Renaissance will enhance any garden.



Available in Mill, White & Green




With a stylish Renaissance Octagonal Greenhouse, you'll enjoy maximum growing room in the minimum of space.

Available in three different widths and in Mill, Green or White, our Octagonal Greenhouses will complement any garden and provide you with an invaluable growing environment.

With a choice of staging and shelving, flexibility is the name of the game and with one of the highest eaves at 6'4" of all our models, the Renaissance offers you plenty of headroom and the luxury of gardening in comfort without crouching or stooping.

### The standard Renaissance Greenhouse includes:

- Ground level door threshold
- Roof vent with automatic opener
- Two louvre side vents
- Eaves guttering with integral downpipes
- Ridge cresting and finials
- Unique capping and stainless steel fixings
- 4mm toughened safety glass throughout
- Kick panels
- Lockable doors
- Full length glass



Renaissance 5'7" x 11'8", green powder coat, sliding double door, 2 sides and rear timber staging, 2 sides timber shelving, 2 automatic roof vents, 2 manual louvre vents, ridge cresting and finials

### The Renaissance Greenhouse comes in one length and three widths:

| Model 68            | 5'7" x 7'7"<br>(1.714 x 2.312m)                     | Model 610           | 5'7" x 9'7 1/2"<br>(1.714 x 2.932m)                 | Model 612           | 5'7" x 11'8"<br>(1.714 x 3.552m)                   |
|---------------------|---|---------------------|---|---------------------|--|
| <b>Eaves Height</b> | 6'4 5/8" (1.95m)                                    | <b>Eaves Height</b> | 6' 4 5/8" (1.95m)                                   | <b>Eaves Height</b> | 6'4 5/8" (1.95m)                                   |
| <b>Ridge Height</b> | 8'7 1/2" (2.63m)                                    | <b>Ridge Height</b> | 8'7 1/2" (2.63m)                                    | <b>Ridge Height</b> | 8'7 1/2" (2.63m)                                   |
| <b>Door</b>         | Sliding single 2'0" (610mm) wide, turn key lockable | <b>Door</b>         | Sliding single 2'0" (610mm) wide, turn key lockable | <b>Door</b>         | Sliding double 4' (1220mm) wide, turn key lockable |


*An extra strong sill along the base of the frame eliminates the need for a separate metal base.*

# REGENT (6' 5<sup>3</sup>/<sub>4</sub>" wide)

A surprisingly spacious greenhouse for even the smallest garden



Available in Mill, White & Green



Regent 6'5" x 8'8", mill finish, 1 side mill staging, 1 side mill shelving, 2 automatic roof vents, 1 manual louvre vent

| Regent specifications  | Standard lengths                               | Number of roof vents          |
|--|--|-------------------------------|
| <b>Width</b> 6'5 <sup>3</sup> / <sub>4</sub> " (1.976m)                                    | <b>6'7<sup>3</sup>/<sub>4</sub>" (2.024m)</b>  | 1 - with automatic XL opener  |
| <b>Ridge Height</b> 7'4 <sup>1</sup> / <sub>2</sub> " (2.249m)                             | <b>8'8<sup>1</sup>/<sub>8</sub>" (2.644m)</b>  | 1 - with automatic XL opener  |
| <b>Eaves Height</b> 5'6 <sup>1</sup> / <sub>2</sub> " (1.691m)                             | <b>10'8<sup>1</sup>/<sub>2</sub>" (3.264m)</b> | 2 - with automatic XL openers |
| <b>Roof Vents</b> 24" x 24" (610 x 610mm)  | <b>12'8<sup>7</sup>/<sub>8</sub>" (3.884m)</b> | 2 - with automatic XL openers |
| <b>Dwarf wall</b> Add 3 <sup>1</sup> / <sub>4</sub> " (84mm) to the ridge and eaves height | <b>14'9" (4.504m)</b>                          | 2 - with automatic XL openers |
|  | <b>16'9" (5.124m)</b>                          | 2 - with automatic XL openers |

Additional lengths available increasing in approx 2' (61cm) intervals

When space is at a premium, our Regent range of greenhouses is ideal, even for the smallest garden.

With a width of 6'5<sup>3</sup>/<sub>4</sub>" (1.97m), the Regent is available in a variety of lengths. It features a 2' (61cm) lockable single door and, like all of our greenhouses, has a ground-level threshold for easy wheelbarrow or wheelchair access.

And even though the Regent may be our narrowest greenhouse, it's generous in height; there is a full 5'6<sup>1</sup>/<sub>2</sub>" (1.69m) working height at the eaves so you'll have plenty of working and growing space.

The Regent Greenhouse is also available as a Dwarf Wall option.

### The standard Regent Greenhouse includes:

- Sliding lockable door
- Ground level door threshold
- Roof vent with automatic opener (number dependent on length) - see table below
- Eaves guttering with integral downpipes
- Unique capping and stainless steel fixings
- 4mm toughened safety glass throughout
- Kick panels
- Full length glass



Sturdy staging & shelving - see page 22


# ROYALE (8'6¼" wide)

Generous proportions and double doors help to make the Royale an evergreen favourite



Available in Mill, White & Green

Dwarf wall option - See page 18



The Royale Greenhouse is the most popular model in our range. At a full 8'6¼" (2.59m) wide, the Royale allows you to have a full run of staging down each side, and still have a 4' wide pathway. The Royale is available in a variety of lengths from 6'7¾" (2.02m) to 16'9" (5.1m). We recommend you go for the longest you can accommodate – you can never have too much space!

The Royale also features lockable, sliding double doors which give a 4' (1.2m) wide opening, with a ground-level threshold, that provides easy access for wheelbarrows or wheelchairs. You can also choose to include an extra fully-glazed partition with a single sliding door. This is a real benefit if you want to divide your greenhouse into two distinct climatic zones or minimise heating costs over the winter.

### The standard Royale Greenhouse includes:

- Double sliding lockable doors
- Ground level door threshold
- Roof vent with automatic opener (number dependent on length) - see table below
- Eaves guttering with integral downpipes
- Unique capping and stainless steel fixings
- 4mm toughened safety glass throughout
- Kick panels
- Full length glass



Royale 8'6¼" x 10'8½", green powder coat, 1 side green staging, 1 side green shelving, 3 automatic roof vents, 2 manual louvre vents

| Royale specifications | Standard lengths                             | Number of roof vents                            |
|-----------------------|--|---|
| <b>Width</b>          | 8'6¼" (2.596m)                               | 6'7¾" (2.024m) 1 - with automatic XL opener     |
| <b>Ridge Height</b>   | 7'10³⁄₈" (2.397m)                            | 8'8'⁄₈" (2.644m) 2 - with automatic XL openers  |
| <b>Eaves Height</b>   | 5'6½" (1.691m)                               | 10'8½" (3.264m) 2 - with automatic XL openers   |
| <b>Roof Vents</b>     | 24" x 24" (610 x 610mm)                      | 12'8'⁄₈" (3.884m) 3 - with automatic XL openers |
| <b>Dwarf wall</b>     | Add 3¼" (84mm) to the ridge and eaves height | 14'9" (4.504m) 4 - with automatic XL openers    |
|                       |  | 16'9" (5.124m) 4 - with automatic XL openers    |

Additional lengths available increasing in approx 2' (61cm) intervals


*All our greenhouses come with an A-frame joining system which allows you to conveniently add extension modules.*

# RIVIERA (8'6¼" wide)

Featuring an attractive hip-roof and double doors, the Riviera is stylish and practical



Available in Mill, White & Green



Riviera 8'6¼" x 12'8⅞", green powder coat, 2 sides green staging, 2 sides green shelving, 2 automatic roof vents, 2 manual louvre vents

| Riviera specifications                    | Standard lengths       | Number of roof vents | Number of louvres |
|---|------------------------|----------------------|-------------------|
| <b>Width</b> 8'6¼" (2.596m)               |                        |                      |                   |
| <b>Ridge Height</b> 8'8½" (2.651m)        | <b>10'8½" (3.264m)</b> | 2                    | 1                 |
| <b>Eaves Height</b> 6'4⅝" (1.945m)        | <b>12'8⅞" (3.884m)</b> | 2                    | 2                 |
| <b>Roof Vents</b> 24" x 24" (610 x 610mm) |                        |                      |                   |
| <b>Dwarf wall</b> No height increase      |                        |                      |                   |

Additional lengths available increasing in approx 2' (61cm) intervals

The Riviera features an attractive hip roof with one of the highest eaves height (6'4" / 1.95m) of any of our greenhouses, and a ridge height of 8'8½" (2.6m) to offer you maximum comfort and all the growing space you could need.

There are two sizes – 8'6¼" x 10'8½" (2.60m x 3.30m) or 8'6¼" x 12'8⅞" (2.60m x 3.90m) – and both include finials and cresting as standard in white or green.


Two roof vents with automatic openers are included as standard in the hip-roof and the double doors can be located on either the end wall or along the side walls.

The Riviera Greenhouse is also available as a Dwarf Wall option.

### The standard Riviera Greenhouse includes:

- Double sliding lockable doors
- Ground level door threshold
- Two roof vents with automatic openers and additional louvre side vent(s) (number dependent on length) - see table below
- Eaves guttering with integral downpipes
- Unique capping and stainless steel fixings
- Finials and cresting (white or green only)
- 4mm toughened safety glass throughout
- Kick panels
- Lockable doors
- Full length glass

High level shelving - See page 22



Louvre vent - See page 22

# ROSETTE (10'7" wide)

Classic proportions and all the growing space you could need




Available in Mill, White & Green

Wide doors



Timber staging - See page 22

*We insist on using only the finest quality fixings such as stainless steel screws and our unique bar capping system.*



Whether you are an enthusiastic amateur or a professional nursery grower, our Rosette greenhouses offer you everything you could want in a greenhouse.

With an impressive width of 10'7" (3.23m) and a choice of unlimited lengths, space is never going to be an issue. Staging up to 3'1" (0.9m) wide can be positioned on both sides of the greenhouse and there's still room for double sliding doors. Naturally the doorway has a ground-level threshold, so wheeling garden machinery in and out isn't a problem.

The Rosette can also be fitted with a fully-glazed partition to provide a segregated propagation area, with a choice of either single or double doors.

The Rosette Greenhouse is also available as a Dwarf Wall option.

### The standard Rosette Greenhouse includes:

- Double sliding lockable doors
- Ground level door threshold
- Roof vent with automatic opener (number dependent on length) - see table below
- Eaves guttering with integral downpipes
- Unique capping and stainless steel fixings
- 4mm toughened safety glass throughout
- Kick panels
- Full length glass



Rosette 10'7" x 10'8 1/2", green powder coat, 1 side green staging, 1 side green shelving, 4 automatic roof vents, 2 manual louvre vents

### Rosette specifications

|                     |   |
|---------------------|---|
| <b>Width</b>        | 10'7" (3.226m)                                  |
| <b>Ridge Height</b> | 8'4 1/4" (2.546m)                               |
| <b>Eaves Height</b> | 5'6 1/2" (1.691m)                               |
| <b>Roof Vents</b>   | 24" x 24" (610 x 610mm)                         |
| <b>Dwarf wall</b>   | Add 3 1/4" (84mm) to the ridge and eaves height |

### Standard lengths

|                           |                               |
|---------------------------|-------------------------------|
| <b>8'8 1/8" (2.644m)</b>  | 2 - with automatic XL openers |
| <b>10'8 1/2" (3.264m)</b> | 3 - with automatic XL openers |
| <b>12'8 7/8" (3.884m)</b> | 3 - with automatic XL openers |
| <b>14'9" (4.504m)</b>     | 4 - with automatic XL openers |
| <b>16'9" (5.124m)</b>     | 4 - with automatic XL openers |
| <b>18'9" (5.744m)</b>     | 5 - with automatic XL openers |

### Number of roof vents


Additional lengths available increasing in approx 2' (61cm) intervals

# REGAL (12'7" wide)

The widest, strongest greenhouse we make – and you can have it as long as you like.



Available in Mill, White & Green



Regal 12'7" x 8'8 1/8", green powder coat, 1 end of green staging, 1 end of green shelving, 6 automatic roof vents, 5 manual louver vents

The Regal is the widest model in our range. With a width of 12'7" (3.84m), it is available at any length starting from 8'8 1/8" (2.6m) and continuing upwards in increments of 2' (0.6m), to accommodate all your growing needs.


Given the size of the Regal, the frame has been specially stiffened. Ridge and eaves braces are applied to every set of glazing bars and extra structural rigidity has been added to the door gable. Add this to a continuous concrete or brick perimeter footing, which is essential with a structure of this size, and you have an exceptionally strong and durable greenhouse.

The Regal Greenhouse is also available as a Dwarf Wall option.

### The standard Regal Greenhouse includes:

- Double sliding lockable doors
- Ground level door threshold
- Roof vent with automatic opener (number dependent on length) - see table below
- Eaves guttering with integral downpipes
- Unique capping and stainless steel fixings
- 4mm toughened safety glass throughout
- Kick panels
- Full length glass

Ridge cresting and Finials - See page 23



### Regal specifications

|                     |   |
|---------------------|---|
| <b>Width</b>        | 12'7" (3.836m)                                  |
| <b>Ridge Height</b> | 8'10 1/2" (2.696m)                              |
| <b>Eaves Height</b> | 5'6 1/2" (1.691m)                               |
| <b>Roof Vents</b>   | 24" x 24" (610 x 610mm)                         |
| <b>Dwarf wall</b>   | Add 3 1/4" (84mm) to the ridge and eaves height |

### Standard lengths

|                           |                               |
|---------------------------|-------------------------------|
| <b>8'8 1/8" (2.644m)</b>  | 2 - with automatic XL openers |
| <b>10'8 1/2" (3.264m)</b> | 3 - with automatic XL openers |
| <b>12'8 7/8" (3.884m)</b> | 3 - with automatic XL openers |
| <b>14'9" (4.504m)</b>     | 4 - with automatic XL openers |
| <b>16'9" (5.124m)</b>     | 4 - with automatic XL openers |
| <b>18'9" (5.744m)</b>     | 5 - with automatic XL openers |

### Number of roof vents

Additional lengths available increasing in approx 2' (61cm) intervals

# DWARF WALL

Choose the Dwarf Wall option and put your greenhouse on a solid footing.




Available in Mill, White & Green



Dwarf Wall Lean-To - See page 21

*Robinsons precision engineered designs utilise the most suitable materials available to produce high quality, extremely strong, maintenance-free greenhouses.*



The Dwarf Wall option is available on all of our rectangular greenhouses, including the Lean-To. We have designed them to sit on a single skin dwarf wall 1'11<sup>5</sup>/<sub>8</sub>" (0.6m) high.

Simply choose the model you prefer (Regent, Royale, Rosette, Regal, Riviera or Lean-To) and the length of greenhouse you would like and we will provide you with all the necessary drawings for your builder to construct the footings and walls. We recommend that you use good quality bricks (not sand-faced) that will securely hold the fixings.

If you don't have a builder, your local retailer may be able to provide details of a suitable builder.

### The standard Dwarf Wall Greenhouse includes:

- Sliding lockable doors
- Ground level door threshold
- Roof vent with automatic opener (number dependent on length)
- Eaves guttering with integral downpipes
- Unique capping and stainless steel fixings
- 4mm toughened safety glass throughout
- Kick panels
- Full length glass



Royale Dwarf Wall 8'6<sup>1</sup>/<sub>4</sub>" x 12'8<sup>7</sup>/<sub>8</sub>", green powder coat, 5 automatic roof vents, partition doors

Six models are available based upon the following dimensions, in any of our standard lengths:



|                |   |
|----------------|---|
| <b>Regent</b>  | 6'5 <sup>3</sup> / <sub>4</sub> " (1.976m) wide |
| <b>Royale</b>  | 8'6 <sup>1</sup> / <sub>4</sub> " (2.596m) wide |
| <b>Rosette</b> | 10'7" (3.226m) wide                             |
| <b>Regal</b>   | 12'7" (3.836m) wide                             |
| <b>Riviera</b> | 8'6 <sup>1</sup> / <sub>4</sub> " (2.596m) wide |
| <b>Lean-To</b> | 5'4" (1.625m) wide                              |

# LEAN-TO (available in 5'4" & 6'5½" wide)

A greenhouse or a sun lounge  
– the choice is yours



Available in Mill, White & Green



Lean to 6'5½" x 10'8½", green powder coat, 1 side of green staging, 1 side of green shelving, 3 automatic roof vents, 4 manual louvre vents

## Lean-to Specifications

| Lean-to Specifications |  | Standard lengths    |  | Number of roof vents   |                               |
|------------------------|--|---------------------|--|------------------------|-------------------------------|
| <b>Width</b>           | 5'4" (1.625m)                                | <b>Width</b>        | 6'5½" (1.97m)                                | <b>6'7¾" (2.024m)</b>  | 1 - with automatic XL opener  |
| <b>Ridge Height</b>    | 8'5" (2.564m)                                | <b>Ridge Height</b> | 7'10¼" (2.395m)                              | <b>8'8⅞" (2.644m)</b>  | 1 - with automatic XL opener  |
| <b>Eaves Height</b>    | 5'6½" (1.691m)                               | <b>Eaves Height</b> | 6'4⅝" (1.945m)                               | <b>10'8½" (3.264m)</b> | 2 - with automatic XL openers |
| <b>Roof Vents</b>      | 24" x 24" (610 x 610mm)                      | <b>Roof Vents</b>   | 24" x 24" (610 x 610mm)                      | <b>12'8⅞" (3.884m)</b> | 2 - with automatic XL openers |
| <b>Dwarf wall</b>      | Add 3¼" (84mm) to the ridge and eaves height | <b>Dwarf wall</b>   | Add 3¼" (84mm) to the ridge and eaves height | <b>14'9" (4.504m)</b>  | 3 - with automatic XL openers |
|                        |  |                     |  | <b>16'9" (5.124m)</b>  | 3 - with automatic XL openers |

Additional lengths available increasing in approx 2' (61cm) intervals

When space is limited or you would like your greenhouse to be close to your house, a Lean-To can be the answer. They can also be used as a sun lounge.

Ideally, Lean-To greenhouses should be fixed to a south facing wall. The wall acts like a radiator – absorbing the sun's heat during the day and slowly releasing it at night.

As with all our greenhouses, the Lean-To includes 4mm toughened glazing which complies with British Standard BS 6206 Class A. The glass is four times stronger than ordinary glass of the same thickness.

The door can be fitted at either end of your Lean-To. If you are choosing a 6'5½" model, the extra height enables the door to be placed on the side and you can choose a between a single or double sliding doors.

### The standard Lean-To Greenhouse includes:

- Single sliding lockable door
- Ground level door threshold
- Roof vent with automatic openers (number dependent on length) - see table below
- Eaves guttering with integral downpipes
- Unique capping and stainless steel fixings
- 4mm toughened safety glass throughout
- Kick panels
- Full length glass

Dwarf wall option



Lean to 5'4" x 10'8½" mill finish, 1 side of mill staging, 1 side of mill shelving, 2 automatic roof vents, 1 manual louvre vent



High level shelving - see page 22

# ACCESSORIES

With our extensive range of accessories, you can enhance your Robinsons greenhouse into your perfect growing environment.



## STAGING & SHELVING

- A. ALUMINIUM
- B. TIMBER

Our slatted staging and shelving is designed to make the most of your available space, and can be fitted at any height (to avoid unnecessary bending) with a range of widths. Available in aluminium or tanalised timber. The staging is attached to the inside of the glazing bar and supported by braces, it doesn't need legs. This ensures that no space is wasted and makes it easier to work at the staging from a wheelchair.

## C. ROOF VENTS

Roof vents allow warmer air to be released from the greenhouse and can be positioned in a variety of places along the ridge (although not on adjoining panels). Our roof vents are supplied with a Bayliss XL automatic opener as standard. An upgrade to Bayliss MK7 openers is available for increased durability.

## D. LOUVRE VENTS

Our 6-blade manually-operated louvre vents provide low-level ventilation to ensure increased levels of air circulation throughout the greenhouse. They can be fitted in any standard width pane of glass. Each vent is supplied with an extra pane of toughened safety glass, enabling you to position the vent at a high or low level. Automatic opener option also available.

## E. ADDITIONAL DOORS

When you have a door at each end of your greenhouse, access is much easier, particularly if you have a longer model. Add a partition and you can create two greenhouses with different growing conditions. When ordering a single door, please advise us whether you would like the door to slide to the left or to the right when facing it from the outside - see above table for available options.

## F. RIDGE CRESTING & FINIALS

Our Victorian style cresting and finials provide the perfect finishing touch to our free-standing greenhouses. They are available in green or white and also serve a practical purpose - they discourage birds from perching on the ridge.

## G. EXTENSIONS.

You can extend all of our greenhouses except the Renaissance and Riviera models. 2' (61cm) extension modules can be added to either gable enabling you to grow your greenhouse in line with your needs.

## H. PARTITIONS.

For Royale, Rosette and Regal models

A partition enables you to turn one greenhouse into two by creating different temperature zones. It also enables you to heat a smaller area over the winter months, thus keeping your electricity bill to a minimum. Our partitions can be fitted at any glazing bar and are available with either a single 2' (610mm) sliding door or a double 4' (1220mm) sliding door.

## I. INTERNAL & EXTERNAL SHADING

Our external shading can be used to protect plants from strong sunlight or to provide insulation over winter. The stretchable green mesh comes in a number of lengths, and is supplied complete with pre-assembled rubber loops and fixings to attach it to the ridge. The shading can be rolled up to gutter level to allow more light into the greenhouse and the flexible nature of the fabric allows the roof vents to operate while it is in place. Our easy to use internal roller blinds fit each glazing section providing shade to easily damaged plants.

## EXTRA DOORS (in the end of your greenhouse).

|                | Regent 6    | Royale 8              | Rosette 10            | Regal 12              | Riviera     |
|----------------|-------------|-----------------------|-----------------------|-----------------------|-------------|
| Standard Model | Single door | Single or double door | Single or double door | Single or double door | Double door |
| Dwarf Model    | Single door | Double door           | Double door           | Double door           | Double door |

## PARTITION DOORS

|                 |               |                |                             |                |               |
|-----------------|---------------|----------------|-----------------------------|----------------|---------------|
| Partition Doors | Not available | Single 2' door | Single 2' or double 4' door | Double 4' door | Not available |
|-----------------|---------------|----------------|-----------------------------|----------------|---------------|

