

Miele
PROFESSIONAL

The **new** Miele dryers
with Timetronic controls

PT 5251, PT 5351



The new Miele dryers PT 5251, PT 5351 with Timetronic controls



Simple controls for precisely timed drying results

The new PT 5251 and PT 5351 dryers have new electronic **Timetronic controls**. They allow the user to select the optimum drying time for individual loads according to the type of washing and the desired temperature. Careful construction and high quality ensure long lasting, problem free operation.

The drying temperature is easily set using the temperature dial; the empty, half full and full circles symbolise the selected temperature:

- = cold
- ◐ = low temperature
- = high temperature

The time dial is used to set the drying time in 5-minute stages up to a maximum of 60 minutes. The drying time is displayed and counted down in the digital display, so the operator can see at a glance how much longer the drying process has to run.

The time dial itself remains in the position selected so that frequently used drying times do not have to be reselected every time.

To ensure that the drying process runs smoothly and no time is wasted, an error message will be shown in the digital display if the fluff filter is blocked.

The emergency switch off function is controlled via the Off button and is marked in red and yellow.

Quality made in Germany

For decades Miele has been leading the way in the development of machines for perfect laundry care. The highest levels of efficiency and economy play an important role in producing solutions to meet every need.

Following the motto "Forever Better", Miele dryers are Made in Germany to the highest quality – putting customer needs first. Product development and production are carried out in accordance with quality standard DIN EN ISO 9001.

The new Miele dryers in detail

Load capacity 10 and 14 kg

Illustration: PT 5251 (stainless steel option)



PT 5251

- Timetronic controls
- Air Recycling system
- Loading capacity 10 kg (loading ratio 1:25)
- Smooth walled drum, drum volume 250 l

PT 5351

- Timetronic controls
- Air Recycling system
- Load capacity 14 kg (loading ratio 1:25)
- Smooth walled drum, drum volume 350 l

Features

Air Recycling system

- Approx. 60% of warmed process air is re-used to create short running times and low running costs.

Central fresh air intake from outside possible

- For installation in windowless rooms
- Avoids draughts

Large surface fluff filter

- Offers time savings and greater flexibility thanks to semi-automatic cleaning
- Easy to clean

Heating

Electric or gas

Drying technology

Intelligent drum reversing action

- Optimum clockwise/anti-clockwise drum action prevents damp patches and tangling
- Fast, even drying

Final cool down phase

- Gentle, fabric-appropriate cool down
- Prevents creasing

Illustration: PT 5351 (octo blue)



Construction

Galvanised sheet metal casing,

blue powder coated (except rear panel)

- Durable, easy to clean casing
- Stainless steel front optional

Stainless steel, smooth walled drum

- Gentle care extends life of laundry

Large drum diameter


- Optimum use of energy
- Short drying times
- More space for laundry to move with softer drying results

Axial air flow

- Prolonged movement of drying items in warm air current
- Shorter drying times

Options

- Stainless steel machine front
- Connection for coin mechanism
- Connection for peak load cut-out
- Liquid gas instead of natural gas



The Air Recycling system in detail

The innovative Air Recycling system from Miele Professional makes partial use of pre-warmed exhaust air to achieve high levels of economy. Fresh air^① is drawn in via the air intake and mixed with the circulating air in the heater^②. This mixed air is warmed by the heater and flows through the perforated panel in the back of the machine into the drum^③. The fan then draws the air through the perforations at the front of the drum into the fluff filter^④. The fan wheel drives the air through the divided fan shaft^⑤. From here approximately 40% of the exhaust air^⑥ flows out of the machine through the air outlet and approximately 60%^⑦ is returned to the heater and “recycled”. This process considerably reduces energy consumption, drying times and the impact on the environment.



Technical data



Dryer	PT 5251	PT 5351
Capacity (kg)	10	14
SMOOTH WALL DRUM, drum volume (l)	250	350
Air Recycling system	•	•
Controls, programmes		
Timetronic	•	•
Exhaust air connection diameter (DN)	150	150
Electrical connection (electric heating)		
3N AC 380–415 V 50 Hz	•	•
Heater (kW)	13.5	18
Total connected load (kW)	14.2	18.7
Fuse rating (A)	3 x 25	3 x 35
Connection for peak load cut-out	◦	◦
Electrical connection (gas heating)		
Total connected load (kW)	AC 220-240 V 50 Hz	3N AC 380-415 V 50 Hz
Fuse rating (A)	0.8	1.05
	1 x 13	3 x 10
Dimensions, weight (Electrical heating)		
External dimensions H x W x D (mm)	1390/906/691	1390/906/1007
Weight (kg)	147	168
External finish options		
Machine front, lid and sides octoblue, rear panel galvanized	•	•
Machine front stainless steel, lid and sides octoblue, rear panel galvanized	◦	◦

• = standard, ◦ = optional

Certificates depending on model: VDE, VDE/CCA, DVGW-Gas, CE-Ident-Nr. EMV-CE

Miele Company Limited Internet: www.miele.co.uk
Fairacres E-mail: info@miele.co.uk
Marcham Road
Abingdon Internet: www.miele-professional.co.uk
Oxon OX14 1TW E-mail: info@miele.co.uk

Telephone: (01235) 554455
Telefax: (01235) 554477

Miele worldwide:

AUSTRALIA
Miele Australia Pty. Ltd.
Box 381
Ferntree Gully,
Melbourne, VIC 3156
Tel. +61(0)3/97 64 71 00
Telefax +61(0)3/97 64 71 29

AUSTRIA
Miele Gesellschaft mbH.
Zentrale Salzburg
Mielestr. 1
5071 Wals/Salzburg
Tel. +43(0)6 62/85 84-4 26
Telefax +43(0)6 62/85 84-419

BELGIUM
N.V. Miele S.A.
1730 Mollem
Industriezone Asse 5, Nr. 22.1
Hof te Bollebeecklaan 9
Tel. +32(0)2/451.14.11
Telefax +32(0)2/451.14.14

CANADA
Miele Limited
161 Four Valley Drive
Vaughan, ON L4K 4V8
Toll free: (800) 643-5381
Tel. (905) 660-9936
Telefax (905) 532-2290

CROATIA
Miele d.o.o.
Obrtnička 3
10000 Zagreb
Kroatien
Tel. +385/1/2 45 90 00
Telefax +385/1/2 45 90 19

CZECH REPUBLIC
Miele spol. s.r.o.
61700 Brno, Hněvkovského 81B
Tel. +420(0)5/4 35 53-1 11
Telefax +420(0)5/4 35 53-1 19

DENMARK
Miele A/S
2600 Glostrup, Erhvervsvej 2
Tel. +45 43 27 11 00
Tel. Salg/Professional
+45 43 27 15 00
Tel. Jylland +45 97 12 70 66
Telefax hovednr. +45 43 27 11 09
Telefax Salg/Professional
+45 43 27 15 09

FINLAND
Miele Oy
01200 Vantaa, Porttikaari 6
Tel. +358(0)9/87 59 70
Telefax +358(0)9/87 59 72 99

FRANCE
Miele S.A.S.
93151-Le Blanc-Mesnil (Paris)
9 avenue Albert Einstein
Tel. +33(0)1/49 39 34 35
Telefax +33(0)1/49 39 44 38

GERMANY
Miele & Cie. KG
Carl-Miele-Straße 29
33332 Gütersloh
Tel.: 0 180 220 21 21 (6 ct/min)*
Telefax 0 180 111 20 30*
*Only in Germany
www.miele-professional.de
info@miele.de

GREAT BRITAIN
Miele Co. Ltd. Fairacres
Marcham Road, Abingdon
Oxon OX14 1TW
Tel. +44(0)12 35/55 44 55
Telefax +44(0)12 35/55 44 77

GREECE
Miele Hellas GmbH
154 51 N. Psychiko-Athen
Mesogion 257
Tel. national 01/10 6 79 44 44
international 00 30/2/10 6 79 44 44
Telefax 01/10 6 79 42 09
international 00 30/2/10 6 79 42 09

HUNGARY
Miele Kft.
Hungária krt. 179 - 187
1146 Budapest
Tel. national 06/1/4 22-31 80
international 0036/1/4 22-31 80
Telefax +3(0)6/1/3 83 -93 04

HONG KONG
Miele Hong Kong Ltd.
AIA Plaza, Room 401, 4th Floor,
18 Hysan Avenue,
Causeway Bay, Hong Kong
Tel. +852/26101331
Telefax +852/26101013

IRELAND
Miele Ireland Ltd., Dublin 24
Broomhill Road
Tallaght
Tel. +353(0)1/461 07 10
Telefax +353(0)1/461 07-97

ITALY
Miele Italia G. m. b. H.
39057 Eppan
Umfahrungsstraße 27
Tel. +39 04 71/66 61 11
Telefax +39 04 71/66 63 34

JAPAN
Miele Japan Corp.
150-0044 Tokyo, Shibuya-ku
Maruyamacho 3-6,
E Space Tower 11F
Tel.: +81-3-57 84-0036
Telefax +81-3-57 84-0037

KOREA
Miele Korea Limited
Miele Haus, 607-10 Yeoksam-dong
Gangnam-gu
SEOUL 135-080
Tel. +82 2 3451 9343
Telefax +82 2 3451 9399

LUXEMBOURG
Miele s.à r.l.
20, Rue Christophe Plantin
2339 Luxembourg
Tel. +352/4 97 11-25
Telefax +352/4 97 11-39

MEXICO
Miele S.A. de C.V.
Av. Santa Fé 170
German Centre 0-4-2
Col. Lomas de Santa Fé
01210, México, D.F.
Tel. +52/55/85 03 98 70 und
+52/55/85 03 98 73
Telefax +52/55/85 03 98 74

NETHERLANDS
Miele Nederland B.V.
4131 NR Vianen, De Limiet 2
Tel. +31(0)3 47/37 88 83
Telefax +31(0)3 47/37 84 29

NORWAY
Miele AS
Laxaveien 13
1351 Rud
Tel. +47/67 17 31 00
Telefax +47/67 17 31 10

POLAND
Miele Sp. z. o. o.
02-683 Warszawa
Ul. Gotarda 9
Tel. +48/22/5 48 40 00
Telefax +48/22/5 48 40 10

PORTUGAL
Miele Portuguesa, Lda.
Av. do Forte, 5
2795-504 Carnaxide
Tel. +351/21/42 48-100
Telefax +351/21/42 48-109

RUSSIA
000 Miele CIS
129164 Moskau
Zubarev per., 15-1
Tel. +7/095/745 89 90
Telefax +7/095/745 86 80

SINGAPORE
Miele Pte. Ltd.
163 Penang Road #04-02/03
Winsland House II
Singapore 238463
Tel. +65/67 35 11 91 oder
+65/65 62 88 95
Telefax +65/67 35 11 61

SLOVAKIA
Miele spol. s. r. o.
Plynárenská 1
82109 Bratislava
Tel. +421/2/53 63 37 37
Telefax +421/2/53 63 37 46

SLOVENIA
Werkkundendienststelle
Miele d.o.o.
Brodisce 15
1236 Trzin

SOUTH AFRICA
Miele SA (Pty) Ltd.
63 Peter Place
Bryanston 2194
PO Box 69434
Bryanston 2021
Tel. +27(0)11/5 48-19 00
Telefax +27(0)11/5 48-19 35

SPAIN
Miele S.A.
28108 Alcobendas (Madrid)
Carretera de Fuencarral, 20
Tel. +34/91/6 23 20 00
Telefax +34/91/6 62 02 66

SWEDEN
Miele AB
Industrivägen 20
171 27 Solna
Tel. +46(0)8/5 62 29-000
Telefax +46(0)8/5 62 29-209

SWITZERLAND
Miele AG
8957 Spreitenbach
Limmatstr. 4
Tel. +41(0)56/4 17 20 00
Telefax +41(0)56/4 17-24 69

TURKEY
Miele Elektrikli Aletler
Diş. Tic. ve Paz. Ltd. Şti.
Güvercin Sokak No. 10
80620 Levent-Istanbul
Tel. +90/2 12/3 25 84 40
Telefax +90/2 12/3 25 84 49

UKRAINE
TOV Miele
Podil Plaza
30 A, Spasskaya St.
04070 Kiev

UNITED ARAB EMIRATES
Miele Appliances Ltd.
Mankhool Road 1
Nashwan Building
P.O. Box 11 47 82, DUBAI
Tel. +971-4-39897-18
Telefax +971-4-39897-19

USA
Miele, Inc.
9 Independence Way
Princeton, NJ 08540
Tel. 001-800/843 72 31
Telefax 001-609/419 42 41

OTHER COUNTRIES:
Sales International
Miele & Cie. KG
Carl-Miele-Straße 29
33332 Gütersloh
Tel.: +49(0)52 41-89 15 07
Telefax +49(0)52 41-89 15 00

Please do not hesitate to contact us if you require further information on these machines, or on any of our other products.

The images, logos, names and trading marks used in this brochure to identify Miele, our products and services are our proprietary marks whether registered or unregistered. These may only be used with the express permission of Miele.

Caring for the environment:
this brochure is printed on paper bleached without the use of chlorine