



# PRODUCT CATALOGUE



Our company philosophy:

## ***Our Vision is Safety***

Welcome to the latest **VISIONSafe UK** catalogue. In it you will find a comprehensive guide to the **VISIONSafe UK** range of products and their specifications.

**VISIONSafe UK** are suppliers of quality personal protective equipment throughout the UK and Europe. **VISIONSafe** was first established in Perth, Australia in 1998 and has since expanded to include representation throughout Europe, the US, UK, South Africa, New Zealand, and more.

Originally obtaining the license to sell the Glove Guard™ brand throughout the UK and Europe in 2004, **VISIONSafe** have been trading in the UK and Europe as Glove Guard UK for the past 8 years. We have now re-branded to **VISIONSafe UK** and are able to offer a large range of quality, innovative safety products from our office based in Gloucester, England.

We pride ourselves in our excellent customer service and product knowledge. With our ever expanding range of unique, innovative products, **VISIONSafe UK** are at the forefront of safety supply. With the addition of the ACOT500 range of lighting from South Africa, along with our durable and robust BOTTLECHOCK cylinder restraints from Australia, we continue to bring you the latest innovations in safety equipment from around the world.

Dean Roberts  
Managing Director  
**Vision Safe UK Pty Ltd**



*Check us out on your smart phones!  
Download a QR Code reader and be taken  
directly to our website.*



**WWW.VISIONSAFE.CO**

# PRODUCT LOCATOR

## GLOVE CLIPS

Bags	4
Catcher Clips	3
Clips	2,3
Custom Printing	3
Eyeglass Bag	4
Gloves	2,3
Glove Catcher Clip	3
Glove Guard	2
Goggle Catcher Clip	3
Handi-Klip	2
Hold-All Catcher Clip	3
Metal Detectable	2, 3
Open Mesh Bag	4
Soft Pouch Bag	4
Utility Bags	4
Utility Guard	2

## SUN PROTECTION

Add-A-Sleeve	6
Anti-Vibration Gloves	6
Attach-A-Flap	5
Backhander	6
Bag	7
Bottle Pockets	7
Brim 'N Shade	5
Drink Bottle	7
Explora Cap	6
Gloves	6
Gobi Over Hat	6
Gola Over Hat	6
Hats	5, 7
Kala Hat	5
Kalahari Hat	5
Kool Tie	7
Le Work Hood	5
Net 'N Shade	6
Stainless Steel Drink Bottle	7
Sun Safe Gloves	6
Sweat GUTR	7
Tanami Hat	5
Thermal Stainless Steel Drink Bottle	7
Tie	7
Walker's Waist Bag	7

## CYLINDER RESTRAINTS

BOTTLECHOCK	11
Clamp	11
Laboratory Bench Cylinder Clamp	11

## HAND & BODY PROTECTION

Air Suspension Knee Pads	10
Anti Slip Knee Pads	10
Back Support Belts	10
BSB Range	10
Coverguard	8
Gloves	8,9
Grippguard	8
Guardsman BT2500	10
Knee Pads	10
Mechano	9
Mechano Half	9
Shockguard Gel	9
Shockguard Gel Half	9
Warrior	8

## GENERAL SAFETY LIGHTS

Alarms	14
Baton	13
Bike Bracket	12
Clip on LED Lights	13
Foxfire	12
Heavy Duty Magnetic Base	12
Lazer Flash	13
LED Clusters	14
LED Dash Light	14
LED Traffic Baton	13
LED Triangle	13
Lights	12,13,14
Personal Safety Lights	12
Reversing Alarms	14
Torch Light	13
Traffic Cone LED Light	13
Utility Bracket	12

## VEHICLE SAFETY LIGHTING

Beacons	15,16,17
Large LED Beacon	16
Large Strobe Beacon	17
Portable Rechargeable Beacon	16
Rotary Beacon Lights	15
Rotating Beacon	15
Small LED Beacon	16
Small Strobe Beacon	17
Tall LED Beacon	15
Tall Strobe Beacon	17
Tear Drop Rotating Light	15

Disclaimer: Whilst every care and attention to detail has been taken in the presentation of products in this catalogue, Vision Safe UK Pty Ltd accepts no responsibility for manufacturers changes and/or amendments to product specifications displayed in the catalogue and reserves the right to supply these changed products as necessary. Not all products displayed herein are stock items and may be subject to order. Images are not to scale and are representative only.



### GLOVE GUARD®

The Glove Guard® glove clip is made from an engineered grade material that holds its memory, resists flex fatigue, is non-conductive and non-corrosive. It has a proven record of reducing glove loss and hand injuries, giving them a strong return on investment. To use, simply clip the small end around your belt loop or directly to your clothing and clip the large end to your gloves.

Code	Colour	Code	Colour	Code	Colour
GG1 ASS	Assorted Colours	GG1 BK	Black	GG1 HV YW	Hi Vis Yellow
GG1 GT	Granite	GG1 GR	Green	GG1 HV LM	Hi Vis Lime
GG1 RD	Red	GG1 PR	Purple	GG1 HV PK	Hi Vis Pink
GG1 BL	Blue	GG1 HV OR	Hi Vis Orange		

Metal Detectable

GG1MD Metal Detectable Glove Guard®

Printed with Safety Slogans

GG1P-ASS GG1 ASS Printed with Safety Slogans

This product features:

Patented Safety Breakaway

Interlocking Teeth



### UTILITY GUARD®

The Utility Guard® glove clip features the same safety features and robust design as the Glove Guard® clip but uses a belt clip instead of a small clamp to attach to the user. To use, simply slip the belt clip over your belt, waistband or pocket and attach your gloves, towel or earmuffs to the large clamp.

Code	Colour	Code	Colour	Code	Colour
UG1 ASS	Assorted Colours	UG1 BK	Black	UG1 HV YW	Hi Vis Yellow
UG1 GT	Granite	UG1 GR	Green	UG1 HV LM	Hi Vis Lime
UG1 RD	Red	UG1 PR	Purple	UG1 HV PK	Hi Vis Pink
UG1 BL	Blue	UG1 HV OR	Hi Vis Orange		

Metal Detectable

UG1MD Metal Detectable Utility Guard®

Printed with Safety Slogans

UG1P-ASS UG1 ASS Printed with Safety Slogans

This product features:

Patented Safety Breakaway

Easy to grip ridges

Interlocking Teeth



Fits up to a 2" belt



### HANDI KLIP®

Designed primarily for the firefighting industry, the new Handi Klip® glove clip uses a ball and socket joint that has a higher breakaway point and holds up to the brief flash temperatures of a fire. With its oversized jaws and interlocking teeth it will hold even the largest pair of gloves. To use, simply clip the small end to your belt loop or directly to your clothing and attach your gloves to the large end.

Code	Colour
HK1 ASS	Assorted Colours
HK1 BK	Black
HK1 BL	Blue
HK1 RD	Red
HK1 GR	Green
HK1 HV YW	Hi Vis Yellow
HK1 PK	Hi Vis Pink

Metal Detectable

HK1MD Metal Detectable Handi Klip®

This product features:

Ball and Socket for a higher breakaway

Interlocking Teeth



## CATCHER CLIPS

An effective range of clips for holding a wide variety of PPE close at hand. From your hard hat to your goggles, this range of clips will have the right equipment there when you need it.

### HOLD-ALL CATCHER CLIP

- A versatile 'Catch-All'
- Holds hard hats, extension cords, tools and other PPE
- Belt clip mount slides over belt, pocket or waistband
- Clip opens by pulling tab sideways or unsnapping.



Code	Colour
CCHA BK	Black
CCHA OR	Orange
CCHA WT	White
CCHA YW	Yellow

### GLOVE CATCHER CLIP

- Simple one piece design
- Holds gloves, hand towels, etc
- Belt clip mount slides over belt, pocket or waistband
- Jaws simply squeeze open for insertion of gloves



Code	Colour
CCG BK	Black
CCG BL	Blue
CCG RD	Red
CCG YW	Yellow

### GOGGLE CATCHER CLIP

- Secures goggles, safety glasses or sunglasses to hard hat
- Screw clamp until snug to secure to hard hat
- Insert goggles into clip then stretch strap across catch to secure
- Goggles easily accessible when needed



Code	Colour
CCGG	Blue-Black

### CUSTOM PRINTING

The Glove Guard®, Utility Guard®, Handi Klip®, Hold-All Catcher Clip® and Glove Catcher Clip® products can be custom printed with your company's name, logo or other information, in a variety of colours. This makes the Glove Guard® brand of glove clips and Catcher Clips an excellent way to promote your company and personalise your PPE safety programs.



- Print on one side or both sides, with one colour or two
- Remind employees to Think Safety while providing a useful tool to accomplish your company's objective

- Printing is available on all colours of Glove Guard®, Utility Guard®, Handi Klip®, Hold-All Catcher Clip® and Glove Catcher Clip® lines

## UTILITY BAGS

Safe and effective storage in a variety of styles to suit different applications. The Utility Bags incorporate the unique 'Safety Breakaway' feature of the Glove Guard® range, preventing the bags from pulling someone off balance if snagged.



### OPEN MESH BAG

- 'Safety Breakaway' feature
- Three sizes available
- Orange and Black
- Belt (Utility Guard™) or Belt loop (Glove Guard™) attachment
- Suits gas monitors, mobile phones & small tools

Code	End	Colour
75mm x 125mm		
GG OMB3x5BK	Glove Guard®	Black
UG OMB3x5BK	Utility Guard®	Black
125mm x 200mm		
GG OMB5x8OR	Glove Guard®	Orange
UG OMB5x8OR	Utility Guard®	Orange
GG OMB5x8BK	Glove Guard®	Black
UG OMB5x8BK	Utility Guard®	Black
175mm x 250mm		
GG OMB7x10OR	Glove Guard®	Orange
UG OMB7x10OR	Utility Guard®	Orange
GG OMB7x10BK	Glove Guard®	Black
UG OMB7x10BK	Utility Guard®	Black
UP OMB7x10BK	Utility <u>non</u> breakaway version	



### SOFT POUCH BAG

- 'Safety Breakaway' feature
- Soft neoprene or neoprene / mesh bag
- Hi Vis colours
- Ideal for water bottles
- Belt (Utility Guard™) or Belt loop (Glove Guard™) attachment
- Drawstring closure

Code	End	Colour
GG SPB	Glove Guard®	Blue-Black
UG SPB	Utility Guard®	Blue-Black
GG SPB OR	Glove Guard®	Hi Vis Orange
UG SPB OR	Utility Guard®	Hi Vis Orange
GG SPB YW	Glove Guard®	Hi Vis Yellow
UG SPB YW	Utility Guard®	Hi Vis Yellow
GG SPB GR	Glove Guard®	Hi Vis Green
UG SPB GR	Utility Guard®	Hi Vis Green



### VERSATILE DESIGN

All of the Utility Bag™ lines feature the patented 'Safety Breakaway' to help prevent individuals from being pulled into machinery or tugged off balance. They are available with either the small Glove Guard® clamp or with the Utility Guard® belt clip.



### EYEGLASS BAG

- Protects against dust, moisture etc
- 'Safety Breakaway' feature
- Zippered closure
- Crush resistant
- Belt (Utility Guard™) or Belt loop (Glove Guard™) attachment
- Available in Red or Blue
- Durable fabric and construction

Code	End	Colour
GG EGB RD	Glove Guard®	Red
GG EGB BL	Glove Guard®	Blue
UG EGB RD	Utility Guard®	Red
UG EGB BL	Utility Guard®	Blue

## LEGEND

- AB Atlantic Blue    RB Royal Blue    BG Bottle Green    FG Forest Green    CM Camel    ST Stone  
SG Silver Grey    WT White    NV Navy    OR Hi Vis Orange    YW Hi Vis Yellow    PK Pink

Customised products available to order including different colours and other adaptations.

### KALA HAT

- Maximum protection from the sun while keeping the face clear and vision unimpeded
- 50+ UPF rated fabric
- Adjustable head strap to fit all sizes
- Incorporates a soft towelling sweatband



Micro Mesh

Code KLM(colour) AB BG CM SG  
NV OR YW

100% Cotton

Code KLC(colour) NV OR



### KALAHARI HAT

- Lightweight, cool and comfortable to wear
- Deep curved peak
- Adjustable head strap to fit all sizes
- 50+ UPF rated fabric
- Soft towelling sweatband
- Releasable back panel for improved ventilation



Micro Mesh

Code KHM(colour) AB BG CM SG  
WT NV OR YW

100% Cotton

Code KHC(colour) NV OR



### TANAMI HAT

- Broad brim and generous neckflap for maximum protection
- 50+ UPF rated Polyester fabric
- Incorporates a soft towelling sweatband
- Lightweight, cool and comfortable to wear



Code TM(size)(colour)

RB FG ST WT NV OR YW

Not all colours stocked in all sizes

Sizing Guide:

XS-S: 51-52cm    S-M: 53-54cm    M-L: 55-56cm  
L-XL: 57-58cm    2XL: 59-61cm



### ATTACH-A-FLAP

- Attach to your hard hat or cap
- Cool and comfortable to wear
- Adjustable side coverage
- 50+ UPF fabric
- Machine washable and quick dry



Micro Mesh

Code AAF(colour) SG WT NV OR YW

100% Cotton

Code A AFC(colour) NV OR



### BRIM'N SHADE

- Adds exceptional sun protection to most hard hats
- Wide brim for extra protection
- 50+ UPF rated fabric
- Generous neck flap
- Easy to attach for a secure fit



Code

BNS(colour) SG WT NV OR

### LE WORK HOOD

- Adjustable headband to fit various sizes
- Creates no further restriction to upward vision
- Large towelling sweatband across forehead for comfort
- 50+ UPF fabric
- 100% Cotton



Code

LWH(colour) NV OR

## DISCLAIMER

VISIONSafe tests fabrics yearly with ARPANSA and makes every effort to achieve a 50+ UPF rating. On the very rare occasion that we are unable to meet this rating with a particular colour batch, we will mark that product accordingly. Please contact us if you require more information.

### GOBI OVER HAT

- 50+ UPF fabric
- Fits snugly over most hard hats
- Maximum protection from the sun while keeping the face clear and vision unimpeded
- Ideal workplace protection
- Releasable back panel for improved ventilation
- Deep curved peak
- Micro Mesh version has centre mesh panel to accommodate hard hat vents



Micro Mesh  
Code GBM(colour) **NV OR YW**  
100% Cotton  
Code GBC(colour) **NV OR**



### GOLA OVER HAT

- 50+ UPF fabric
- Maximum protection from the sun and dust with ability to close at front
- Ideal workplace protection
- Fits snugly over most hard hats
- Deep curved peak
- Releasable back panel for improved ventilation
- Micro Mesh version has centre mesh panel to accommodate hard hat vents



Micro Mesh  
Code GLM(colour) **NV OR YW**  
100% Cotton  
Code GLC(colour) **NV OR**



### EXPLORA CAP

- Hi-visibility reflective helmet cover
- High grade reflective trim
- Mesh panel for natural airflow
- 50+ UPF rated fabric
- Fits all bicycle helmets – child to adult



Code EC(colour) **YW PK**

### BACKHANDER

- Protects the back of the hand from harmful UV
- One size fits all
- 50+ UPF Micro Mesh fabric
- Reversible design
- Keeps the palm free



Code BHS/N **● Skin/Navy**

### NET 'N SHADE

- Adjustable UV Shade with separate EASY VIEW NET
- Adjustable side coverage on shade
- Toggle adjustments for ease of fit
- Can be worn independently
- Designed to fit all types of headwear
- Shade made from 50+ UPF rated fabric

Code NNS(colour) **CM NV OR**



### EASY VIEW NET

- Fits over hard hats, peak caps, broad brim hats etc
- Soft, lightweight and comfortable to wear
- Extra long for effective protection and comfort
- Great visibility through net
- Can be worn with earmuffs

Code EVN Easy View Net

\*Easy View Net does not provide UVR protection

### ADD-A-SLEEVE

- Protects the arm and back of the hand from harmful UV
- One sleeve per pack
- 50+ UPF Micro Mesh fabric
- Adjustable band on upper arm for perfect fit



Code	Colour	Sizes
AASL-XLNV	● Navy	L/XL
AASL-XLSK	● Skin	L/XL
AASL-XLWT	● White	L/XL
AASS-MNV	● Navy	S/M
AASS-MSK	● Skin	S/M
AASS-MWT	● White	S/M

### SUN SAFE GLOVES

- Protects the back of the hand from harmful UV
- Fingerless for maximum dexterity
- 50+ UPF Lycra backing
- Palm patch for extra grip
- Fully washable - dry soft



Size XS, S, M, L, XL  
Code SG(size)(colour) **BK GR BL SK**

### ANTI-VIBRATION SUN SAFE GLOVES

- Impact GEL in the palm

Sizes XS, S, M, L, XL  
Code SGV(size)BL **BL**

### KOOL TIE

- Keeps wearer cool by process of evaporation
- Contains Polymer Crystals that absorb and retain water
- Durable Micro Mesh option available singly or in display box of 20
- Poly/Cotton version available in display box of 20
- Extra long for a comfortable fit

Micro Mesh  
Code

KT(colour) **AB BG CM SG WT NV OR YW**  
 KTP ASS Printed Assorted Pattern  
 KTBX MNV Box of 20 **NV**  
 KTBX MOY Box of 20 **OR YW**  
 KTBX MAS Box of 20 Assorted

Poly/Cotton  
Code

KTBX PNV Box of 20 **NV**  
 KTBX POY Box of 20 **OR YW**  
 KTBX PAS Box of 20 Assorted



### SWEAT GUTR

- Blocks and channels sweat away from eyes and glasses
- Improves vision by greatly reducing fogging and streaking in glasses
- Fully adjustable for maximum comfort
- Never saturates
- Easy to clean

Code Description  
 SG SB The Ultimate Sweatband  
 SG HA1 Hard Hat Attachment



### STAINLESS STEEL DRINK BOTTLE

- Food grade 18/8 Stainless Steel
- 100% BPA free
- Wide mouth to accommodate ice cubes
- Sports cap
- Available in 500ml or 750ml
- Eco friendly
- Alternative/Replacement lids available

Code	Colour	Size
DB500BL	Blue	500ml
DB500GR	Green	500ml
DB500OR	Orange	500ml
DB500SS	Stainless Steel	500ml
DB750BL	Blue	750ml
DB750SS	Stainless Steel	750ml



### THERMAL STAINLESS STEEL DRINK BOTTLE

- Double wall vacuum construction
- Keeps liquids hot or cold for up to 18hr's
- Food grade 18/8 Stainless Steel
- 100% BPA free
- Wide mouth to accommodate ice cubes or soup
- 600ml
- Eco friendly

Code	Colour	Size
DBT600BL	Blue	600ml
DBT600SS	Stainless Steel	600ml



### WALKER'S WAIST BAG

- Insulated bottle holder with reflective tape
- Generous pouch with top flap and touch closure
- Adjustable waist belt
- Mesh pocket
- Bottle sold separately



Code	Colour
WWBBK	Black
WWBST	Stone

### BOTTLE POCKETS

- Thick neoprene insulated pouches
- Adjustable strap for easy transport
- Useful belt loop and clip
- Small fits 500ml Stainless Steel Drink Bottle
- Large fits 750ml Stainless Steel Drink Bottle & 600ml Thermal Stainless Steel Drink Bottle



Code	Colour	Size
BPS-BK	Black	Small
BPL-BK	Black	Large



# HAND & BODY PROTECTION

## GUARDSMAN GLOVES

Guardsman specialty gloves will provide protection and safety in most applications where precision, dexterity, flexibility and control of touch are required. Reinforced work areas, knuckle and palm protection, special grip pads and washable fabrics are designed to make the gloves more durable and long lasting.

### WARRIOR

- Heavy work applications
- Maximum protection and comfort
- Neoprene knuckle protection
- Synthetic leather palm and fingers
- Fully lined
- Velcro strap cuff closure

Code	Size
GMW212	Small
GMW213	Medium
GMW214	Large
GMW215	Extra Large
GMW216	Extra Extra Large



### COVERGUARD

- Light work applications
- Great fit and comfort with elastic cuff support
- Durable
- Spandex back, synthetic leather palm and fingers
- Fully washable

Code	Size
GMC221	Extra Small
GMC222	Small
GMC223	Medium
GMC224	Large
GMC225	Extra Large



### GRIPGUARD

- Extra grip on finger tips
- PVC full silicone grip pattern
- Neoprene and Velcro strap cuff closure
- Durable
- Fully washable
- Great fit and comfort

Code	Size
GMG242	Small
GMG243	Medium
GMG244	Large
GMG245	Extra Large
GMG246	Extra Extra Large



### SHOCKGUARD GEL

- Vibration protection from power tools and machinery
- Synthetic leather palm
- Impact GEL pads on palm and fingers
- Knuckle pads
- Velcro strap cuff closure

Code	Size
GMS140	Extra Extra Small
GMS141	Extra Small
GMS142	Small
GMS143	Medium
GMS144	Large
GMS145	Extra Large
GMS146	Extra Extra Large

Also available as:

### SHOCKGUARD GEL HALF

- Finger tips are exposed

Code	Size
GMSH122	Small
GMSH123	Medium
GMSH124	Large
GMSH125	Extra Large
GMSH126	Extra Extra Large



### MECHANO

- Full finger protection
- Designed to suit mechanical assembly and repair
- Padded knuckles
- Neoprene finger knuckle guards
- Reinforced palm patches

Code	Size
GMM331	Extra Small
GMM332	Small
GMM333	Medium
GMM334	Large
GMM335	Extra Large
GMM336	Extra Extra Large

Also available as:

### MECHANO HALF

- Finger tips are exposed

Code	Size
GMMH341	Extra Small
GMMH342	Small
GMMH343	Medium
GMMH344	Large
GMMH345	Extra Large
GMMH346	Extra Extra Large



### ANTI SLIP KNEE PADS

- Comfortable padding on and around the knee
- Relieves pressure on critical areas
- Non-slip grip prevents injuries caused through kneeling on slippery surfaces
- Effective indoors and outdoors
- Angled fastening arms to prevent chaffing and irritation
- An effective strategy for reducing chances of knee injury



Code	Description
KP4019	Knee Pads Anti Slip

### AIR SUSPENSION KNEE PADS

- 'Shock Absorbing' system creates an air cushion to absorb pressure and movement
- Effective indoors and outdoors
- Angled fastening arms to prevent chaffing and irritation
- An effective strategy for reducing chances of knee injury



Code	Description
KP4020	Knee Pads Air Suspension

### GUARDSMAN BT2500

- Flexible lumbar support pad
- Helps maintain an upright posture
- Tapered abdominal support panels
- Adjustable Velcro fastening
- Optional detachable shoulder suspenders

Code	Size
BT2500S	Small 62-82cm
BT2500M	Medium 76-96cm
BT2500L	Large 92-112cm
BT2500XL	Extra Large 106-126cm
BTSS	Optional Shoulder Straps to suit BT2500



### BSB RANGE

- Encourages the use of correct lifting techniques by reducing the tendency to bend at the waist
- Easy adjust elastic outer panels for added lower back support
- Smooth glide adjustable clips
- Extra wide elastic support suspenders
- Fully enclosed spring steel stays for flexible, contoured support

Code	Size
BSB - S	Small
BSB - M	Medium
BSB - L	Large
BSB - XL	Extra Large
BSB - XXL	Extra Extra Large



**BOTTLECHOCK™**

# CYLINDER RESTRAINTS



## BOTTLECHOCK

- Purpose designed to keep cylinders secure
- Suits gas cylinders, oxygen tanks, fire extinguishers, oil drums etc
- Grips around and keeps in full contact with the cylinder
- Restricts both horizontal and vertical movement
- In multiple fittings, BOTTLECHOCK secures each cylinder individually
- Available in Galvanised or Stainless Steel
- Quick to install using bolts
- Quick cylinder changeover with one pull buckle and strap
- Flexible design makes it easy to "snap" cylinders into place
- Cylinders don't have to be lifted, preventing injury
- Quick release pins free up space when cylinder is not in use, and allow use in another location
- Kits include both top and bottom fittings
- Size range:
  - Small (100-145mm), Medium (160-230mm), Large (245-375mm)
- Special kits BGOXYACET and BSTGOXYACET hold one large Acetylene Propane and one D, E or G Oxygen on a common bracket

Ask us about our new Component System which allows the components of the BOTTLECHOCK to be purchased individually.


Code	Mounting Bracket	No of Cylinders	Diameter Range	Code	Mounting Bracket	No. of Cylinders	Diameter Range
BG1S	Galvanised	1	100-145mm	BST2M	Stainless	2	160-230mm
BST1S	Stainless	1	100-145mm	BG3M	Galvanised	3	160-230mm
BG2S	Galvanised	2	100-145mm	BST3M	Stainless	3	160-230mm
BST2S	Stainless	2	100-145mm	BG4M	Galvanised	4	160-230mm
BG3S	Galvanised	3	100-145mm	BST4M	Stainless	4	160-230mm
BST3S	Stainless	3	100-145mm	BG1L	Galvanised	1	245-375mm
BG4S	Galvanised	4	100-145mm	BST1L	Stainless	1	245-375mm
BST4S	Stainless	4	100-145mm	BG2L	Galvanised	2	245-375mm
BG1M	Galvanised	1	160-230mm	BST2L	Stainless	2	245-375mm
BST1M	Stainless	1	160-230mm	BGOXYACET	Galvanised	2*	
BG2M	Galvanised	2	160-230mm	BSTGOXYACET	Stainless	2*	

\*BGOXYACET and BSTGOXYACET fit 1 D/E/G size oxygen and 1 G size Acetylene/Propane cylinder side by side

## LABORATORY BENCH CYLINDER CLAMP

- Secured to the bench with two screw clamps (except version BBRLabS)
- Easy release to allow re-location
- Suits bench thickness up to 50mm
- High quality, robust construction

Code	Diameter Range
BBRLabS	100-145mm (eg. C Medical)
BBRLabM	160-230mm (eg. D, E, G, Oxy)
BBRLabML	240-250mm (eg. G Aluminium)
BBRLabL	245-375mm (eg. LPG)



**DIFFERENT SIZES AVAILABLE!**

## FOXFIRE

Foxfire is a heavy duty, magnetic backed portable signal light with 26 super-bright LEDs. Each LED has a specially designed magnifier to increase light intensity. The unique arrangement of the LEDs in the Foxfire allows light to be projected from the sides in addition to the front of the light, making this signal light visible from most directions. Foxfire is ideal as an emergency warning light in breakdowns, to delineate danger zones and as an addition to traffic cones.








- 26 Super-bright LEDs
- Magnetic back/pull out stand
- Magnifier on each LED
- Front and side illumination
- Requires 4 AA batteries
- Available in single colours or combinations
- Dimensions: H50mm x W100mm x L160mm

### F262

- Operates in either static (constant on) or flash mode

### F263

- Operates in either static (constant on), wig-wag (side-to-side) or flash mode

Code	Colour	Code	Colour
F263A	 Amber	F262B	 Blue
F263R	 Red	F262RB	 Red/Blue
F262G	 Green	F262RW	 Red/White
F262W	 White		



## UTILITY BRACKET

- Attaches Foxfire to wide loads, trees, free standing poles and other non metallic surfaces
- Heavy duty plastic
- Tek, screw or strap into place



Code	Description
F PLUB	Utility Bracket

## MINI PERSONAL SAFETY LIGHTS

- Features rear clip for easy mounting
- Battery operated (2 AAA)
- Dimensions: H65mm x W34mm
- Ideal for running, bike riding, warehouse work etc
- Hard Hat Kits also available



Code	Colour	Description
SL34R	 Red	3 Pattern
SL34A	 Amber	3 Pattern
PSLW	 Clear	2 Pattern
HHLK-R	 Red	Hard Hat Kit
HHLK-A	 Amber	Hard Hat Kit

## BIKE BRACKET

- Attaches Foxfire to seat-post for increased visibility
- Extremely versatile
- Easy access to Foxfire batteries
- Rugged construction



Code	Description
F BB	Bike Bracket

## HEAVY DUTY MAGNETIC BASE

- Extra heavy duty construction
- Swivel action
- Lifts Foxfire from horizontal to vertical







Code	Description
F ADMB2	Mag Base for Foxfire

## PERSONAL SAFETY LIGHTS

- LED
- Outdoor or indoor use
- Available in red, amber, green or blue
- Features rear clip for easy mounting
- Dimensions: H72mm x W52mm
- Operates on 2 AA batteries



Code	Colour	Description
PSLR	 Red	3 Pattern
PSLA	 Amber	3 Pattern
PSLG	 Green	3 Pattern
PSLBL	 Blue	3 Pattern
PSL-AB		Optional yellow elastic arm band

### LED TRIANGLE

- Operates in static (constant on) or flash mode
- Operates on 4 AA batteries or by cig lighter adapter (12V)
- Cig lighter adapter lead length: 6m

#### WT21

- 21 LEDs
- Side Length: 450mm
- Folds flat

#### WT51

- 51 LEDs
- Side length: 440mm
- Non folding



Code	Colour	Description
WT21	Red	Folding LED Triangle
WT51	Red	Non-folding LED Triangle

### TRAFFIC CONE LED LIGHT

- Fits most traffic cones
- 1 x 1 Watt LED
- Operates on 3 C batteries
- Available in manual on/off version or with day/night function
- Flash patterns: Single, Double, Quad, Static On
- Operating temperature: -20°C to 80°C
- Optional coloured LEDs with Clear lens
- Water and Dust Resistant



Code	Colour	Description	Code	Colour	Description
AL2AAO	Orange	On/Off	ALN2AAO	Orange	Day/Night
AL2RRO	Red	On/Off	ALN2RRO	Red	Day/Night
AL2GGO	Green	On/Off	ALN2GGO	Green	Day/Night
AL2BBO	Blue	On/Off	ALN2BBO	Blue	Day/Night
AL2CCO	White	On/Off	ALN2CCO	White	Day/Night

### LAZER FLASH

- 1 x 1 Watt LED
- Linear light emission
- Available in Quad Flash (72 FPM) or Static (constant on) versions
- Coloured LED with Clear Casing
- 10 - 30 VDC, 12 VAC
- Ready to be wired in
- Current draw: 0.02 Amps
- Water and Dust Resistant
- PC board is epoxy potted to extend the life span of the beacon



Code	Colour	Flash Pattern	Code	Colour	Flash Pattern
AL1ACB	Orange	Quad	ALC1ACB	Orange	Static
AL1RCB	Red	Quad	ALC1RCB	Red	Static
AL1GCB	Green	Quad	ALC1GCB	Green	Static
AL1BCB	Blue	Quad	ALC1BCB	Blue	Static
AL1CCB	White	Quad	ALC1CCB	White	Static



### LED TRAFFIC BATON TB408/TB410

- Heavy duty
- Operates on 2 C batteries
- Visible up to 1500m
- Operates in either flash or static mode (constant on)

Code	Colour	Dimensions
TB408RD	Red	D30mm x L520mm
TB410RD	Red	D30mm x L370mm

### LED TRAFFIC BATON TB412

- Heavy duty
- Operates on 2 D batteries
- Runs in either flash or static mode (constant on)

Code	Colour	Dimensions
TB412RD	Red	D45mm x L550mm

### LED TRAFFIC BATON TB250

- Runs on 3 AAA batteries
- Operates in torch only, red flash or red static mode (constant on)
- Magnetic base
- Lightweight

Code	Colour	Dimensions
TB250	Red	D24mm x L361mm

### LED TRAFFIC BATON TB411

- Heavy duty
- Operates in torch only mode, baton only mode and combination torch and baton
- Runs on 2 D batteries

Code	Colour	Dimensions
TB411T	Red	D45mm x L400mm

### TRAFFIC BATON BASE TBB

- Suits all VISIONSafe traffic batons

### TORCH LIGHT

- Compact, high powered torch
- Hi intensity 3 Watt LED
- Hand grip, metal belt clip and wrist strap
- Dimensions: D35mm x L130mm
- Operates on 3 AAA batteries



Code	Description
T31	Metal Torch

### CLIP ON LED LIGHTS

- Clips on to provide focused light to your work area
- Suits safety glasses, caps etc
- Runs on two CR2032 batteries per light
- Comes with a set of spare batteries



Code	Description
CO-LED-2	Pack of Two Clip On LED Lights

## LED CLUSTERS

- High powered, high intensity LED cluster
- Can be mounted to trucks, emergency vehicles, recovery vehicles, etc
- Available with 3 x 1 Watt LEDs (AL4103) or 4 x 1 Watt LEDs (AL4104)

### Programmable Cluster:

- AL4103 Flash Patterns: Single, Single + Double, Quad, 3 Pattern Cycle, Fade In/Out, Static On
- AL4104 Flash Patterns: Single, Left to Right Single, Double, Single + Double, Left to Right Double, Quad, Left to Right, 6 Pattern Cycle, Fade In/Out, Static On

### Slave cluster:

- Requires independent control unit to enable synchronized and/or selectable flash patterns

- Water resistant and dust proof
- AL4103 Dimensions: H29mm x D41mm x W101mm
- AL4104 Dimensions: H29mm x D41mm x W121mm
- Optional coloured LEDs with CLEAR Lens

- Linked clusters can be programmed with synchronized flash patterns
- Built in control chip allows independent or linked use

- Ideal for indicators, park lights, brake lights etc
- Economical option for 8 or more linked clusters

Programmable Part No	Slave Part No	Colour	Voltage	LEDs	Current Draw @ 12VDC
AL4103(Colour)	AL4103(Colour)-S		12-24 VDC	3	0.35 Amps
AL4104(Colour)	AL4104(Colour)-S		12-24 VDC	4	0.7 Amps
AL4104BRC			12-24 VDC	4	0.7 Amps

### Colour Legend

AA - Amber    RR - Red    GG - Green    CC - Clear    BB - Blue    CM - Magenta    BR - Blue/Red

\*Now available in a Double Cluster option with 2 different coloured LED Clusters integrated into a single unit.



## LED DASH LIGHT

- 12 high powered, high intensity LEDs
- SAE certified Class 1
- Vehicle interior use only
- 12VDC cigarette lighter adapter
- Able to alternately or simultaneously flash multiple patterns

Part No	Colour	Operating Voltage	LEDs
AL4050AA	Amber/Amber	12 VDC	12
AL4050BB	Blue/Blue	12 VDC	12
AL4050RR	Red/Red	12 VDC	12
AL4050RB	Red/Blue	12 VDC	12
AL4050GG	Green/Green	12 VDC	12



## REVERSING ALARMS

### A160B

- Plastic housing: Nylon plus 30% fibre
- SABS IP66 rated
- Splash proof / dust proof
- Operating temperature: -40° C to 80° C
- Earthing Strap
- H70mm x D41mm x W102mm

### A170B

- Plastic housing: Nylon plus 33% fibre
- Splash proof / dust proof
- Operating temperature: -40° C to 80° C
- A170B-94-112 Variable model: 94dB – 112dB, dB rating changes subject to background noise
- H78mm x D128mm x W95mm

Part No	Sound Cycle (pulse/minute)	Decibels	Frequency	Operating Voltage	Current Draw @ 80V
A160B-97	60 - 65 Pm	97 dB	1250 - 1300 Hz	12 - 80 VDC	0.2 Amps
A160B-102	60 - 65 Pm	102 dB	1250 - 1300 Hz	12 - 80 VDC	0.25 Amps
A160B-107	60 - 65 Pm	107 dB	1250 - 1300 Hz	12 - 80 VDC	0.4 Amps
A160B-112	60 - 65 Pm	112 dB	1250 - 1300 Hz	12 - 24 VDC	0.5 Amps
A170B-94-112	60 - 65 Pm	94-112 dB	1200 - 1400 Hz	12 - 80 VDC	0.2 - 0.8 Amps
A170B-112FA	Continuous	112 dB	1200 - 1400 Hz	12 - 80 VDC	0.8 Amps



**ROTARY BEACON LIGHTS**

- Polycarbonate UV stabilised lens
- Interchangeable lenses
- RB Hardwire: Permanent mount w/out plug
- DL Magnetic Base: w/ cig lighter adapter
- Halogen H1 bulb
- 12 VDC, 24 VDC and 240 VAC available
- Magnetic Base Lead Length: 4m
- H215mm x D150mm

Part No Magnetic	Part No Hardwire	Colour	Operating Voltage	RPM	Bulb Type
DL190A-12V	RB190A-12V	Amber	12 VDC	140 RPM	H1 12V 55W
DL190R-12V	RB190R-12V	Red	12 VDC	140 RPM	H1 12V 55W
DL190B-12V	RB190B-12V	Blue	12 VDC	140 RPM	H1 12V 55W
DL190A-24V	RB190A-24V	Amber	24 VDC	140 RPM	H1 24V 70W
DL190R-24V	RB190R-24V	Red	24 VDC	140 RPM	H1 24V 70W
DL190B-24V	RB190B-24V	Blue	24 VDC	140 RPM	H1 24V 70W
	RB190A-240V	Amber	240 VAC	140 RPM	H1 12V 55W
	RB190R-240V	Red	240 VAC	140 RPM	H1 12V 55W
	RB190B-240V	Blue	240 VAC	140 RPM	H1 12V 55W



**ROTATING BEACON**

- Hardwire or Magnetic Base w/ cig lighter adapter
- Direct drive for quieter operation
- Meets IP65 Ingress Protection Rating
- Flash rate 105 FPM
- Polycarbonate UV stabilised lens and base
- Operating temperature: -20° to 50° C
- Dual Voltage 12 VDC / 24 VDC options
- Halogen bulb

Part No Magnetic	Part No Hardwire	Colour	Operating Voltage	Bulb Type
ARHU3124(colour)BM-12V	ARHU3124(colour)B-12V	Amber, Red, Blue	12 VDC	H1 12V 55W
ARHU3124(colour)BM-24V	ARHU3124(colour)B-24V	Amber, Red, Blue	24 VDC	H1 24V 70W



**TEAR DROP ROTATING LIGHT**

- Low Profile
- Magnetic Base w/ cig lighter adapter
- Polycarbonate UV stabilised lens
- Two strong mounting magnets
- Halogen H1 bulb
- Interchangeable lenses
- Lead Length: 4m
- H145mm x D140mm x W205mm

Part No	Colour	Operating Voltage	RPM	Bulb Type
DL210A	Amber	12 VDC	140 RPM	H1 12V 55W
DL210R	Red	12 VDC	140 RPM	H1 12V 55W



**TALL LED BEACON**

- Hardwire
- Polycarbonate UV stabilised lens
- Operating Temperature: -20° to 85° C
- H130mm x D74mm
- 4 x 1 Watt LEDs
- Current Draw 0.35 Amps

Part No Hardwire	Colour	Operating Voltage	Programmable Flash Pattern	LEDs
AL2204AB	Amber	12-24 VDC	Double, Triple, Quad, Cycle	4
AL2204RB	Red	12-24 VDC	Double, Triple, Quad, Cycle	4
AL2204GB	Green	12-24 VDC	Double, Triple, Quad, Cycle	4
AL2204CB	Clear	12-24 VDC	Double, Triple, Quad, Cycle	4
AL2204BB	Blue	12-24 VDC	Double, Triple, Quad, Cycle	4
AL2204MB	Magenta	12-24 VDC	Double, Triple, Quad, Cycle	4



### SMALL LED BEACON

- SABS IP66 rated
- CE Certified
- Hardwire or Magnetic Base w/ cig lighter adapter
- Pole Mount adapter available
- Metal Branch Guard available
- Optional coloured LEDs with CLEAR lens
- Operating temperature: -20° to 85° C
- Magnetic Base Lead Length: 4m
- Hardwire: H95mm x D129mm
- Magnetic Base: H110mm x D129mm
- Available in 230 VAC versions

Part No Magnetic	Part No Hardwire	Colour	Operating Voltage	Programmable Flash Pattern	LEDs
AL1200ABM	AL1200AB	Amber	12-24 VDC	Double, Triple, Quad	4
AL1206ABM	AL1206AB	Amber	12-24 VDC	Double, Triple, Quad	6
AL1206RBM	AL1206RB	Red	12-24 VDC	Double, Triple, Quad	6
AL1206GBM	AL1206GB	Green	12-24 VDC	Double, Triple, Quad	6
AL1206CBM	AL1206CB	Clear	12-24 VDC	Double, Triple, Quad	6
AL1206BBM	AL1206BB	Blue	12-24 VDC	Double, Triple, Quad	6
AL1206MBM	AL1206MB	Magenta	12-24VDC	Double, Triple, Quad	6
	ALM1206AB	Amber	10-130VDC 12-150VAC	Double, Triple, Quad	6



### LARGE LED BEACON

- Selectable flash patterns including rotation
- Hardwire: Permanent mount w/ out plug
- Magnetic Base: w/ cig lighter adapter
- PC Board is epoxy potted to increase lifespan and reflect maximum light
- Polycarbonate UV stabilised lens
- Pole Mount adapter available
- Optional coloured LEDs with CLEAR lens
- Operating temperature: -20° to 85° C
- Magnetic Base Lead Length: 4m
- Hardwire: H127mm x D161mm
- Magnetic Base: H145mm x D161mm
- 110 VAC and 230 VAC versions also available in other colours

Also available in Dual Colour versions: Blue/Amber, Red/Amber, Red/Blue, Green/Amber

Part No Magnetic	Part No Hardwire	Colour	Operating Voltage	LEDs	Programmable Flash Pattern
AL3000ABM	AL3000AB	Amber	12-24 VDC	18	Single, Double, Quad, 2 Panel Rotate, 4 Panel Rotate, 5 Pattern Cycle
AL3000RBM	AL3000RB	Red	12-24 VDC	18	Single, Double, Quad, 2 Panel Rotate, 4 Panel Rotate, 5 Pattern Cycle
AL3000GBM	AL3000GB	Green	12-24 VDC	18	Single, Double, Quad, 2 Panel Rotate, 4 Panel Rotate, 5 Pattern Cycle
AL3000CBM	AL3000CB	Clear	12-24VDC	18	Single, Double, Quad, 2 Panel Rotate, 4 Panel Rotate, 5 Pattern Cycle
AL3000BBM	AL3000BB	Blue	12-24 VDC	18	Single, Double, Quad, 2 Panel Rotate, 4 Panel Rotate, 5 Pattern Cycle
AL3000MBM	AL3000MB	Magenta	12-24VDC	18	Single, Double, Quad, 2 Panel Rotate, 4 Panel Rotate, 5 Pattern Cycle
	AL3110AB	Amber	110 VAC	18	Single, Double, Quad, Constant On
	AL3230AB	Amber	230 VAC	18	Single, Double, Quad, Constant On



### PORTABLE RECHARGEABLE BEACON

- Amber LED Rechargeable Beacon
- 12V 7A battery and charger
- Polycarbonate UV stabilised lens
- Operating temperature: -20° to 85° C
- H290mm x D223mm
- High Intensity 1 Watt LEDs

Part No Magnetic	Colour	Operating Voltage	Flash Pattern	LEDs	Magnets
ALB7006AB	Amber	12 VDC	Single, Double, Quad, Rotating, Static	6	0
ALB7006ABM6	Amber	12 VDC	Single, Double, Quad, Rotating, Static	6	6
ALB7006ABM12	Amber	12 VDC	Single, Double, Quad, Rotating, Static	6	12

\* Also available in Red, Green, Clear, Blue and Magenta

\* Replacement parts and other options available



All LED Magenta lighting comes standard with Clear LEDs and a Magenta lens

### TALL STROBE BEACON

- Single flash
- Hardwire
- Polycarbonate UV stabilised lens
- Current Draw 0.5 Amps
- Operating temperature: -20° to 85° C
- H130mm x D74mm

Part No Hardwire	Colour	Operating Voltage	Flash Pattern	Flashtube
AS2211AB	Amber	12-80 VDC	Single	AG2010FT
AS2211RB	Red	12-80 VDC	Single	AG2010FT
AS2211GB	Green	12-80 VDC	Single	AG2010FT
AS2211CB	Clear	12-80 VDC	Single	AG2010FT
AS2211BB	Blue	12-80 VDC	Single	AG2010FT
AS2211MB	Magenta	12-80 VDC	Single	AG2010FT



### SMALL STROBE BEACON

- Hardwire or Magnetic Base w/ cig lighter adapter
- PC Board is epoxy potted to increase lifespan
- Polycarbonate UV stabilised lens
- Interchangeable lenses
- Operating temperature: -20° to 85° C
- Magnetic Base Lead Length: 4m
- Hardwire: H95mm x D129mm
- Magnetic Base: H110mm x D129mm
- Pole Mount adapter available

Part No Magnetic	Part No Hardwire	Colour	Operating Voltage	Flash Pattern	Flashtube
AS1221ABM	AS1221AB	Amber	12-80 VDC	Double Flash	AGL4614B
AS1221RBM	AS1221RB	Red	12-80 VDC	Double Flash	AGL4614B
AS1221GBM	AS1221GB	Green	12-80 VDC	Double Flash	AGL4614B
AS1221CBM	AS1221CB	Clear	12-80 VDC	Double Flash	AGL4614B
AS1221BBM	AS1221BB	Blue	12-80 VDC	Double Flash	AGL4614B
AS1221MBM	AS1221MB	Magenta	12-80 VDC	Double Flash	AGL4614B



### LARGE STROBE BEACON

- Hardwire: Permanent mount w/ out plug
- Magnetic Base: w/ cig lighter adapter
- Flash rate: 65-75 flashes per minute
- Polycarbonate UV stabilised lens
- Interchangeable lenses
- Operating temperature: -20° to 85° C
- Magnetic Base Lead Length: 4m
- Hardwire: H127mm x D161mm
- Magnetic Base: H145mm x D161mm
- Pole Mount adapter available
- 110 VAC and 230VAC versions also available in other colours

Part No Magnetic	Part No Hardwire	Colour	Operating Voltage	Flash Pattern	Flashtube
AS3021ABM	AS3021AB	Amber	12-24 VDC	Double Flash	AGL6515D
AS3021RBM	AS3021RB	Red	12-24 VDC	Double Flash	AGL6515D
AS3021GBM	AS3021GB	Green	12-24 VDC	Double Flash	AGL6515D
AS3021CBM	AS3021CB	Clear	12-24 VDC	Double Flash	AGL6515D
AS3021BBM	AS3021BB	Blue	12-24 VDC	Double Flash	AGL6515D
AS3021MBM	AS3021MB	Magenta	12-24 VDC	Double Flash	AGL6515D
	AS3110AB	Amber	110 VAC	Single, Double, Triple	AG3110FT
	AS3230AB	Amber	230 VAC	Single, Double, Triple	AG3110FT



**VISION**Safe UK

**TEL** + 44 (0) 845 863 0668  
**FAX** + 44 (0) 845 863 0669  
**EMAIL** sales@visionsafe.co  
**WEB** www.visionsafe.co  
**VAT** GB 849 5368 74



Distributed by: