



**TVS Sports Surfaces**

FITNESS FLOORING SPECIALISTS

**TVS SPORTEC® STYLE TILE**

THE IDEAL FLOORING FOR FREE WEIGHTS AREAS.



Protects subfloors from impact shock and damage.

**SPORTEC®**



## TVS SPORTEC® Style Tile

PROTECTS SUBFLOORS FROM IMPACT SHOCK AND DAMAGE.



The **TVS SPORTEC® Style** tile protects subfloors from damage by falling heavy objects such as dumbbells, barbells, Olympic discs and kettlebells, all commonly used in free weights areas in gyms. Conventional floors offer little protection in this environment and long-term damage to the subfloor structure and gym equipment is a real possibility. The **TVS SPORTEC® Style** tiles are designed specifically to reduce this impact shock. The tiles are simple to install and are loose-laid over the existing subfloor. Adjacent tiles are inter-locked with connector pins, creating a solid and stable platform for performing weight lifting exercises. The **TVS SPORTEC® Style** tiles are available in thicknesses of 30mm or 40mm and in a variety of surface finishes and colours. In addition, the **TVS SPORTEC® Style Edge and Corner Profiles** are the perfect complement to the **TVS SPORTEC® Style** tile as they provide a smooth and safe transition when entering or leaving the heavy weights area.

### Technical Data

<b>Material</b>	Polyurethane-bonded rubber granules with a surface layer made of floor coverings.
<b>Tile Thickness</b>	Available in 30mm and 40mm (± 3mm)
<b>Dimensions</b>	Length x Width (± 3mm). 1,000mm x 500mm 500mm x 500mm
<b>Colours</b>	<b>Lower surface:</b> dimpled red base with a reinforcing mesh
<b>Surface</b>	Available in SPORTEC® Color-15, Splash, Purcolor, UNI Classic and UNI Outdoor.

### Benefits


- **TVS SPORTEC® Style** tiles protect subfloors by absorbing impact shock.
- The tough surface layer and inter-locking design creates a solid and stable lifting platform for weight training.
- Tiles are simply installed by loose laying over subfloor – there's no glue required.
- Edges and corner profiles provide a smooth and safe transition when entering or leaving the free weights area.
- Variety of colours allows for personalised floor design and can be matched with interior colour schemes.





**TVS SPORTEC® Style Tile**  
 AVAILABLE STANDARD SURFACES




**SPORTEC® Color-15**



**SPORTEC® Purcolor**



**SPORTEC® UNI Outdoor**



\* color 15 = 15% (percentage figure indicates colour share)



## **SPORTEC<sup>®</sup>**

RUBBER FLOORING PRODUCTS & ELASTIC LAYERS  
made from recycled rubber granules

### **Total Vibration Solutions Ltd t/a TVS Sports Surfaces**

Low Bay, Commerce Street  
Carrs Industrial Estate  
Haslingden, Rossendale  
Lancashire, BB4 5JT  
United Kingdom

#### **Sales**

Tel. +44 (0) 1706 260 220  
Fax +44 (0) 1706 260 240  
E-Mail: [sales@floors4gyms.com](mailto:sales@floors4gyms.com)  
Internet: [www.floors4gyms.com](http://www.floors4gyms.com)

All information without guarantee, subject to change.  
© 2015

