



Storage Solutions Catalogue

SHOP ON-LINE!
www.interbin.com

The Ultimate in quality, high density storage systems...

- **Quality**
- **Value for money**
- **Service**



Quality of design

Our original designs have been developed and refined over many years with features not found on our competitor's products. It's an ingenious design that is as tough, flexible and versatile as you need it to be - and highly user friendly too.

Quality of materials

All our bins are injection moulded in high grade, impact resistant polypropylene. It's tough, re-cyclable, and comes in four distinctive colours plus translucent, for easy product coding and identification. They are also available in specialised materials - Conductive Carbon for static sensitive areas and Fire Retardent. Specification details and information are available on request.

Quality of manufacture

The manufacture of our storage systems and wide range of accessories is all undertaken at our own highly equipped factory in Harlow. Our stringent quality control systems (to ISO9001: 2000) ensure that high standards of manufacturing are maintained. Metal work is of equally high quality. The standard finish is epoxy coated white but can be zinc plated for conductivity in static-sensitive areas.

Quality of service

When an urgent order is received, we guarantee next day despatch. If the order for stock items is received before noon, we can despatch the same day. We also have a nationwide network of stockists. So if you want an on-site survey or a complete system designed to meet your specific requirements, contact us.

You get what you pay for!

When you look for real value for money, cheap up-front prices can be misleading. What is important is that the components or system performs flawlessly for its entire life. Breakages and stacking failure, for instance, can be both dangerous and expensive. Buying cheap often works out more expensive in the long run. Remember Interbin give you a lifetime guarantee with their bins.

Real value for money.




PPH MOULDERS LIMITED
A9322 ISO 9001:2000



CONTENTS

Page 3	MDI RANGE BINS	1
Page 5	HIGH CAPACITY STORAGE BINS	2
Page 7	METAL LOUVRED PANELS	3
Page 9	KAN BAN	4
Page 11	LEAN MANUFACTURING SHELVING AND STORAGE PACKS	5
Page 13	LEAN MANUFACTURING RACKS & RACK PACKS	6
Page 15	LEAN MANUFACTURING TROLLEYS & TROLLEY PACKS	7
Page 19	LEAN MANUFACTURING CAROUSELS, BENCH & WORK TRAYS	8
Page 21	INTERBOX HIGH DENSITY STORAGE	9
Page 23	COMBINATION UNITS	10
Page 25	INTERCLIP PEGWALL STORAGE	11
Page 27	BULK STORAGE	12
Page 29	VAN KITS	13
Page 33	ACCESSORIES	14
Page 35	STORAGE CUPBOARDS	15
Page 37	HANDY PACKS	16
Page 40	DISPLAY PRODUCTS	17
Page 43	INDEX / ORDER FORM	18

- Injection moulded in high grade polypropylene
- Wide range of accessories
- Six bin sizes
- Four primary colours, plus translucent
- Free Labels



The original MDI Interbin comes in six sizes, four colours - Red, Blue, Green, Yellow plus Translucent (coloured bins give more impact resistance than translucent) and with a great range of accessories. The MDI range gives you fantastic flexibility whatever your storage needs!



Clear Lids
Injection moulded for the safe protection of parts.



Clear Front Pivot Cover
Injection moulded. For MDI 50 and MDI 90 bins only.



Back Clips
Not required when bins are hooked on louvred panels. Available on all bin sizes.




Front to Back Dividers
Injection moulded or fabricated in black material.



Side to Side Dividers
Injection moulded or fabricated in black material.



Front Clips
Injection moulded in black material for added security and to prevent accidental removal.



Bins shown used on an in-store merchandising unit.

Product Description	Order Ref	Pack Qty
Storage Bin front to back dividers clear pivot lid clear front pivot cover front security clip back security clip	MDI 50 FD 50 L 50 FPC 50 CF 50 CB 50	50 10 10 10 20 20
Storage Bin front to back dividers side to side dividers clear pivot lid clear front pivot cover front security clip back security clip	MDI 90 FD 90 SD 90 L 90 FPC 90 CF 90 CB 90	50 10 10 10 20 20
Storage Bin front to back dividers side to side dividers clear pivot lid front security clip back security clip	MDI 130 FD 130 SD 130 L 130 CF 130 CB 130	20 10 10 10 20 20

Product Description	Order Ref	Pack Qty
Storage Bin front to back dividers side to side dividers (fabricated) clear lay on lid front security clip back security clip	MDI 245 FD 245 SD 245 L 245 CF 245 CB 245	12 10 10 10 20 20
Storage Bin front to back dividers side to side dividers (fabricated) clear lay on lid (fabricated) front security clip back security clip	MDI 175 FD 175 SD 175 L 175 CF 175 CB 175	10 10 10 10 20 20
Storage Bin front to back dividers side to side dividers (fabricated) clear lay on lid front security clip back security clip	MDI 390 FD 390 SD 390 L 390 CF 390 CB 390	5 10 10 10 20 20

MDI 50

Volume: 0.33L UDL ILV 3 *
Ext Size: L105 x W105 x H53
Int size: L70 x W90 x H45
Pack Qty: 50 (also available individually)



MDI 90

Volume: 0.88L UDL ILV 4.5 *
Ext Size: L165 x W105 x H76
Int size: L120 x W90 x H68
Pack Qty: 50 (also available individually)



MDI 130

Volume: 3.19L UDL ILV 8 *
Ext Size: L240 x W150 x H130
Int size: L170 x W130 x H120
Pack Qty: 20 (also available individually)



MDI 175

Volume: 10.56L UDL ILV 15 *
Ext Size: L398 x W205 x H178
Int size: L310 x W175 x H164
Pack Qty: 10 (also available individually)



MDI 245

Volume: 10.1L UDL ILV 20 *
Ext Size: L300 x W273 x H172
Int size: L210 x W245 x H158
Pack Qty: 12 (also available individually)



MDI 390

Volume: 15.35L UDL ILV 30 *
Ext Size: L300 x W410 x H172
Int size: L210 x W380 x H158
Pack Qty: 5 (also available individually)



ALL MEASUREMENTS ARE SHOWN IN MILLIMETRES

* See page 7 for information on ILV.

2 HIGH CAPACITY STORAGE BINS

- Injection moulded in high grade polypropylene
- Five bin sizes
- Wide range of accessories
- Four colours plus translucent
- Free Labels




Introduced to meet customer demands for increased storage capability, these High Capacity Bins offer a host of new features and benefits.

These include reinforced side supports for safe stacking, a textured flat base that grips on work surfaces and smooth contour rounded front edges for added safety in handling.

Five bin sizes are available in four standard colours – Red, Blue, Green, Yellow plus translucent. Coloured bins have more impact resistance than translucent bins.

INFO TIP



STOCK PRODUCTS
NEXT DAY DESPATCH.
NORMAL DELIVERY 3-4
DAYS. OVERNIGHT AT
EXTRA COST



Front to back divider HC4 & 5



Lateral divider HC4 & 5




Flat base with Textured Base Grips



Bin Shelf Stop Clip



Slide-out Transparent Dust Cover



Dovetail Divider Location

HC 1

Pack Qty: 20
 Volume: 0.69L UDL ILV 4.5 *
 Ext Size: L133 x W105 x H76
 Int Size: L110 x W90 x H68
 Pack Qty: 20 (also available individually)



HC 2

Volume: 0.97L UDL ILV 4.5 *
 Ext Size: L180 x W105 x H76
 Int Size: L155 x W90 x H68
 Pack Qty: 20 (also available individually)



HC 3

Volume: 3.38L UDL ILV 8 *
 Ext Size: L253 x W150 x H130
 Int Size: L230 x W130 x H120
 Pack Qty: 20 (also available individually)



HC 4

Volume: 9.5L UDL ILV 12 *
 Ext Size: L370 x W205 x H130
 Int Size: L335 x W180 x H125
 Pack Qty: 10 (also available individually)



HC 5

Volume: 26L UDL ILV 24 *
 Ext Size: L455 x W282 x H203
 Int Size: L406 x W250 x H185
 Pack Qty: 5 (also available individually)



BIN FEATURES & ACCESSORIES

- ① **Lateral Dividers** - Positive dovetail location with area for product index. In front position it acts as a high front for maximum storage and prevents spillage. When reversed, provides centre divider location.
- ② **Universal Hook over Back** - Suitable for standard louvre panel locations.
- ③ **Reinforced Side Supports** - Gives bin extra wall strength. Also provides ultra strong support for safe stacking.
- ④ **Own Brand Identity** - Include your corporate identity/logo. Available on large orders.
- ⑤ **Flat Base** - Textured base grips on work surfaces. Also perfect for gravity feed and other conveyer systems.
- ⑥ **Smooth Contour Rounded Front Edges** - Attractive design for added safety in handling
- ⑦ **Positive Finger Grip** - For easier, safer handling when locating on - or removing from - louvre panels or shelving.
- ⑧ **Index Label Section** - Highly visible position for instant identification of contents. Labels are supplied free with bins.



ALL MEASUREMENTS ARE SHOWN IN MILLIMETRES

* See page 7 for information on ILV.

A cost effective flexible method of bin storage providing easy product selection, parts identification and location.



LOUVRE VALUES (LV)

Each bin covers a number of louvres on the panel.

A quick calculation can be done to work out how many bins of each size fit on a panel:

$$\frac{\text{panel ILV}}{\text{bin ILV}} = \text{no. bins}$$

e.g. LP1818 = ILV 72 = 16 bins
MDI 90 = ILV 4.5

For an accurate calculation when planning wide bay or colour coded bin storage - divide the width of the bin into the total panel width. This will equal the number of bins across. Then add 25mm to the height of the bin, divide the total number of bins of the same size into the height of the panel or rows used and multiply the two calculations

The Largest Range of Louvre panels in the UK.
Whatever your storage area Interbin have a panel to fit



Maximise your storage area

METAL LOUVRED PANELS

3

LP3618




Pack Qty: 2
Panel Size:
915W x 475H
ILV 12W x 12H = 144 Louvres

PANELS ALSO
AVAILABLE
INDIVIDUALLY.
SEE PRICE LIST
FOR DETAILS.

LP 1872




LP 1848



LP 1836



LP 1824




LP 189



Pack Qty: 2
Panel Size: 457Wx230H
ILV 6Wx6H=36 Louvres

LP 1818



Pack Qty: 2
Panel Size: 457Wx457H
ILV 6Wx12H=72 Louvres


Pack Qty: 2
Panel Size: 457Wx610H
ILV 6Wx16H=96 Louvres

Pack Qty: 2
Panel Size: 457Wx915H
ILV 6Wx24H=144 Louvres

Pack Qty: 2
Panel Size: 457Wx1220H
ILV 6Wx32H=192 Louvres

Pack Qty: 2
Panel Size: 457Wx1830H
ILV 6Wx48H=288 Louvres


LP 3624




Pack Qty: 2
Panel Size: 915Wx610H
ILV 12Wx16H=192 Louvres

ZINC PLATED
PANELS ALSO
AVAILABLE.
PRICE ON
APPLICATION.

LP 2472




LP 2424



Pack Qty: 2
Panel Size: 610Wx610H
ILV 8Wx16H=128 Louvres

LP 2436



Pack Qty: 2
Panel Size: 610Wx915H
ILV 8Wx24H=192 Louvres

LP 2448



Pack Qty: 2
Panel Size: 610Wx1220H
ILV 8Wx32H=256 Louvres

Pack Qty: 2
Panel Size: 610Wx1830H
ILV 8Wx48H=384 Louvres

Secure fixings must be used in all holes provided to fit louvred panel to walls

ALL MEASUREMENTS ARE SHOWN IN MILLIMETRES

SHOP ON-LINE!

www.interbin.com

Production line-side supply systems deliver massive reductions in costs and increase efficiency for line and cell based manufacturing operations.

We offer a complete range of units guaranteeing supply, cost savings and the streamlining of the assembly process. Everything from simple bench units and carousels to large heavy duty storage bays on castors.



Our range of KanBan units are ideal for organisations wishing to implement an in-house lean manufacturing system.

These heavy duty racks are available with and without castors. End panels are supplied assembled, with shelves, adjustable supports and trolleys with castors packed separately. Maximum loadings per shelf on units over level floor are 105kg UDL per shelf (units with trolley and castors) and 210kg UDL per shelf (units without trolley and castors).

KB-1

1 x Bay unit consisting of 8 shelves
 Removable trolley with castors (2 locking)
 80 x MDI245 Bins – Blue
 Overall Size 2180H x 1500W x 600D



KB-1A

As above but with no trolley with castors.
 Overall Size 2000H x 1500W x 600D



KB-2

1 x Bay unit consisting of 8 shelves
Removable trolley with castors (2 locking)
32 x MDI390 Bins – Blue
Overall Size 2180H x 900W x 600D

**KB-2A**

As above but with no trolley with castors.
Overall Size 2000H x 900W x 600D

KB-2B

1 x Bay unit consisting of 8 shelves
Removable trolley with castors (2 locking)
16 x MDI390 Bins – Blue
48 x MDI130 Bins - Blue
Overall Size 2180H x 900W x 600D

**KB-2C**

As above but with no trolley with castors.
Overall Size 2000H x 900W x 600D

KB-3

1 x Bay unit consisting of 6 shelves
Removable trolley with castors (2 locking)
48 x MDI245 Bins – Blue
Overall Size 1680H x 1200W x 600D

**KB-3A**

As above but with no trolley with castors.
Overall Size 1500H x 1200W x 600D

ALL MEASUREMENTS ARE SHOWN IN MILLIMETRES

These versatile, bolt free, lightweight shelving systems are suitable for many storage applications. Easy to assemble in minutes they are ideal for stores and production line supply of small parts. Features include: Steel structure with chipboard decks, Shelf levels adjustable every 40mm

No nuts or bolts – just simply ‘tap together’ using a mallet. Join bays together using the bay connectors. Maximum loadings 150kgs UDL per level.



ES-1

1 x Bay shelving 5 shelves
Size 1800H x 900W x 300D
10 HC3 Bins Yellow
5 HC3 Bins Green
5 HC3 Bins Blue
5 HC3 Bins Red



ES-2

1 x Bay shelving 5 shelves
Size 1800H x 900W x 300D
20 HC3 Bins Yellow
10 HC3 Bins Green
10 HC3 Bins Blue
10 HC3 Bins Red



ES-3

1 x Bay shelving 5 shelves
Size 1800H x 900W x 450D
15 x HC5 Bins Yellow

Link kits using the Bay Connector Sets

ES-4

1 x Bay shelving 5 shelves
 Size 1800H x 900W x 450D
 30 x HC3 Bins Yellow
 20 x HC3 Bins Blue

**ES-5**

1 x Bay shelving 5 shelves
 Size 1800H x 900W x 450D
 16 x HC4 Bins Red
 8 x HC4 Bins Green
 8 x HC4 Bins Yellow
 8 x HC4 Bins Blue

**ES-6**

1 x Bay shelving 5 shelves
 Size 1800H x 900W x 600D
 6 x MDI245 Bins Yellow
 6 x MDI245 Bins Green
 6 x MDI245 Bins Blue
 4 x MDI390 Bins Yellow
 4 x MDI390 Bins Red

**INFO
TIP**

Shelf loading U.D.L. Must conform to safety standards.
 Heavy goods on single bays under 400mm depth
 should be located on bottom shelves to prevent tipping.

ACCESSORIES**ES-BC**

Rubber Mallet



Tap shelves
together

ES-BC

4 x Bay Connectors

Join shelf bays together



ALL MEASUREMENTS ARE SHOWN IN MILLIMETRES



Louvred Panel Racks. High density storage system uses free standing heavy duty storage racks, with adjustable feet for levelling on uneven floors. Ideal for production line feeding, storage, merchandising and display.



Available double or single sided. Supplied in flat pack form for easy stocking and assembly on site. Wide bay arrangements can be created by bolting through the support leg and uprights on frame. Additional one leg only required for every add-on-frame. Finished in white epoxy coating. Accepts the full range of MDI and HC Interbins and accessories.

SINGLE SIDED RACKS

Order Ref	Panel Louvre Values (ILV) Each Panel Area	No. of Louvred panels on each side of frame	Overall metric size of louvred panel area	Overall size of rack including triangle
RS 1836	2 @ 144 = 288 *	1	457W x 915H	477W x 991H
RS 1848	2 @ 192 = 384 *	1	457W x 1220H	477W x 1296H
RS 1872	2 @ 288 = 576 *	1	457W x 1830H	477W x 1906H
RS 2436	2 @ 192 = 384 *	1	610W x 915H	630W x 991H
RS 2448	2 @ 256 = 512 *	1	610W x 1220H	630W x 1296H
RS 2472	2 @ 384 = 768 *	1	610W x 1830H	630W x 1906H
RS 3636	2 @ 144 = 288 *	2	915W x 915H	947W x 991H
RS 3648	2 @ 192 = 384 *	2	915W x 1220H	947W x 1296H
RS 3672	2 @ 288 = 576 *	2	915W x 1830H	947W x 1906H
RS 4836	2 @ 192 = 384 *	2	1220W x 915H	1251W x 991H
RS 4848	2 @ 256 = 512 *	2	1220W x 1220H	1251W x 1296H
RS 4872	2 @ 384 = 768 *	2	1220W x 1830H	1251W x 1206H

DOUBLE SIDED RACKS

Order Ref	Panel Louvre Values (ILV) Each Panel Area	No. of Louvred panels on each side of frame	Overall metric size of louvred panel area	Overall size of rack including triangle
RD 1836	2 @ 144 = 288 *	2	457W x 915H	477W x 991H
RD 1848	2 @ 192 = 384 *	2	457W x 1220H	477W x 1296H
RD 1872	2 @ 288 = 576 *	2	457W x 1830H	477W x 1906H
RD 2436	2 @ 192 = 384 *	2	610W x 915H	630W x 991H
RD 2448	2 @ 256 = 512 *	2	610W x 1220H	630W x 1296H
RD 2472	2 @ 384 = 768 *	2	610W x 1830H	630W x 1906H
RD 3636	4 @ 144 = 576 *	4	915W x 915H	947W x 991H
RD 3648	4 @ 192 = 768 *	4	915W x 1220H	947W x 1296H
RD 3672	4 @ 288 = 1152 *	4	915W x 1830H	947W x 1906H
RD 4836	4 @ 192 = 768 *	4	1220W x 915H	1251W x 991H
RD 4848	4 @ 256 = 1024 *	4	1220W x 1220H	1251W x 1296H
RD 4872	4 @ 384 = 1536 *	4	1220W x 1830H	1251W x 1206H

Add on frames, are as sizes above minus a leg. Please see price list. Leg size Single Sided 508mm. Leg size Double Sided 711mm.

* See page 7 for information on ILV.

INFO TIP



Detail of louvred panel locating on frame lugs. Panel is secured by bolting top and bottom. To ensure good weight distribution when loaded with product, heavy parts should be located at floor level to a maximum of waist height.



RD 1848 K

1 Double Rack 477W x 1296H
16 x MDI 50 Green
16 x MDI 90 Yellow
24 x MDI 130 Blue
2 x MDI 390 Red



HC RS1

1 Single Rack x 630W x 1296H
10 x HC1 Green
10 HC2 Yellow
20 x HC3 Blue



HC RD2

1 Double Rack 927W x 1296H
32 x HC1 Green
48 x HC2 Yellow
48 x HC3 Blue and Red



HC RD3

1 Double Rack 947W x 1906H
32 x HC1 Green
96 x HC2 Red and Yellow
72 HC3 Red and Blue



RD 4872 N

1 Double Rack 1251W x 1906H
80 x MDI 90 Yellow
64 x MDI 130 Green
24 x MDI 245 Red
12 x MDI 175 Blue



ALL MEASUREMENTS ARE SHOWN IN MILLIMETRES

The largest selection of standard trolleys available. Special trolleys can be made to order with either the MDI or HC range of bins.

Ideal for the convenient transportation of parts from stores to factory for production line feeding, storage, merchandising and display. Trolleys are supplied complete with louvred panel frames, a trolley base with 2 fixed and 2 swivel 100mm castor's, 2 triangular plates (TRI) and a standard handle HS12.



SINGLE SIDED TROLLEYS

Order Ref	Panel Louvre Values (ILV)	No. of Louvred panels on trolley	Overall metric size of louvred panel area	Overall trolley size including base and castor's
TS 1836	144	1	457W x 915H	477W x 1118H
TS 1848	192	1	457W x 1220H	477W x 1423H
TS 1872	288	1	457W x 1830H	477W x 2032H
TS 2436	192	1	610W x 915H	630W x 1118H
TS 2448	256	1	610W x 1220H	630W x 1423H
TS 2472	384	1	610W x 1830H	630W x 2032H
TS 3636	2 @ 144 = 288	2	915W x 915H	947W x 1118H
TS 3648	2 @ 192 = 384	2	915W x 1220H	947W x 1423H
TS 3672	2 @ 288 = 576	2	915W x 1830H	947W x 2032H
TS 4836	2 @ 192 = 384	2	1220W x 915H	1251W x 1118H
TS 4848	2 @ 256 = 512	2	1220W x 1220H	1251W x 1423H
TS 4872	2 @ 384 = 768	2	1220W x 1830H	1251W x 2032H

DOUBLE SIDED TROLLEYS

Order Ref	Panel Louvre Values (ILV)	No. of Louvred panels on trolley	Overall metric size of louvred panel area	Overall trolley size including base and castor's
TD 1836	2 @ 144 = 288	2	457W x 915H	477W x 1118H
TD 1848	2 @ 192 = 384	2	457W x 1220H	477W x 1423H
TD 1872	2 @ 288 = 576	2	457W x 1830H	477W x 2032H
TD 2436	2 @ 192 = 384	2	610W x 915H	630W x 1118H
TD 2448	2 @ 256 = 512	2	610W x 1220H	630W x 1423H
TD 2472	2 @ 384 = 768	2	610W x 1830H	630W x 2032H
TD 3636	4 @ 144 = 576	4	915W x 915H	947W x 1118H
TD 3648	4 @ 192 = 768	4	915W x 1220H	947W x 1423H
TD 3672	4 @ 288 = 1152	4	915W x 1830H	947W x 2032H
TD 4836	4 @ 192 = 768	4	1220W x 915H	1251W x 1118H
TD 4848	4 @ 256 = 1024	4	1220W x 1220H	1251W x 1423H
TD 4872	4 @ 384 = 1536	4	1220W x 1830H	1251W x 2032H

* See page 7 for information on ILV.

203mm has been added to obtain overall height

INFO TIP

Trolleys are normally supplied with standard HS12 handles. Optional handles are available and must be specified at the time of order. Maximum loading on trolleys on standard 100mm castor's over level floors UDL 250kg.

Larger castor's and brake castors can be supplied to improve manoeuvrability and safety stop. Details on request. Single base depth nominal 508 double 711mm. Trolleys can be bolted together to build wide bay arrangements.

Some examples of the most popular packs complete with bins are illustrated. Single-sided sets with similar combinations of bins are available on request.

HC TD1

1 x Trolley Double-sided

Overall Size of Trolley: 477W x 1118H

16 x HC1 Yellow

16 x HC2 Blue

18 x HC3 Red



HC TD2

1 x Trolley Double-sided

Overall Size of Trolley: 630W x 1423H

40 x HC2 Green

40 x HC3 Red



HC TD3

1 x Trolley Double-sided

Overall Size of Trolley: 947W x 1423H

16 x HC1 Red

32 x HC2 Blue

32 x HC2 Yellow

48 x HC3 Green



ALL MEASUREMENTS ARE SHOWN IN MILLIMETRES

Interbin Trolleys for hospitals, schools, libraries, garages..... The possibilities are endless.



TD 3672 Q

Louvred Panel 915W x 1830H
 1 x Trolley Double-sided
 Overall Size of Trolley: 947W x 2032H
 48 x MDI 90 Red
 48 x MDI 130 Green
 6 x MDI 245 Yellow
 8 x MDI 390 Blue
 8 x MDI 175 Red



TD 2448 P

Louvred Panel 610W x 1220H
 1 x Trolley Double-sided
 Overall Size of Trolley: 630W x 1423H
 30x MDI 90 Green
 24 x MDI 130 Red
 8 x MDI 245 Yellow



TD 3648 O

Louvred Panel 915W x 1220H
 1 x Trolley Double-sided
 Overall Size of Trolley: 947W x 1423H
 16 x MDI 50 Blue
 32 x MDI 90 Yellow
 36 x MDI 130 Green
 8 x MDI 390 Red

Adapt a trolley to fit your budget - phone for details

TD 3636U

Combination Trolley pack fitted with
2 Easy Grip HU36 handles
Nominal size 711D x 947W x 118H
2 x IB2 Interbox Cabinets
8 x MDI 390 bins
24 x MDI 130 bins
(locking clip dividers and dust covers not included)



THC5 COMPLETE WITH BINS

Heavy duty trolley of tube construction, complete with top tray and welded frame. Accepts large HC5 bins.
Colours available Red, Blue, Green, Yellow plus Translucent.
Overall nominal size 670L x 470D x 1350H.

TH5 Trolley only



TROLLEYS FOR EVERY APPLICATION

Example of trolleys used in static sensitive areas.



ALL MEASUREMENTS ARE SHOWN IN MILLIMETRES

BENCH UNITS

Portable free standing louvred panel bench units for product storage or display, used on workstations, ideal with interbins for the storage of small parts for production line feeding and assembly work.



**Bench Pack complete
with 16 x HC1 Bins
as illustrated.**

BU 1818 HC1 (white)
16 x HC1 bins
457W x 457H (mm)
ILV: 72



Bench Units (Bins not included in pack. Please state colour and size when ordering).

Order Ref:	Pack Qty	Description	Size	ILV
BU 1818 WHT (white)	Single	Bench Unit	457W x 457H	72 *
BU 1818 ZP (zinc)	Single	Bench Unit	457W x 457H	72 *
BU 3618 WHT (white)	Single	Bench Unit	915W x 457H	144 *
BU 3618 ZP (zinc)	Single	Bench Unit	915W x 457H	144 *
BU 2424 WHT (white)	Single	Bench Unit	610W x 610H	128 *
BU 2424 ZP (zinc)	Single	Bench Unit	610W x 610H	128 *
BU 3624 WHT (white)	Single	Bench Unit	915W x 610H	192 *
BU 3624 ZP (zinc)	Single	Bench Unit	915W x 610H	192 *
Crossbar Handle				
BU 18 CB WHT (white)	Single	Cross Bar	To suit BU 1818	
BU 18 CB ZP (zinc)	Single	Cross Bar	To suit BU 1818	
BU 36 CB WHT (white)	Single	Cross Bar	To suit BU 3618	
BU 36 CB ZP (zinc)	Single	Cross Bar	To suit BU 3618	
BU 24 CB WHT (white)	Single	Cross Bar	To suit BU 2424	
BU 24 CB ZP (zinc)	Single	Cross Bar	To suit BU 2424	

* See page 7 for information on ILV.

CAROUSELS

Portable carousels are of wire construction, designed for Interbin containers carrying small items. Units are freestanding and can be located on benches or workstations.

CAROUSELS WITHOUT BINS

Maximum loading 20kg UDL

IC 21 WE

Small portable carousel
(white)
534W x 534H

IC 21 ZP

Small portable carousel
(zinc plated for conductivity)
534W x 534H



CAROUSEL PACKS COMPLETE WITH BINS

CARO1

40 HC1 Blue Bins
534W x 534H



CARO2

40 HC2 Yellow Bins
534W x 534H



CARO3

10 HC1 Blue Bins
20 HC2 Yellow Bins
3 HC3 Red Bins
534W x 534H



INTERSTACKABLE WORK TRAYS & TRAY DIVIDERS

Injection moulded in high grade polypropylene, designed to nest or stack. For the storage and transportation of a wide range of products. When nested, a space is created for flat items to be stored between each tray, eg tools, printed circuit boards etc. Accepts up to A4 in paper sizes and tray dividers 1 and 2 listed below. Colours: RED, BLUE, YELLOW, GREEN (available in black conductive for static sensitive areas).

(2)



Order Ref:	Pack Qty	Nominal overall Size
WT	10	355L x 241W x 64H
TDS 1 (small divider tray black)	10	100L x 75W x 45H
TDL 2 (large divider tray black)	10	150L x 100W x 45H

ALL MEASUREMENTS ARE SHOWN IN MILLIMETRES

9 INTERBOX HIGH DENSITY STORAGE

Interbox high density storage cabinets provide a safe and clean location for small parts and components stocks. Not to be confused with cheaper imitations, these cabinets are of the highest quality and strength.

TRANSLUCENT
BINS AS STANDARD.
RED, BLUE, GREEN AND
YELLOW AVAILABLE
ON REQUEST



Cabinets are supplied complete with containers, designed to hook onto a louvred panel and on racks, trolleys and van kits or wall mounted. Finished in durable white epoxy paint.

Interbox containers are manufactured in tough polypropylene for strength and durability and are supplied in two sizes. All containers locate on the safety lip on the cabinet shelf. A finger grip is located on the front of the containers with provision for a card index for product identification. The IB1 container has provision for

three side-to-side dividers, providing 4 storage sections in each container (if all dividers are used, **80 storage sections are created in the IBCB1 cabinet**). The IB1 Interbox pack is supplied with 1 divider in each Interbox.

The large interbox can be divided front to back or side to side, making two or four storage sections in each container. Cabinet accepts 8 x IB2 Interboxes (with both dividers used it **provides 32 storage sections**).

INTERBOX CONTAINERS & DIVIDERS



Bin shelf stops prevent accidental removal.

Order Ref:	Pack Qty	Size
IB1	20	Ext: 263L x 80W x 81D Int: 245L x 65W x 78D
IB1 SD	10	Side to side dividers for Interbox IB1
ILB1	100	White index labels



Order Ref:	Pack Qty	Size
IB2	8	Ext: 263L x 200W x 81D Int: 245L x 185W x 78D
IB2 SD	10	Side to side dividers for Interbox IB2
IB2 FD	10	Front to back dividers for Interbox IB2
ILB2	100	White index labels

IBC B1

1 Cabinet with 20 IB1 Interboxes
 1 side to side divider in each box (to order extra, see opposite page)
 Index labels included (to order extra see opposite page).
 Overall size: 280L x 422W x 346H
 Finished in white epoxy paint.
 ILV Value: 72



IBC B2

1 Cabinet with 8 IB2 Interboxes
 Dividers not supplied (to order, see opposite page)
 Index labels included (to order extra see opposite page)
 Overall size: 280L x 422W x 346H
 Finished in white epoxy paint.
 ILV Value: 72



IBRP

1 x Cabinet with 20 IB1 Boxes
 1 x Cabinet with 8 translucent IB2 Boxes
 Index labels included (for extra, see opposite page)
 1 single sided frame and base

Overall Size: 477W x 1296H

Double sided variant available - REF IBRPD



IBTP

4 x Cabinets with 20 IB1 Boxes
 4 x Cabinets with 8 IB2 Boxes
 1 double sided frame and trolley base

Nominal Size 947W x 1423H



ALL MEASUREMENTS ARE SHOWN IN MILLIMETRES

Create your own custom storage solution using the wide range of Interbin components.

Choose the frame you prefer, from our choice of two standard widths and three heights. Then select from the range of bins, shelves, panels, cabinets and other components to complete your combination unit.



GUIDE TO PRODUCT SELECTION FOR ORDERING

1. Select frame size
2. If free standing rack, choose between single or double legs.
3. If Trolley, choose between single or double base and add trolley pack SGB.
4. Select products required. Louvred, pegwall or blank panels, bins, shelves or Interbox cabinets.
5. Ordering: - see product order ref, catalogue page and price list.

INFO TIP

- Average loading on UDL for each cantilever shelf is 30kg. For heavy frames, a plain blank back panel is recommended to increase weight distribution and presentation.
- When assembling, shelf brackets need to be located in the slots that are on uprights to clear the nut inserts on the side of the frames. Frame loading from shelf tray loadings to a maximum of 800kg
- 76mm allowed for leg tube height and feet. Add nominal 8mm for 2 triangle plates TRI or legs.
- To build combination trolleys add pack Ref: SGB to above bases. Pack contains; 2 fixed and two swivel castor's (100mm dia), 2 triangles (Ref TRI) and 1 standard handle Ref HS12.

1 Frames

FRAME SMALL - Consists of 2 end uprights & 2 cappings

Order Ref	Pack Qty	Size
FSC 1836	1 Set	470W x 915H
FSC 1848	1 Set	470W x 1220H
FSC 1872	1 Set	470W x 1830H
FSC 2436	1 Set	622W x 915H
FSC 2448	1 Set	622W x 1220H
FSC 2472	1 Set	622W x 1830H

FRAME LARGE - Consists of 2 end uprights & 2 cappings, 2 end uprights bolted for centre support.

Order Ref	Pack Qty	Size
FLC 3636	1 Set	940W x 915H
FLC 3648	1 Set	940W x 1220H
FLC 3672	1 Set	940W x 1830H
FLC 4836	1 Set	1245W x 915H
FLC 4848	1 Set	1245W x 1220H
FLC 4872	1 Set	1245W x 1830H

All frame packs complete with fittings for assembly.

2 Panels

PEGWALL PANELS - Accessories not included

Order Ref	Panel Qty	Panel Size
CPWP 1818	2	457 x 457
CPWP 1836	2	457 x 915
CPWP 1848	2	457 x 1220
CPWP 1872	2	457 x 1830
CPWP 2436	2	610 x 915
CPWP 2448	2	610 x 1220
CPWP 2472	2	610 x 1830

Flat pegwall panels only suitable for Interbin racks or trolleys to allow hooks to locate through holes

BLANK PANEL -

Order Ref	Panel Qty	Panel Size
CBP 1836	2	457 x 915
CBP 1848	2	457 x 1220
CBP 1872	2	457 x 1830
CBP 2436	2	610 x 915
CBP 2448	2	610 x 1220
CBP 2472	2	610 x 1830

3 Cantilever Shelf (used as shelf or tray)

CANTILEVER SHELF TRAY RANGE - complete with brackets

Order Ref	Pack Qty	Overall Nominal Size
ILPCST 42/B2	2	457W x 200H x 40H
ILPCST 43/B3	2	457W x 300H x 40H
ILPCST 44/B4	2	457W x 400H x 40H
ILPCST 62/B2	2	610W x 200H x 40H
ILPCST 63/B3	2	610W x 300H x 40H
ILPCST 64/B4	2	610W x 400H x 40H

SHELF TRAY DIVIDER SMALL -

Order Ref	Depth
ILPC D2	200
ILPC D3	300
ILPC D4	400

4 Divider Trays

DIVIDER TRAYS -

Order Ref	Panel Qty	Nominal Overall Size
TDS 1	10	100L x 75W x 45H
TDL 2	10	150L x 100W x 45H

5 Legs

LEGS - Both legs have a projection from frame of 330mm

Order Ref	Size
LS20 (single)	508
LD28 (double)	711

6 Louvred Panels

See pages 7/8.

7 Hanging Rails

HANGING RAILS - Suitable for bins or Interbox Cabinets

Order Ref	Size
HR18	457
HR24	610

8 Small Divider Ref: ILPCD3

9 Interbox Cabinets Ref: IBC B2

Complete with 8 x IB2 Interboxes. See pages 23-24.


10 Trolley Base Single Ref: TBS 3720 (size nominal 940W x 508) Shown fitted with 2 swivel and 2 fixed 100mm castor's. Standard Handle Ref: HS12.

TROLLEY BASE - Without castor's

Order Ref	Pack Qty	Description	Overall Size of Base
TBS 1820	1	Trolley Base Single	470W x 508D
TBS 2420	1	Trolley Base Single	622W x 508D
TBS 3720	1	Trolley Base Single	940W x 508D
TBS 4920	1	Trolley Base Single	1245W x 508D
TBD 1828	1	Trolley Base Double	470W x 711D
TBD 2428	1	Trolley Base Double	622W x 711D
TBD 3728	1	Trolley Base Double	940W x 711D
TBD 4928	1	Trolley Base Double	1245W x 711D

11 Header Card Brackets Ref: CSB2

12 Interbins. See pages 3-6



Hanging Rails

Order Ref: HR18

Order Ref: HR24

Shelf Tray Infill (shown arrowed)

Order Ref: CIN16

Order Ref: CIN22



Self-Adhesive Ticket Strips

Order Ref: CT457

Order Ref: CT610

Wire & Metal Dividers
Order Ref: CWSD
Order Ref: CMSD



Storage Cable Reel Bars

Order Ref: SCR18

Order Ref: SCR24

Header Card Brackets


Order Ref: CSB2

(Inc. 2 x Bars, 2 x brackets)

ALL MEASUREMENTS ARE SHOWN IN MILLIMETRES

For the efficient, positive location and storage of tools and equipment

There is a wide selection of Interbin hooks to provide a very practical answer to awkward tool storage. Unlike conventional wire hooks, the Interclip range has ingeniously designed locking pegs that prevent accidental removal. Two types of pegwall panels are available. The flat pegwall panels normally fitted on Interbin racks or trolleys are featured on page 23. Wall or bench fitted panels finished in white, shown opposite, have return edges to allow Interclip accessories to be located when fitted flush on a wall. Keyhole slots are provided on panel for easy fixing vertically or horizontally.



ICMPSP

Mixed Interclip pack contains:

ICHS5 (5) - Hook single 50mm
 ICHD5 (5) - Hook double 50mm
 ICHS1 (5) - Hook single 100mm
 ICHTHS (5) - Tool holder small
 ICSCS (5) - Spring clip small
 ICSCM (5) - Spring clip medium
 1 x Interclip pegwall panel Size 918W x 440H

(To order pack without Panel quote **ICMPS**)




ICMPLP

Mixed Interclip pack contains:

ICHS5 (10) - Hook single 50mm
 ICHS1 (10) - Hook single 100mm
 ICHD5 (5) - Hook double 50mm
 ICHD1 (5) - Hook double 100mm
 ICHTHS (2) - Tool holder small
 ICHTHL (2) - Tool holder Large
 ICUH (2) Universal
 ICDH (2) Drill holder
 ICSWR (1) Spanner-wrench rack
 ICSCS (1) - Spring clip small
 ICSCM (1) - Spring clip medium
 ICSCL (1) - Spring clip large
 1 x Interclip pegwall panel 918W x 440H

(To order pack without Panel quote **ICMPL**)

INFO TIP



Wall or Bench Pegwall Panel


Illustration of keyhole slot and front clearance holes.



New Interclip hooks are made of tough plastic and zinc plated wire with special locking pegs to secure hooks onto panel.


PEGWALL PANEL

Order Ref:	Pack Qty	Description	Size
IPWP	2	Interclip Pegwall Panel	918W x 440H




INTERCLIPS

Prod No.	Order Ref:	Pack Qty	Description	Prong size length
1	ICHS5	5	Interclip Hook Single	50
2	ICHS5B	5	Interclip Hook Single Bent	50
3	ICHD5	5	Interclip Hook Double	50
4	ICHD5B	5	Interclip Hook Double Bent	50
5	ICHS1	5	Interclip Hook Single	100
6	ICHS1B	5	Interclip Hook Single Bent	100
7	ICHD1	5	Interclip Hook Double	100
8	ICHD1B	5	Interclip Hook Double Bent	100
9	ICTHS	5	Interclip Tool Holder Small	
10	ICTHL	5	Interclip Tool Holder Large	
11	ICUH	5	Interclip Universal Hook	100
12	ICDH	5	Interclip Drill Holder Hook	100
13	ICSWR	2	Interclip Spanner-Wrench Rack	
14	ICSCS	5	Interclip Spring Clip Small	15 dia.
15	ICSCM	5	Interclip Spring Clip Medium	20 dia.
16	ICSCL	5	Interclip Spring Clip Large	25 dia.



ALL MEASUREMENTS ARE SHOWN IN MILLIMETRES

Large capacity bulk storage bin with facility to fold flat, saves on valuable storage space to provide multtrip uses. Available in Red, Blue and Yellow.



Own branding and
special colours
available on request

FAB-5 FOLDING BIN

Please state colour when ordering (red, blue or yellow).

Loading capacity: Stacked - UDL 20kg

On louvre panel - UDL 15kg

Louvre Value: ILV 42 - See page 7 for information on ILV.

External Size: 395L x 500W x 260H

Internal Size: 365L x 465W x 250H

Folded Size: 455L x 500W x 30H



Product Description	Order Ref:	Pack Qty.	Material	Colours
Folding Bin	FAB 5	5	Polypropylene (Support Bar Nylon)	Red, Blue, Yellow



MOBILE DOLLIES

Accepts folded or assembled bins.

Fitted with 4 x 100mm swivel castor's.

Optional removable handle.


Product Description	Order Ref:	Pack Qty.	Material	Colours
Dolly	FAB5D	1	Metal	White Epoxy Finish
Dolly Handle	FAB 5DH	1	Metal	White Epoxy Finish

It is now more important than ever for a tradesman to save space, time and therefore money by storing parts and equipment securely and efficiently.

- Interbin in-vehicle storage racks ensure today's tradesman present the correct professional image.
- Better inventory control, easy access to tools, parts and equipment.
- Optimum use of floor space. Storage shelves can be fitted inside the louvre panel storage rack to utilise the space over the wheel arch.
- Wide range of storage rack options to suit your bin preference.
- Self fit van storage kits, with instructions and universal fittings.
- Extending top and bottom legs adjustable to suit height preference of louvre panel inside vehicle.



FEATURES AND FIXING INFORMATION



① Universal Fixing

Bracket designed to adjust to the angle of top fixing flange and bolted in place with a locking bar.

② Release Mechanism

Fixed inside edge of top extension spring loaded to locate in slot on bottom of sliding track when extended and closed, bottom security stop bars prevents accidental removal.

③ Rubber Security Plugs - Order Ref: IVRP (Pack of 50)

Located in hole over bin top edge to secure bins on louvred panel.

Please refer to our enclosed vehicle identification chart to see which kits are compatible with your vehicle. If your vehicle is not listed, please contact us for information on which kits are compatible. NOTE vehicles with two side doors, sliding kits could overhang door opening. Smaller van racks (to 600mmW x 800mmH) can be supplied.

A wide range of customised van rack options - SLIDEOUT or STATIC to suit your trade vehicle. See price list.

Examples of complete racks with bins and accessories. Select the nearest kit size from A-H to suit the height and depth of the vehicle. 600 high panels can be extended with top and bottom legs to a maximum of 1360mm and 800 high panels 1560mm. Racks used in kits A-H are also available without accessories. Please contact us for details.

NOTE: A maximum evenly distributed load of 125kg per rack when used on normal road conditions.

LOUVRE VAN RACKS

Racks can be ordered without accessories allowing you to create custom kits from our range of bins and accessories.

Code	Description	Size (mm)	Louvre Value
IVSL126	Sliding Rack	1200mm x 600H	240 *
IVSL128	Sliding Rack	1200mm x 800H	320 *
IVSL188	Sliding Rack	1800mm x 800H	480 *
IVST68	Static Rack	600mm x 800H	160 *
IVST126	Static Rack	1200mm x 600H	240 *
IVST128	Static Rack	1200mm x 800H	320 *
IVST188	Static Rack	1800mm x 800H	480 *

ALL MEASUREMENTS ARE SHOWN IN MILLIMETRES

* See page 7 for information on ILV.



IVSL188-A

Slideout panel rack size 1800W x 800H supplied complete with:
20 MDI190 Bins blue, 16 MDI130 Bins red, 8 MDI245 Bins yellow, 2 IVWB6 Wire Baskets, 76 IVRP Rubber security plugs.

Also available as a static panel (IVST188-A).

Please specify nearside or offside when ordering.



IVSL126-B

Slideout panel rack size 1200W x 600H supplied complete with:
14 MDI190 Bins yellow, 4 MDI130 Bins green, 4 MDI245 Bins red, IVWB6 Wire basket, 1 SP6B Spigot bent, 48 IVRP Rubber security plugs.

Also available as a static panel (IVST126-B).

Please specify nearside or offside when ordering.



IVSL126-C

Slideout Panel rack size 1200W x 600H supplied complete with:
11 HC1 Bins blue, 11 HC2 Bins yellow, 16 HC3 bins green, 64 IVRP Rubber security plugs.

Also available as a static panel (IVST126-C).

Please specify nearside or offside when ordering.



IVSL128-D

Slideout Panel rack size 1200W x 800H supplied complete with:
10 MDI190 Bins red, 2 IT5 Tilt box grey, 1 IT4 Tilt Box grey, 4 MDI130 Bins green, 1 IVWB6 Wire Basket, 4 MDI245 Bins yellow, 42 IVRP Rubber security plugs, 2 ITFC8 Tilt channels, 2 ITLB Tilt box limiting brackets.

Also available as a static panel (IVST128-D).

Please specify nearside or offside when ordering.

IVST128-E

Static Panel rack size 1200W x 800H supplied complete with:
 10 HC1 Bins red, 15 HC2 Bins yellow, 12 HC3 Bins blue, 2 IVWB6 Wire baskets, 64 IVRP Rubber security plugs.

Also available as a slideout panel (IVSL128-E).

Please specify nearside or offside when ordering.

**IVSL188-F**

Slideout Panel rack size 1800W x 800H supplied complete with:
 14 MDI90 Bins blue, 4 MDI130 Bins red, 2 MDI245 Bins green, 4 MDI245 Bins yellow, 2 IT5 Tilt box grey, 1 IT4 Tilt box grey, 1 IT3 Tilt box grey, 2 IVWB6 Wire baskets, 2 ITFC8 Tilt channels, 2 ITLB Limiting brackets, 1 SP6 Spigot, 58 IVRP Rubber security plugs.

Also available as a static panel (IVST188-F).


Please specify nearside or offside when ordering.

**IVSL188-G**

Slideout Panel rack size 1800W x 800H supplied complete with:
 8 MDI245 Bins yellow, 20 MDI130 Bins green, 3 IVWB6 Wire baskets, 56 IVRP Rubber security plugs.

Also available as a static panel (IVST188-G).

Please specify nearside or offside when ordering.

**IVSL188-H**

Slideout Panel rack size 1800W x 800H supplied complete with:
 10 HC1 Bins red, 15 HC2 Bins yellow, 32 HC3 bins blue, 2 IVWB6 Wire baskets, 104 IVRP Rubber security plugs.

Also available as a static panel (IVST188-H).

Please specify nearside or offside when ordering.



ALL MEASUREMENTS ARE SHOWN IN MILLIMETRES

OPTIONAL EXTRAS AVAILABLE

Always advise vehicle make, model and year of manufacture when ordering, to ensure correct supply.




CANTILEVER SHELVES

To utilise space over wheel arch or as an independent shelving system using extension leg set. Ideal for storing lengthy items (pipes, conduit etc). Shelves include fixing brackets.

IVT 110	Small (1200 x 110 x 40)
IVT 165	Medium (1200 x 165 x 40)
IVT 240	Large (1200 x 240 x 40)

Always advise vehicle make, model and year of manufacture when ordering to ensure correct supply.



EXTENSION LEG SETS

Use an extension leg set and shelves to create a static storage rack.

IVEL 6	Extension Leg Set 600H (includes fittings)
IVEL 8	Extension Leg Set 800H (includes fittings)

Always advise vehicle make, model and year of manufacture when ordering to ensure correct supply.

Other extension leg heights available.



TIlt BOXES

For secure and easy access to van stocks. Outer case grey, inner case translucent. Labels provided. State location position on rack when ordering.

Code	Compartments	Size (LWH)
IT 9G	(9 compartments)	51 x 600 x 77
IT 6G	(6 compartments)	91 x 600 x 112
IT 5G	(5 compartments)	133 x 600 x 164
IT 4G	(4 compartments)	170 x 600 x 206
IT 3G	(3 compartments)	200 x 600 x 240

Fixing Channels and Limiting Brackets

1 pack of fixing channels and 1 pack of brackets required for each box.

Code	Description	Pack Qty
IT FC6	Channels for 600mm high racks	2
IT FC8	Channels for 800mm high racks	2
IT LB	Limiting brackets for both	2
IT FCC 600 or 800	Channels centre location	1

SPIGOTS

Ideal for cable reel holder or retaining 'V'belts etc.
White epoxy finish.

Code	Length	Louvre Value	Pack Qty
SP 6B	152mm (with upturn)	3 *	5
SP 12B	305mm (with upturn)	3 *	5

Other sizes available on request.

* See page 7 for information on ILV.



PIPE CARRIERS

Ideal for the safe storage of pipes and conduit. With lockable caps (excluding padlocks) and standard clamps to fit Interbin roof bars.

IVPC 153	150 dia x 3000 length
IVPC 103	100 dia x 3000 length
IVPC 102	100 dia x 2000 length

Material: Aluminium




Due to the wide range and options available for the following products, please enquire for further details and prices.

BULK HEAD

To safeguard the driver and passenger against shifting loads.
Manufactured from mild steel and available in full or half height sizes with punched hole grille designs.

Please enquire for further details and prices.



REAR WINDOW GRILLES

Improves security for vans stocks, tools and equipment. Available in two designs, punched hole or solid grille. Black or white epoxy coated.
Manufactured from 16swg mild steel. A set of self-tapping screws is included with instructions.
Tailgate grilles are also available.

Please enquire for further details and prices.



HEAVY DUTY ROOF BARS

To transport ladders and similar equipment to site. Manufactured from stainless steel box section and supplied with black galvanised brackets, fixings and instructions to suit the in-built fixing points on most modern vans. Very heavy duty systems and roof racks also available.

Please enquire for further details and prices.



ALL MEASUREMENTS ARE SHOWN IN MILLIMETRES

Additional products and accessories to complement the Interbin range.

WIRE BASKETS

Wire construction in white epoxy finish. Standard range of three sizes, two types. Shaped open front and angled basket provide an addition to the Interbin container range and will effectively stack.

Order Ref:	Pack Qty	Description	Size	ILV
(1) WB	2	Angle front basket	330 x 432 x 305	54 *
(2) IVWB6	2	Square front basket	200 x 580 x 200	56 *
(3) IVWB 12	2	Square front basket	200 x 1180 x 200	112 *
(4) IVWBD	2	Square front divider		

* See page 7 for information on ILV.




HOOKS

Zinc plated wire hooks, three types standard sizes.

Hooks retained on louvre panels. Ideal for the simple, effective storage and display of products.

Order Ref:	Pack Qty	Description	Size	ILV
(1) WHS	10	Single Hook	152	2 *
(2) WHD	10	Double Hook	152	2 *
(3) WHE	10	Euro Hook	152	2 *

* See page 7 for information on ILV.




SPIGOTS

Manufactured straight or bent in 19mm steel tube, finished in white epoxy coating. Back plate hooks onto louvre panel at the top and bottom for added security.

Order Ref:	Pack Qty	Description	Size	ILV
(1) SP6	5	Straight	152	3 *
(2) SP12	5	Straight	305	3 *
(3) SP6B	5	Bent	152	3 *
(4) SP12B	5	Bent	305	3 *

* See page 7 for information on ILV.

Spigots can be supplied straight or bent. Manufactured in round 19mm steel tube. Special sizes can be quoted for.



Metal and plastic products can be custom manufactured to your requirements if in sufficient volume. Please enquire.

ALL MEASUREMENTS ARE SHOWN IN MILLIMETRES

MERCHANDISING HOOKS

White injection moulded plastic merchandising hooks for use with pegwall boards.

SPP RANGE

Single Prong Pegboard - for use with pegboard panels.

White injection moulded plastic.

Prong diameter: 5mm


SPP050 50mm long

SPP100 100mm long

SPP150 150mm long

SPP200 200mm long

SPP300 300mm long



DPP RANGE

Double Prong Pegboard - for use with pegboard panels.

White injection moulded plastic.


Prong diameter: 5mm

DPP050 50mm long

DPP100 100mm long

DPP150 150mm long

DPP200 200mm long



FEP RANGE

Flat Euro Pegboard - for use with pegboard panels.


White injection moulded plastic.

FEP070 70mm long

FEP100 100mm long

FEP150 150mm long

FEP200 200mm long



ALL MEASUREMENTS ARE SHOWN IN MILLIMETRES

Ideal storage of high value or controlled stocks. Standard cupboards are manufactured from 22swg steel and are provided with two lockable doors in 18swg. Colour as illustrated. Shelves adjustable. Shelf capacity UDL 50kg per shelf.



SC-A

Cupboard with 48 HC4 bins

Pack Qty: 3 shelves, 1 set

Cupboard Size: 1780H x 915W x 460D



SC-B

Cupboard with 60 HC3 bins

Pack Qty: 3 shelves, 1 set

Cupboard Size: 1780H x 915W x 460D



SC-C

Cupboard with 32 MDI 175 bins

Pack Qty: 6 shelves, 1 set

Cupboard Size: 1780H x 915W x 460D

SC-D

Cupboard with 24 MDI 245 bins
Pack Qty: 6 shelves, 1 set
Cupboard Size: 1780H x 915W x 460D



SC-E

Cupboard with 16 MDI 390 bins
Pack Qty: 6 shelves, 1 set
Cupboard Size: 1780H x 915W x 460D



SC-F

Pack Qty: 6 shelves, 1 set
Cupboard Size: 1780H x 915W x 460D



ALL MEASUREMENTS ARE SHOWN IN MILLIMETRES

Simple cost effective solutions for storage

To make selection for parts storage easy, just order the Interbin Louvre Panel Handy Packs complete with bins illustrated, for wall or bench location.

Select from the examples illustrated and quote the order reference shown, If your preference is not shown here, please enquire. Each panel butts together with fixing holes provided so additional packs can be added.



HP-A

- 5 x MDI 90
- 8 x MDI 130
- 2 x MDI 245
- 1 x Louvre Panel 610W x 610H



HP-B

- 16 x HC1
- 1 x Louvre Panel 457W x 457H



HP-C

- 10 x HC1
- 5 x HC2
- 8 x HC3
- 1 x Louvre Panel 610W x 610H

Many other combinations available

HP-D

8 x HC1
8 x HC2
9 x HC3
1 x Louvre Panel 457W x 915H



HP-E

18 x MDI 245
1 x Louvre Panel 610W x 1830H



HP-F

16 x MDI 90
15 x MDI 130
2 x MDI 390
2 x MDI 175
1 x Louvre Panel 457W x 1830H



For other combinations of
Bin Racks -see Racks and
Trolleys pages 13-18

ALL MEASUREMENTS ARE SHOWN IN MILLIMETRES



HP-G

16 x HC1 bins
 16 x HC2 bins
 18 x HC3 bins
 2 x Louvre panels 457W x 915H

Total louvre panel area: W457mm x H1830mm



HP-H

48 x HC2 bins
 18 x HC3 bins
 12 x HC4 bins
 4 x Louvre panels 457W x 915H

Total louvre panel area: W915mm x H1830mm



HP-J

Pack consists of:
 20 x HC1 bins
 10 x HC2 bins
 12 x HC3 bins
 2 x Louvre panels 610W x 610H

Total louvre panel area: W610mm x H1220mm

Many other combinations available


EX-10**EXCELSIOR** Wallmounted Leaflet Dispenser**A4 Portrait**

Clear Styrene

With mounting holes

Holds literature up to 215mm wide

Internal size: (mm) 219W x 235H x 35D

**EX-10EC****EXCELSIOR** Wallmounted Leaflet Dispenser with Extra Capacity**A4 Portrait**

Clear Styrene

With mounting holes

Bottom of pocket is ribbed to prevent leaflets falling forward.

Holds literature up to 215mm wide. Internal size: 231W x 246H x 65D


**EX-11****EXCELSIOR** Wallmounted Leaflet Dispenser**A5 Portrait**

Clear Styrene

With mounting holes

Holds literature up to 152mm wide

Internal size: (mm) 155W x 159H x 35D

**EX-11EC****EXCELSIOR** Wallmounted Leaflet Dispenser with Extra Capacity**A5 Portrait**

Clear Styrene. With mounting holes

Bottom of pocket is ribbed to prevent leaflets falling forward

Holds literature up to 152mm wide

Internal size: (mm) 155W x 159H x 65D


**EX15-WM****EXCELSIOR** Triple-Tier, Wallmounted Leaflet Dispenser**3 x A4 Portrait**

Clear Styrene

With mounting holes

Holds leaflets up to 215mm wide

Internal size: (mm) 219W x 292H x 35D

**EX-18WM****EXCELSIOR** Triple-Tier, Wallmounted Leaflet Dispenser**3 x A5 Portrait**

Clear Styrene

With mounting holes

Holds leaflets up to 155mm wide

Internal size: (mm) 155W x 195H x 35D



ALUMINIUM SNAPFRAMES



Brushed Aluminium Frames

Clear PVC glazing panels with thumb notch

Polystyrene back panel

Back panel drilled for wallmounting (landscape & portrait)

Change posters quickly and easily with simple snap-open, snap-shut frame.




SN7A

Snapframe - 20" x 30" with 32mm profile

Brushed aluminium frame

Can be mounted landscape or portrait




SN7B

Snapframe - A1 with 32mm profile

Brushed aluminium frame

Can be mounted landscape or portrait




SN7C

Snapframe - A2 with 32mm profile

Brushed aluminium frame

Can be mounted landscape or portrait




SN7D

Snapframe - A3 with 25mm profile

Brushed aluminium frame

Can be mounted landscape or portrait



SN7E

Snapframe - A4 with 25mm profile

Brushed aluminium frame

Can be mounted landscape or portrait

ALL MEASUREMENTS ARE SHOWN IN MILLIMETRES

ADHESIVE PRINT HOLDERS

With round foam adhesive pads

Clear Styrene

Top entry sealed on three sides

TVA-1 A4

TVA-7 A5

Patent No: GB 2290469B. Reg'd Design



MAGNETIC PRINT HOLDERS

With Magentic Strips

Clear Styrene

Top entry - sealed on three sides

TVM-1 A4

TVM-7 A5

Patent No: GB 2290469B. Reg'd Design



SUPERGRIP

Display Holder - 25mm wide base

With permanent adhesive

Co-extruded clear PVC

Accepts material up to 1.4mm thick

110-300 75mm long

110-600 150mm long

Patent No: 1257474



SIGN GRIPPER

With Permanent Adhesive

Clear PVC

Accepts material up to 1.4mm thick

3036 75mm long

3037 150mm long



110-300	Supergrip Display Holder	42	ES-3	Shelving Kit	11	HCTD1	Trolley Pack	16
110-600	Supergrip Display Holder	42	ES-4	Shelving Kit	11	HCTD2	Trolley Pack	16
3036	Sign Gripper	42	ES-5	Shelving Kit	12	HCTD3	Trolley Pack	16
3037	Sign Gripper	42	ES-6	Shelving Kit	12	HP-A	Handy Pack	37
BU 18 CB WHT	Crossbar Handle	19	ES-BC	Bay Connector	12	HP-B	Handy Pack	37
BU 18 CB ZP	Crossbar Handle	19	ESRM	Rubber Mallet	12	HP-C	Handy Pack	37
BU 1818 HC1	Bench pack	19	EX-10	Wallm'ted Leaflet Dispenser	40	HP-D	Handy Pack	38
BU 1818 WHT	Bench Unit (white)	19	EX-10EC	Wallm'ted Leaflet Dispenser	40	HP-E	Handy Pack	38
BU 1818 ZP	Bench Unit (zinc)	19	EX-11	Wallm'ted Leaflet Dispenser	40	HP-F	Handy Pack	38
BU 24 CB WHT	Crossbar Handle	19	EX-11EC	Wallm'ted Leaflet Dispenser	40	HP-G	Handy Pack	39
BU 24 CB ZP	Crossbar Handle	19	EX-15WM	Wallm'ted Leaflet Dispenser	40	HP-H	Handy Pack	39
BU 2424 WHT	Bench Unit (white)	19	EX-18WM	Wallm'ted Leaflet Dispenser	40	HP-J	Handy Pack	39
BU 2424 ZP	Bench Unit (zinc)	19	FAB 5	Folding Bin	27	HR18	Hanging Rail	24
BU 36 CB WHT	Crossbar Handle	19	FAB 5D	Dolly	27	HR24	Hanging Rail	24
BU 36 CB ZP	Crossbar Handle	19	FAB 5DH	Dolly Handle	27	HS12	Standard Handle	24
BU 3618 WHT	Bench Unit (white)	19	FD 130	Front to Back Divider	3	IB1	Interbox Pack	21
BU 3618 ZP	Bench Unit (zinc)	19	FD 175	Front to Back Divider	3	IB1 SD	Side to Side Dividers	21
BU 3624 WHT	Bench Unit (white)	19	FD 245	Front to Back Divider	3	IB2	Interbox Pack	21
BU 3624 ZP	Bench Unit (zinc)	19	FD 390	Front to Back Divider	3	IB2 FD	Front to Back Dividers	21
CAR01	Carousel Pack	20	FD 50	Front to Back Divider	3	IB2 SD	Side-to-Side Dividers	21
CAR02	Carousel Pack	20	FD 90	Front to Back Divider	3	IBC B1	Interbox Pack	22
CAR03	Carousel Pack	20	FEP070	Flat Euro Pegboard	34	IBC B2	Interbox Pack	22
CB 175	Back Security Clip	3	FEP100	Flat Euro Pegboard	34	IBRP	Interbox Pack	22
CB 390	Back Security Clip	3	FEP150	Flat Euro Pegboard	34	IBRPD	Interbox Pack	22
CB 50	Back Security Clip	3	FEP200	Flat Euro Pegboard	34	IBTP	Interbox Pack	22
CB 90	Back Security Clip	3	FLC 3636	Combination Unit Frame	23	IC21WE	Carousel without Bins	19
CB130	Back Security Clip	3	FLC 3648	Combination Unit Frame	23	IC21ZP	Carousel without Bins (zinc)	19
CB245	Back Security Clip	3	FLC 3672	Combination Unit Frame	23	ICDH	Interclip Drill Holder Hook	26
CBP 1836	Blank Panel	23	FLC 4836	Combination Unit Frame	23	ICHD1	Interclip Hook Double	26
CBP 1848	Blank Panel	23	FLC 4848	Combination Unit Frame	23	ICHD1B	Interclip Hook Double Bent	26
CBP 1872	Blank Panel	23	FLC 4872	Combination Unit Frame	23	ICHD5	Interclip Hook Double	26
CBP 2436	Blank Panel	23	FPC 50	Clear Front Pivot Cover	3	ICHD5B	Interclip Hook Double Bent	26
CBP 2448	Blank Panel	23	FPC 90	Clear Front Pivot Cover	3	ICHS1B	Interclip Hook Single Bent	26
CBP 2472	Blank Panel	23	FSC 1836	Combination Unit Frame	23	ICHS5	Interclip Hook Single	26
CF 130	Front Security Clip	3	FSC 1848	Combination Unit Frame	23	ICHS5B	Interclip Hook Single Bent	26
CF 175	Front Security Clip	3	FSC 1872	Combination Unit Frame	23	ICHTHS	Interclip Tool Holder Small	26
CF 245	Front Security Clip	3	FSC 2436	Combination Unit Frame	23	ICMPL	Interclip Pack with Panel	25
CF 390	Front Security Clip	3	FSC 2448	Combination Unit Frame	23	ICMPLP	Interclip Pack with Panel	25
CF 50	Front Security Clip	3	FSC 2472	Combination Unit Frame	23	ICMPS	Interclip Pack without Panel	25
CF 90	Front Security Clip	3	HC 1	High Capacity Storage Bin	6	ICMPSP	Interclip Pack with Panel	25
CIN16	Tray Infill	24	HC 2	High Capacity Storage Bin	6	ICSL	Interclip Spring Clip Large	26
CIN22	Tray Infill	24	HC 3	High Capacity Storage Bin	6	ICSCM	Interclip Spring Clip Medium	26
CMSD	Wire & Metal Divider	24	HC 4	High Capacity Storage Bin	2	ICSCS	Interclip Spring Clip Small	26
CPWP 1818	Pegwall Panel	23	HC 5	High Capacity Storage Bin	6	ICSWR	Interclip Spanner-Wrench Rack	26
CPWP 1836	Pegwall Panel	23	HC RD2	Rack Pack	14	ICTHL	Interclip Tool Holder Large	26
CPWP 1848	Pegwall Panel	23	HC RD3	Rack Pack	14	ICUH	Interclip Universal Hook	26
CPWP 1872	Pegwall Panel	23	HC RS 1	Rack Pack	14	ILB1	White Index Labels	21
CPWP 2436	Pegwall Panel	23	HC1DC	Dust Cover	5	ILB2	White Index Labels	21
CPWP 2448	Pegwall Panel	23	HC1LD	Lateral Divider	5	ILPC D2	Shelf Tray Divider	23
CPWP 2472	Pegwall Panel	23	HC2DC	Dust Cover	5	ILPC D3	Shelf Tray Divider	23&24
CSB2	Header Card Bracket	24	HC2LD	Lateral Divider	5	ILPC D4	Shelf Tray Divider	23
CT457	Self-Adhesive Ticket Strip	24	HC3DC	Dust Cover	5	ILPCST 42/B2	Cantilever Shelf Tray	23
CT610	Self-Adhesive Ticket Strip	24	HC3LD	Lateral Divider	5	ILPCST 42/B3	Cantilever Shelf Tray	23
CWSD	Wire & Metal Divider	24	HC45SC	Bin Shelf Stop Clip	5	ILPCST 44/B4	Cantilever Shelf Tray	23
DPP050	Double Prong Pegboard	34	HC4DC	Dust Cover	5	ILPCST 62/B2	Cantilever Shelf Tray	23
DPP100	Double Prong Pegboard	34	HC4FD	Front to Back Divider	5	ILPCST 63/B3	Cantilever Shelf Tray	23
DPP150	Double Prong Pegboard	34	HC4LD	Lateral Divider	5	IPWP	Interclip Pegwall Panel	26
DPP200	Double Prong Pegboard	34	HC5DC	Dust Cover	5	IT 3G	Tilt Box	31
ES-1	Shelving Kit	11	HC5FD	Front to Back Divider	5	IT 4G	Tilt Box	31
ES-2	Shelving Kit	11	HC5LD	Lateral Divider	5	IT 5G	Tilt Box	31

IT 6G	Tilt Box	31	LP1872	Louvre Panel	8	SP6	Straight Spigot	33
IT 9G	Tilt Box	31	LP189	Louvre Panel	8	SP6B	Bent Spigot	32 & 33
IT FC6	Tilt Box Fixing Channels	31	LP2424	Louvre Panel	8	SPP050	Single Prong Pegboard	34
IT FC8	Tilt Box Fixing Channels	31	LP2436	Louvre Panel	8	SPP100	Single Prong Pegboard	34
IT FCC 600	Tilt Box Fixing Channel	31	LP2448	Louvre Panel	8	SPP150	Single Prong Pegboard	34
IT FCC 800	Tilt Box Fixing Channel	31	LP2472	Louvre Panel	8	SPP200	Single Prong Pegboard	34
IT LB	Limiting Brackets	31	LP3618	Louvre Panel	8	SPP300	Single Prong Pegboard	34
IVEL 6	Extension Leg Set 600H	31	LP3624	Louvre Panel	8	TBD 1828	Trolley Base Double	24
IVEL 8	Extension Leg Set 800H	31	LS20	Single Leg	24	TBD 2428	Trolley Base Double	24
IVHS1	Interclip Hook Single	26	MDI 130	MDI Storage Bin	4	TBD 3728	Trolley Base Double	24
IVPC 102	Pipe Carrier	32	MDI 175	MDI Storage Bin	4	TBD 4928	Trolley Base Double	24
IVPC 103	Pipe Carrier	32	MDI 245	MDI Storage Bin	4	TBS 2420	Trolley Base Single	24
IVPC 153	Pipe Carrier	32	MDI 390	MDI Storage Bin	4	TBS 3720	Trolley Base Single	24
IVSL188	Louvre Van Rack	28	MDI 50	MDI Storage Bin	4	TBS 3720	Trolley Base Single	24
IVST188	Louvre Van Rack	28	MDI 90	MDI Storage Bin	4	TBS 4920	Trolley Base Single	24
IVSL126	Louvre Van Rack	28	RD 1836	Single Sided Rack	13	TD 1836	Double Sided Trolley	15
IVST126	Louvre Van Rack	28	RD 1848	Single Sided Rack	13	TD 1848	Double Sided Trolley	15
IVSL128	Louvre Van Rack	28	RD 1848 K	Rack Pack	14	TD 1872	Double Sided Trolley	15
IVST128	Louvre Van Rack	28	RD 1872	Single Sided Rack	13	TD 2436	Double Sided Trolley	15
IVST68	Louvre Van Rack	28	RD 2436	Single Sided Rack	13	TD 2448	Double Sided Trolley	15
IVSL188-A	Van Kit A (Sliding)	29	RD 2448	Single Sided Rack	13	TD 2448 P	Trolley Pack	17
IVST188-A	Van Kit A (Static)	29	RD 2472	Single Sided Rack	13	TD 2472	Double Sided Trolley	15
IVSL126-B	Van Kit B (Sliding)	29	RD 3636	Single Sided Rack	13	TD 3636	Double Sided Trolley	15
IVST126-B	Van Kit B (Static)	29	RD 3648	Single Sided Rack	13	TD 3636U	Trolley Pack	18
IVSL126-C	Van Kit C (Sliding)	29	RD 3672	Single Sided Rack	13	TD 3648	Double Sided Trolley	15
IVST126-C	Van Kit C (Static)	29	RD 4836	Single Sided Rack	13	TD 3648 O	Trolley Pack	17
IVSL128-D	Van Kit D (Sliding)	29	RD 4848	Single Sided Rack	13	TD 3672	Double Sided Trolley	15
IVST128-D	Van Kit D (Static)	29	RD 4872	Single Sided Rack	13	TD 3672 Q	Trolley Pack	17
IVSL128-E	Van Kit E (Sliding)	30	RD 4872 N	Rack Pack	14	TD 4836	Double Sided Trolley	15
IVST128-E	Van Kit E (Static)	30	RS 1836	Single Sided Rack	13	TD 4848	Double Sided Trolley	15
IVSL188-F	Van Kit F (Sliding)	30	RS 1848	Single Sided Rack	13	TD 4872	Double Sided Trolley	15
IVST188-F	Van Kit F (Static)	30	RS 1872	Single Sided Rack	13	TDL 2	Large Divider Tray	19&23
IVSL188-G	Van Kit G (Sliding)	30	RS 2436	Single Sided Rack	13	TDS 1	Small Divider Tray	19&23
IVST188-G	Van Kit G (Static)	30	RS 2448	Single Sided Rack	13	TH5	Trolley	18
IVSL188-H	Van Kit H (Sliding)	30	RS 2472	Single Sided Rack	13	THC5	Trolley Pack	18
IVST188-H	Van Kit H (Static)	30	RS 3636	Single Sided Rack	13	TS 1836	Single Sided Trolley	15
IVT 110	Cantilever Shelf Small	31	RS 3672	Single Sided Rack	13	TS 1848	Single Sided Trolley	15
IVT 165	Cantilever Shelf Medium	31	RS 4836	Single Sided Rack	13	TS 1872	Single Sided Trolley	15
IVT 240	Cantilever Shelf Large	31	RS 4848	Single Sided Rack	13	TS 2436	Single Sided Trolley	15
IVWB12	Square Front Basket	33	RS 4872	Single Sided Rack	13	TS 2448	Single Sided Trolley	15
IVWB6	Square Front Basket	33	RS3648	Single Sided Rack	13	TS 2472	Single Sided Trolley	15
IVWBD	Square Front Divider	33	SC-A	Storage Cupboard Pack	35	TS 3636	Single Sided Trolley	15
KB-1	KanBan Unit	10	SC-B	Storage Cupboard Pack	35	TS 3648	Single Sided Trolley	15
KB-1a	KanBan Unit	10	SC-C	Storage Cupboard Pack	35	TS 3672	Single Sided Trolley	15
KB-2	KanBan Unit	10	SC-D	Storage Cupboard Pack	36	TS 4836	Single Sided Trolley	15
KB-2a	KanBan Unit	10	SC-E	Storage Cupboard Pack	36	TS 4848	Single Sided Trolley	15
KB-2b	KanBan Unit	10	SC-F	Storage Cupboard	36	TS 4872	Single Sided Trolley	15
KB-2c	KanBan Unit	10	SCRB18	Storage Cable Reel Bar	24	TVA-1	Adhesive Print Holder - A4	42
KB-3	KanBan Unit	10	SCRB24	Storage Cable Reel Bar	24	TVA-7	Adhesive Print Holder - A5	42
KB-3a	KanBan Unit	10	SD 130	Side to Side Dividers	3	TVM-1	Magnetic Print Holder - A4	42
L 130	Clear Pivot Lid	3	SD 175	Side to Side Divider	3	TVM-7	Magnetic Print Holder - A5	42
L 175	Clear Lay on Lid	3	SD 245	Side to Side Divider	3	WB	Angle Front Basket	33
L 390	Clear Lay on Lid	3	SD 390	Side to Side Divider	3	WHD	Double Hook	33
L 50	Clear Pivot Lid	3	SD 90	Side to Side Dividers	3	WHE	Euro Hook	33
L 90	Clear Pivot Lid	3	SN7A	Snapframe - 20" x 30"	41	WHS	Single Hook	33
L245	Clear Lay on Lid	3	SN7B	Snapframe - A1	41	WT	Work Tray	19
LD28	Double Leg	24	SN7C	Snapframe - A2	41			
LP1818	Louvre Panel	8	SN7D	Snapframe - A3	41			
LP1824	Louvre Panel	8	SN7D	Snapframe - A4	41			
LP1836	Louvre Panel	8	SP12	Straight Spigot	33			
LP1848	Louvre Panel	8	SP12B	Bent Spigot	32 & 33			

1. Parties

In these conditions PPH Moulders Limited is called "the Company" and any individual, firm, company or other party with whom the Company contracts is called "the Customer".

2. Quotations

Any quotation given by the Company is only an invitation to the Customer to make an offer and no order of the Customer placed with the Company in pursuance of a quotation or otherwise shall be binding on the Company unless and until it is accepted by the Company in writing. Any contract made between the Company and the Customer (hereafter called "the Contract") shall incorporate and be subject to these conditions according to their provisions. All the terms of the Contract shall be those contained expressly or by reference in the Company's Acceptance of Order.

3. Prices

Unless it is a term of the Contract that the price quoted by the Company shall remain fixed, the price shall be the Company's price ruling at the date of despatch of the goods.

4. Returns and Custom Goods

No returns will be accepted without the Company's prior authorisation. There is a re-stocking charge of 15% of the value of the goods returned plus all carriage charges that have been incurred. Notification of damage or shortage must be received within 2 days of receipt of goods. Custom made or modified products are non returnable. No returns of any nature will be accepted after 60 days from despatch date. Please note that it is the customer's responsibility to check that goods are received in good condition **prior to signing carrier's delivery note**.

5. Despatch

Whilst the Company will make every endeavour to comply with any date or dates for despatch or delivery of the goods stated in the Contract, such date or dates shall constitute only statements of expectation and shall not be binding on the Company. If the Company fails to despatch or deliver the goods by such date or dates, failure shall not constitute a breach of the Contract and the Customer shall not be entitled to treat the Contract as thereby repudiated or to rescind it or any related contract in whole or in part or claim damages for such failure.

6. Delivery

(a) Unless otherwise provided in the Contract, delivery shall be to the Customer's premises. (b) Unless otherwise provided in the Contract, the price of the goods does not include the cost of off-loading the goods, which shall be arranged by the Customer and performed at his sole expense and risk.

7. Risk

(a) Where the Company itself delivers the goods, the risk shall pass to the Customer on delivery. In all other cases, the risk shall pass to the Customer when the goods leave the Company's works. (b) Where the Company itself delivers the goods, the Company undertakes to replace or (at its discretion) to repair free of charge any goods damaged in transit in which event the time for delivery of the goods shall be extended for such period as the Company reasonably requires for such replacement and repair. It is a condition precedent of this undertaking that (i) the Customer shall give written notice of such damage in transit with reasonable particulars thereof to the Company within 2 days of receipt of the goods and (ii) the Customer if requested by the Company to do so shall return the damaged goods to the Company within 2 weeks of his receipt thereof.

8. Liability

(a) If the Company is in breach of any obligation it may have in respect of the goods under Section 14 (2) or 15 (2) (a) or (c) of the Sale of Goods Act 1983 (as amended) the Company will replace such goods free of charge provided that:

- (1) Such breach occurs and the Customer gives notice in writing thereof to the Company within six months of the original date of despatch of the goods by the Company to the Customer.
- (2) The Customer permits the company a reasonable opportunity to inspect, examine and test the goods at the Customer's premises and does not return them to the Company's works unless and until requested to do so by the Company. Such breach shall not entitle the Customer to rescind the Contract or to recover damages from the Company in contract or in tort in respect of any loss (including consequential loss) the Customer may thereby sustain. (b) It is the exclusive responsibility of the Customer to satisfy himself that the goods are suitable for the particular purpose for which he requires them notwithstanding that he may make known such purpose to the Company and the Customer shall not in this respect rely upon the Company's skill or judgement or any advice it may give. Accordingly Section 14 (3) of the Sale of Goods Act 1982 shall not apply to the Contract and the Company shall not be liable to the Customer for damages in negligence in respect of any such advice or for failure to exercise proper skill and judgement.

9. Indemnity

The Customer will indemnify the Company against any claim made against the Company in respect of injury to any person or damage to any property arising from any

defect in the goods or anything done or omitted to be done in the delivery thereof to the Customer where such delivery is effected by the Company, including any such injury or damage caused by the negligence of the Company, its employees or agents.

10. Title

(a) Notwithstanding that the risk in the goods has passed to the Customer, ownership thereof shall not pass to the Customer unless and until all money owing to the Company by the Customer has been paid. If the Customer incorporates the goods in another object or objects the ownership of such object or objects shall vest in the Company immediately such incorporation takes place as security for payment of all such money as aforesaid.

(b) Notwithstanding the provisions of paragraph (a) of this Condition the Customer may sell such goods or the object or objects in which they have been incorporated in the ordinary course of trading provided always that whilst any money remains owing by the Customer to the Company the Customer will, if requested by the Company, assign to the Company free from all charges and incumbrances all claims the Company may have against the persons to whom such goods or objects have been sold for the purchase price payable to the Customer in respect thereof.

(c) The Customer hereby grants to the Company an irrevocable license to enter at any time any premises owned or occupied by the Customer for the purpose of repossessing and removing any such goods or objects as aforesaid the ownership of which has remained or has become vested in the Company under paragraph (b) of this Condition and the Company shall not be responsible for (and the Customer will indemnify the Company against all liability in respect of) damage caused to such premises in such repossession and removal being damaged it was not reasonably practicable to avoid.

11. Accounts

(a) All accounts shall be paid by the 20th day of the month following the Company's invoice. (b) If the Customer does not pay any invoice by the due date of payment the Company shall have the right to withhold delivery of any further goods whether under the Contract or any other Contract between the Company and the Customer. (c) The Company reserves the right to charge interest on any invoice not paid on due date for the period which they are overdue at the rate of 5% per annum over Bank Base Rate.

12. Specification and Quantities

(a) Unless the Contract expressly provides otherwise, all weights, dimensions, statements as to performance and any other data relating to the goods supplied by the Company are approximate only. (b) Whilst the Company will make every endeavour to deliver the quantity of goods ordered, nevertheless a delivered quantity of 10% more or less than the quantity ordered shall be deemed to be due execution and performance of the Contract, the price being increased or reduced pro rata accordingly.

13. Packing Cases

Unless otherwise provided in the Contract, the price does not include the cost of cases or other packing material which shall remain the property of the Company and be returned to the Company's premises at the Customer's expense.

14. Customer's Property

Customer's property and all property supplied to the Company by or on behalf of the Customer will be held and carried at the Customer's risk.

15. Tools

Tools manufactured or provided by the Company for the production of any goods shall remain the property of the Company notwithstanding that the Customer may have been charged for all or part of the cost of such manufacture or provision. The Company reserves the right to destroy or otherwise dispose of any tools which have not been used for a period of two years.

16. Force Majeure

The Company will make every effort to carry out the Contract in accordance with its terms but it shall not be liable for any failure on its part to perform any term of the Contract arising from any cause outside the Company's control including (but without prejudice to the generality of the foregoing) act of God, war, strike, lock-out or other industrial dispute, fire, flood, shortages of materials or breakdown of machinery or plant.

17. Disputes

The Contract shall be governed by and construed in accordance with English Law. All questions disputes or controversies whatsoever arising out of or in relation to or in connection with the Contract or the goods supplied or to be supplied pursuant thereto shall, if not settled by agreement, be referred to the arbitration of a person appointed by the Company and the Customer or in default of such appointment shall be referred to the arbitration of a person appointed by the President for the time being of the British Plastics Federation and the arbitration shall be subject to the Arbitration Act 1950 as modified or re-enacted from time to time.

The Company is not responsible to the Customer for intellectual property infringement occurring as a result of the Company manufacturing and selling any of its products. Copyright in any product manufactured by the Company remains the property of the Company unless subject to special arrangements.

PPH Moulders Limited
Horsecroft Road, The Pinnacles,
Harlow, Essex, CM19 5BH.
Tel: +44 (0)1279 441221
Fax: +44 (0)1279 450203
sales@interbin.com www.interbin.com



1. Parties

In these conditions PPH Moulders Limited is called "the Company" and any individual, firm, company or other party with whom the Company contracts is called "the Customer".

2. Quotations

Any quotation given by the Company is only an invitation to the Customer to make an offer and no order of the Customer placed with the Company in pursuance of a quotation or otherwise shall be binding on the Company unless and until it is accepted by the Company in writing. Any contract made between the Company and the Customer (hereafter called "the Contract") shall incorporate and be subject to these conditions according to their provisions. All the terms of the Contract shall be those contained expressly or by reference in the Company's Acceptance of Order.

3. Prices

Unless it is a term of the Contract that the price quoted by the Company shall remain fixed, the price shall be the Company's price ruling at the date of despatch of the goods.

4. Returns and Custom Goods

No returns will be accepted without the Company's prior authorisation. There is a re-stocking charge of 15% of the value of the goods returned plus all carriage charges that have been incurred. Notification of damage or shortage must be received within 2 days of receipt of goods. Custom made or modified products are non returnable. No returns of any nature will be accepted after 60 days from despatch date. Please note that it is the customer's responsibility to check that goods are received in good condition **prior to signing carrier's delivery note**.

5. Despatch

Whilst the Company will make every endeavour to comply with any date or dates for despatch or delivery of the goods stated in the Contract, such date or dates shall constitute only statements of expectation and shall not be binding on the Company. If the Company fails to despatch or deliver the goods by such date or dates, failure shall not constitute a breach of the Contract and the Customer shall not be entitled to treat the Contract as thereby repudiated or to rescind it or any related contract in whole or in part or claim damages for such failure.

6. Delivery

(a) Unless otherwise provided in the Contract, delivery shall be to the Customer's premises. (b) Unless otherwise provided in the Contract, the price of the goods does not include the cost of off-loading the goods, which shall be arranged by the Customer and performed at his sole expense and risk.

7. Risk

(a) Where the Company itself delivers the goods, the risk shall pass to the Customer on delivery. In all other cases, the risk shall pass to the Customer when the goods leave the Company's works. (b) Where the Company itself delivers the goods, the Company undertakes to replace or (at its discretion) to repair free of charge any goods damaged in transit in which event the time for delivery of the goods shall be extended for such period as the Company reasonably requires for such replacement and repair. It is a condition precedent of this undertaking that (i) the Customer shall give written notice of such damage in transit with reasonable particulars thereof to the Company within 2 days of receipt of the goods and (ii) the Customer if requested by the Company to do so shall return the damaged goods to the Company within 2 weeks of his receipt thereof.

8. Liability

(a) If the Company is in breach of any obligation it may have in respect of the goods under Section 14 (2) or 15 (2) (a) or (c) of the Sale of Goods Act 1983 (as amended) the Company will replace such goods free of charge provided that:

(1) Such breach occurs and the Customer gives notice in writing thereof to the Company within six months of the original date of despatch of the goods by the Company to the Customer.

(2) The Customer permits the company a reasonable opportunity to inspect, examine and test the goods at the Customer's premises and does not return them to the Company's works unless and until requested to do so by the Company.

Such breach shall not entitle the Customer to rescind the Contract or to recover damages from the Company in contract or in tort in respect of any loss (including consequential loss) the Customer may thereby sustain. (b) It is the exclusive responsibility of the Customer to satisfy himself that the goods are suitable for the particular purpose for which he requires them notwithstanding that he may make known such purpose to the Company and the Customer shall not in this respect rely upon the Company's skill or judgement or any advice it may give. Accordingly Section 14 (3) of the Sale of Goods Act 1982 shall not apply to the Contract and the Company shall not be liable to the Customer for damages in negligence in respect of any such advice or for failure to exercise proper skill and judgement.

9. Indemnity

The Customer will indemnify the Company against any claim made against the Company in respect of injury to any person or damage to any property arising from any

defect in the goods or anything done or omitted to be done in the delivery thereof to the Customer where such delivery is effected by the Company, including any such injury or damage caused by the negligence of the Company, its employees or agents.

10. Title

(a) Notwithstanding that the risk in the goods has passed to the Customer, ownership thereof shall not pass to the Customer unless and until all money owing to the Company by the Customer has been paid. If the Customer incorporates the goods in another object or objects the ownership of such object or objects shall vest in the Company immediately such incorporation takes place as security for payment of all such money as aforesaid.

(b) Notwithstanding the provisions of paragraph (a) of this Condition the Customer may sell such goods or the object or objects in which they have been incorporated in the ordinary course of trading provided always that whilst any money remains owing by the Customer to the Company the Customer will, if requested by the Company, assign to the Company free from all charges and incumbrances all claims the Company may have against the persons to whom such goods or objects have been sold for the purchase price payable to the Customer in respect thereof.

(c) The Customer hereby grants to the Company an irrevocable license to enter at any time any premises owned or occupied by the Customer for the purpose of repossessing and removing any such goods or objects as aforesaid the ownership of which has remained or has become vested in the Company under paragraph (b) of this Condition and the Company shall not be responsible for (and the Customer will indemnify the Company against all liability in respect of) damage caused to such premises in such repossession and removal being damaged it was not reasonably practicable to avoid.

11. Accounts

(a) All accounts shall be paid by the 20th day of the month following the Company's invoice. (b) If the Customer does not pay any invoice by the due date of payment the Company shall have the right to withhold delivery of any further goods whether under the Contract or any other Contract between the Company and the Customer. (c) The Company reserves the right to charge interest on any invoice not paid on due date for the period which they are overdue at the rate of 5% per annum over Bank Base Rate.

12. Specification and Quantities

(a) Unless the Contract expressly provides otherwise, all weights, dimensions, statements as to performance and any other data relating to the goods supplied by the Company are approximate only. (b) Whilst the Company will make every endeavour to deliver the quantity of goods ordered, nevertheless a delivered quantity of 10% more or less than the quantity ordered shall be deemed to be due execution and performance of the Contract, the price being increased or reduced pro rata accordingly.

13. Packing Cases

Unless otherwise provided in the Contract, the price does not include the cost of cases or other packing material which shall remain the property of the Company and be returned to the Company's premises at the Customer's expense.

14. Customer's Property

Customer's property and all property supplied to the Company by or on behalf of the Customer will be held and carried at the Customer's risk.

15. Tools

Tools manufactured or provided by the Company for the production of any goods shall remain the property of the Company notwithstanding that the Customer may have been charged for all or part of the cost of such manufacture or provision. The Company reserves the right to destroy or otherwise dispose of any tools which have not been used for a period of two years.

16. Force Majeure

The Company will make every effort to carry out the Contract in accordance with its terms but it shall not be liable for any failure on its part to perform any term of the Contract arising from any cause outside the Company's control including (but without prejudice to the generality of the foregoing) act of God, war, strike, lock-out or other industrial dispute, fire, flood, shortages of materials or breakdown of machinery or plant.

17. Disputes

The Contract shall be governed by and construed in accordance with English Law. All questions disputes or controversies whatsoever arising out of or in relation to or in connection with the Contract or the goods supplied or to be supplied pursuant thereto shall, if not settled by agreement, be referred to the arbitration of a person appointed by the Company and the Customer or in default of such appointment shall be referred to the arbitration of a person appointed by the President for the time being of the British Plastics Federation and the arbitration shall be subject to the Arbitration Act 1950 as modified or re-enacted from time to time.

The Company is not responsible to the Customer for intellectual property infringement occurring as a result of the Company manufacturing and selling any of its products. Copyright in any product manufactured by the Company remains the property of the Company unless subject to special arrangements.

PPH Moulders Limited
Horsecroft Road, The Pinnacles,
Harlow, Essex, CM19 5BH.
Tel: +44 (0)1279 441221
Fax: +44 (0)1279 450203
sales@interbin.com www.interbin.com



We would like to thank the following for their contribution:

S&B Commercials PLC, Welham Green
Serco Ryan Ltd, Hartlebury

1. Parties

In these conditions PPH Moulders Limited is called "the Company" and any individual, firm, company or other party with whom the Company contracts is called "the Customer".

2. Quotations

Any quotation given by the Company is only an invitation to the Customer to make an offer and no order of the Customer placed with the Company in pursuance of a quotation or otherwise shall be binding on the Company unless and until it is accepted by the Company in writing. Any contract made between the Company and the Customer (hereafter called "the Contract") shall incorporate and be subject to these conditions according to their provisions. All the terms of the Contract shall be those contained expressly or by reference in the Company's Acceptance of Order.

3. Prices

Unless it is a term of the Contract that the price quoted by the Company shall remain fixed, the price shall be the Company's price ruling at the date of despatch of the goods.

4. Returns and Custom Goods

No returns will be accepted without the Company's prior authorisation. There is a re-stocking charge of 15% of the value of the goods returned plus all carriage charges that have been incurred. Notification of damage or shortage must be received within 2 days of receipt of goods. Custom made or modified products are non returnable. No returns of any nature will be accepted after 60 days from despatch date. Please note that it is the customer's responsibility to check that goods are received in good condition **prior to signing carrier's delivery note**.

5. Despatch

Whilst the Company will make every endeavour to comply with any date or dates for despatch or delivery of the goods stated in the Contract, such date or dates shall constitute only statements of expectation and shall not be binding on the Company. If the Company fails to despatch or deliver the goods by such date or dates, failure shall not constitute a breach of the Contract and the Customer shall not be entitled to treat the Contract as thereby repudiated or to rescind it or any related contract in whole or in part or claim damages for such failure.

6. Delivery

(a) Unless otherwise provided in the Contract, delivery shall be to the Customer's premises. (b) Unless otherwise provided in the Contract, the price of the goods does not include the cost of off-loading the goods, which shall be arranged by the Customer and performed at his sole expense and risk.

7. Risk

(a) Where the Company itself delivers the goods, the risk shall pass to the Customer on delivery. In all other cases, the risk shall pass to the Customer when the goods leave the Company's works. (b) Where the Company itself delivers the goods, the Company undertakes to replace or (at its discretion) to repair free of charge any goods damaged in transit in which event the time for delivery of the goods shall be extended for such period as the Company reasonably requires for such replacement and repair. It is a condition precedent of this undertaking that (i) the Customer shall give written notice of such damage in transit with reasonable particulars thereof to the Company within 2 days of receipt of the goods and (ii) the Customer if requested by the Company to do so shall return the damaged goods to the Company within 2 weeks of his receipt thereof.

8. Liability

(a) If the Company is in breach of any obligation it may have in respect of the goods under Section 14 (2) or 15 (2) (a) or (c) of the Sale of Goods Act 1983 (as amended) the Company will replace such goods free of charge provided that:

(1) Such breach occurs and the Customer gives notice in writing thereof to the Company within six months of the original date of despatch of the goods by the Company to the Customer.

(2) The Customer permits the company a reasonable opportunity to inspect, examine and test the goods at the Customer's premises and does not return them to the Company's works unless and until requested to do so by the Company. Such breach shall not entitle the Customer to rescind the Contract or to recover damages from the Company in contract or in tort in respect of any loss (including consequential loss) the Customer may thereby sustain. (b) It is the exclusive responsibility of the Customer to satisfy himself that the goods are suitable for the particular purpose for which he requires them notwithstanding that he may make known such purpose to the Company and the Customer shall not in this respect rely upon the Company's skill or judgement or any advice it may give. Accordingly Section 14 (3) of the Sale of Goods Act 1982 shall not apply to the Contract and the Company shall not be liable to the Customer for damages in negligence in respect of any such advice or for failure to exercise proper skill and judgement.

9. Indemnity

The Customer will indemnify the Company against any claim made against the Company in respect of injury to any person or damage to any property arising from any

defect in the goods or anything done or omitted to be done in the delivery thereof to the Customer where such delivery is effected by the Company, including any such injury or damage caused by the negligence of the Company, its employees or agents.

10. Title

(a) Notwithstanding that the risk in the goods has passed to the Customer, ownership thereof shall not pass to the Customer unless and until all money owing to the Company by the Customer has been paid. If the Customer incorporates the goods in another object or objects the ownership of such object or objects shall vest in the Company immediately such incorporation takes place as security for payment of all such money as aforesaid.

(b) Notwithstanding the provisions of paragraph (a) of this Condition the Customer may sell such goods or the object or objects in which they have been incorporated in the ordinary course of trading provided always that whilst any money remains owing by the Customer to the Company the Customer will, if requested by the Company, assign to the Company free from all charges and incumbrances all claims the Company may have against the persons to whom such goods or objects have been sold for the purchase price payable to the Customer in respect thereof.

(c) The Customer hereby grants to the Company an irrevocable license to enter at any time any premises owned or occupied by the Customer for the purpose of repossessing and removing any such goods or objects as aforesaid the ownership of which has remained or has become vested in the Company under paragraph (b) of this Condition and the Company shall not be responsible for (and the Customer will indemnify the Company against all liability in respect of) damage caused to such premises in such repossession and removal being damaged it was not reasonably practicable to avoid.

11. Accounts

(a) All accounts shall be paid by the 20th day of the month following the Company's invoice. (b) If the Customer does not pay any invoice by the due date of payment the Company shall have the right to withhold delivery of any further goods whether under the Contract or any other Contract between the Company and the Customer. (c) The Company reserves the right to charge interest on any invoice not paid on due date for the period which they are overdue at the rate of 5% per annum over Bank Base Rate.

12. Specification and Quantities

(a) Unless the Contract expressly provides otherwise, all weights, dimensions, statements as to performance and any other data relating to the goods supplied by the Company are approximate only. (b) Whilst the Company will make every endeavour to deliver the quantity of goods ordered, nevertheless a delivered quantity of 10% more or less than the quantity ordered shall be deemed to be due execution and performance of the Contract, the price being increased or reduced pro rata accordingly.

13. Packing Cases

Unless otherwise provided in the Contract, the price does not include the cost of cases or other packing material which shall remain the property of the Company and be returned to the Company's premises at the Customer's expense.

14. Customer's Property

Customer's property and all property supplied to the Company by or on behalf of the Customer will be held and carried at the Customer's risk.

15. Tools

Tools manufactured or provided by the Company for the production of any goods shall remain the property of the Company notwithstanding that the Customer may have been charged for all or part of the cost of such manufacture or provision. The Company reserves the right to destroy or otherwise dispose of any tools which have not been used for a period of two years.

16. Force Majeure

The Company will make every effort to carry out the Contract in accordance with its terms but it shall not be liable for any failure on its part to perform any term of the Contract arising from any cause outside the Company's control including (but without prejudice to the generality of the foregoing) act of God, war, strike, lock-out or other industrial dispute, fire, flood, shortages of materials or breakdown of machinery or plant.

17. Disputes

The Contract shall be governed by and construed in accordance with English Law. All questions disputes or controversies whatsoever arising out of or in relation to or in connection with the Contract or the goods supplied or to be supplied pursuant thereto shall, if not settled by agreement, be referred to the arbitration of a person appointed by the Company and the Customer or in default of such appointment shall be referred to the arbitration of a person appointed by the President for the time being of the British Plastics Federation and the arbitration shall be subject to the Arbitration Act 1950 as modified or re-enacted from time to time.

The Company is not responsible to the Customer for intellectual property infringement occurring as a result of the Company manufacturing and selling any of its products. Copyright in any product manufactured by the Company remains the property of the Company unless subject to special arrangements.



www.interbin.com sales@interbin.com

PPH Moulders Ltd. Horsecroft Road, The Pinnacles, Harlow, Essex, CM19 5BH. Tel: +44 (0)1279 441221 Fax: +44 (0)1279 450203

© Copyright PPH Moulders Limited 2006.