




## Specialists in Barrier Matting Systems





Barrier matting systems are an essential for any commercial entranceway, removing dirt and moisture from incoming foot traffic, and helping to protect your expensive interior floor coverings.

Syncros specialises in the supply and installation of entrance barrier matting systems, providing a complete range of products from the leading manufacturers. With over 12 years experience in supplying clients from major food retailers to flooring contractor and construction trades, high street names to local schools and offices you can be sure that Syncros have the right product for your application.



Syncros provides products from the leading manufacturers



## Syncros, adding value through

### Expertise

With such a vast array of barrier matting products available, the choice can seem bewildering, so we've made sure our team have expert knowledge on all products. Our combination of product knowledge, attention to detail, availability of site surveys and determination to provide the best value for money ensures customers projects are delivered on time and to budget.

Syncros is the UK's principle distributor of Milliken Obex entrance matting and holds a huge range of this and many other products in stock, guaranteeing you prompt delivery.

### Installation

With a team of highly experienced, manufacturer-approved installers, Syncros ensure products are fitted correctly and safely. The team are all Construction Skills Certification Scheme (CSCS) registered and installation can be arranged to suit a projects requirements, 24 hours a day, 7 days a week. The team can also offer comprehensive advice and guidance on preparation, installation (if not to be fitted by Syncros) and maintenance for all product ranges.

### Support

Product after-care and maintenance details are supplied to every site, with the Syncros team on hand should further guidance be required.





Syncros also supply a complete range of associated ancillary products, from custom-built matwell frames to bespoke shaped mats.

# Contents

## Choosing your barrier matting system

With so many different products to choose from, you need to make sure you've thought about all the factors that can affect your choice. Syncros advisors will help you through the process, however you should consider:

- What is the expected level of traffic entering the building?
- What type of soiling will the system need to cope with, i.e. what type of surfaces are outside of the building that could affect this?
- What type of traffic will need to move across the matting- foot, wheeled or both?
- Will the system need to cope with heavy loads and how often?
- Will the traffic be entering onto the installation through one door or multiple entrance points?
- Are there any special requirements such as electronic security systems that need to be incorporated?
- How large and what shape is the area that the entrance matting needs to cover?
- What are the aesthetic requirements of the barrier matting system, colours, materials etc?
- Do you need to incorporate the organisations corporate logo into the system?
- How will the matting be maintained?

 MILLIKEN	3
 MILLIKEN	4
GRADUS  MATTING	5
EMCO	6
Coral® & Nuway®	7
<i>Jaymont</i>	8
3M	9
C/S GROUP	10
 HOWE GREEN	11
Carpet Tiles	12
Bespoke Designer Mats	13
Additional Products	14



# OBEX Forma Installations






Milliken Obex Forma™




Milliken Obex Prior™



Milliken Obex Atrium™



Milliken Obex Forma™



Milliken Obex Prior™

The Milliken Obex range is suitable for all installations particularly those with very high levels of foot traffic, with the heel proof construction providing optimum flexibility with maximum efficiency.

**Prior** is a PVC primary barrier matting tile with an effective scraper design to remove heavy particulate dirt and can be used either outdoors or indoors.

**Forma** tiles combine the scraper action with inserts of patented Milliken Obex textile to produce a matting system unequalled in performance. The textile (available in a choice of 8 colours) consists of high quality polyamide 6.6 fibres - multi-filaments capture moisture whilst the mono-filaments work as tough scrapers against dirt particles.

Prior and Forma can be combined in a single well to provide the ultimate matting installation. Available in 11mm or 16mm depth with a closed or open construction, they can also be surface mounted if required using a simple and easy edging system.

**Atrium** is designed for high traffic circulation areas and provides unsurpassed functionality in either a loose lay (mat or runner) or fitted format. The open tufting of the Milliken Obex textile ensures it is effective at collecting dirt and moisture whilst also allowing easy dirt release for maintenance.

**Mediacolor** provides a solution to help promote corporate identity and brand image whilst providing loose lay floor protection, with the custom design logo mats manufactured to each company's individual specifications.

Milliken Obex Prior™

Milliken Obex Forma™

Milliken Obex Atrium™

Milliken Mediacolor™

Complementary products available:  
see Milliken carpet tiles

 MILLIKEN®

OBEX

[Gradus Esplanade Plus](#)

[Gradus Topguard](#)

[Gradus Access](#)

[Gradus Boulevard](#)


**GRADUS**  
MATTING



Gradus Esplanade Plus  
& Boulevard 6000



Gradus Topguard



Gradus Esplanade Plus

Gradus Access

Gradus provides a range of barrier matting systems to suit all environments, available in open or closed construction with a choice of depths, material (aluminium, brass or rubber) and colours.

**Esplanade Plus** is ideal for heavy traffic areas, and is constructed of an aluminium base supported by rigid PVC bridging strips and nylon wiper strips.


**Topguard** is suited to the most demanding of environments and is strengthened with integral galvanised steel wires. When installed in a true square or rectangle, the installation can be reversed to extend the product life.

**Access** is suitable for medium traffic levels, and due to non-metal construction is ideal for use where electronic tagging systems are used.

**Boulevard** offers a range of high performance circulation zone carpeting, offering excellent scraping and moisture retention properties, in a range of colours, finishes and textures.



Gradus Esplanade Plus



Gradus Boulevard 6000



Emco Radial



Emco Diplomat

EMCO provides barrier matting systems in open or closed construction with a huge choice of depths, material, textile inlay and colours.

**Kadett** and **Diplomat** provide a range of hard wearing, roll-up entrance matting with a choice of textile, rubber or brush bristle insert.

**Radial** is a stunning range of curved barrier matting ideal for complementing revolving doors and curved entranceways.

**Plaza** offers a matting system with extreme load bearing qualities (2000kg/m<sup>2</sup>) for extra heavy-duty environments.

**Marschall** is a heavy duty roll-up aluminium matting available with a range of infills suitable for heavy traffic.

**Senator** provides an aluminium based system with extra wide profiles of carpet strip.

**Attache RS** offers a range of high performance hard wearing contract duty, ribbed secondary zone carpet, in a range of colours and patterns.




---

 Emco Kadett

---

 Emco Diplomat

---

 Emco Radial

---

 Emco Plaza

---

 Emco Marschall

---

 Emco Senator

---

 Emco Attaché RS

# EMCO

Nuway Tuftiguard

Nuway Flameguard

Nuway Grid

Nuway Coral Classic

Nuway Coral Duo

Coral<sup>®</sup> &  
Nuway<sup>®</sup>



Nuway Tuftiguard



Nuway Tuftiguard



Nuway Coral Duo

Nuway's range of barrier matting systems offer both single and double sided systems, available in a huge range of colours, finishes and designs.

The **Tuftiguard** entrance systems are available in an almost infinite range of designs and sizes, most of which if installed in a true square or rectangle can be reversed and interchanged to optimise performance and wear.

**Flameguard** provides a rigorously tested low smoke, low halogen barrier matting system.

**Nuway Grid** is a single sided, rigid entrance system available with a choice of rubber strips and textile infills which complement the Coral range of floor coverings

**Coral Classic** and **Coral Duo** are designed to provide great moisture absorption in high traffic circulation areas, and are available in complete rolls or cut sizes.



Nuway Tuftiguard



Nuway Coral Classic



Jaymart Buffer-Zone



Jaymart Alligator

Jaymart offers a range of aluminium barrier matting systems and circulation zone flooring to suit all environments with a large choice of gauge and colours.

**Alligator** offers a range of rubber, ribbed cord or polypropylene brush dirt control matting inserts set with aluminium scraper sections in open or closed constructions.

**Buffer-Zone** offers a range of very heavy duty closed construction barrier matting systems to deal with areas of the heaviest traffic.

The **Grime** range offers a closed construction system and includes a fire resistant, low smoke emission matting system that is used in underground rail stations.

The **Street** range of matting systems has options that can be used in external or internal environments.



Jaymart Buffer-Zone



Jaymart Grime

*Jaymart*

3M Nomad Aqua

3M Nomad Terra

3M Nomad Modular


3M Nomad Optima

3M wet area products  
also available:  
see additional products

**3M**




Nomad Optima



Nomad Optima



Nomad Aqua



Nomad Optima 8800

Nomad Optima 9920

Nomad Optima 9920

3M provides barrier matting ranges with options to suit all traffic volumes.

**Nomad Aqua** incorporates a patented combination of coarse and fine fibres to remove dirt and moisture more effectively than conventional entrance carpet, with the construction and style designed to disguise unsightly dirt and watermarks.


**Nomad Terra** is a structured vinyl matting available as complete rolls or cut lengths that traps and hides high amounts of soiling. Available backed or unbacked for use as loose lay or laid in wells.

**Nomad Modular** consists of interlocking vinyl tiles that allow rapid installation with no templating and complete design flexibility, with or without a textile insert.


**Nomad Optima** aluminium frame matting contains high performance textile infills of Nomad Aqua to offer an excellent combination of dirt and water removal, without compromising on the aesthetics.



Nomad Modular



C/S Pediluxe



C/S Pedimat

C/S Group provides a range of barrier matting systems to suit all environments, with open or closed construction to cope with the deepest to the shallowest of matwells.

**Pedigrid** offers an aluminium grid system with textile insert but in a deep gauge allowing water, slush, dirt etc to drain into the well below.

The **Pediluxe** and **Pedimat** systems provide a range of roll-up matting systems that can be recessed or surface mounted and are available in open or closed construction with a range of colour and tread options.

**Gridline** provides an open stainless steel scraper grid system, **Gridline Plus** combines this with textile inserts available in a range of depths including deep gauge.

**Zone 3** provides a nylon 6.6 clean off carpet for areas after the fitted barrier matting, which can be recess fitted or loose lay surface mounted using **Zone 4**.



C/S Pedimat



C/S Pedigrid &amp; Gridline

---

C/S Pedigrid<sup>®</sup>

---

C/S Pediluxe<sup>®</sup>

---

C/S Pedimat<sup>®</sup>

---

C/S Gridline<sup>™</sup>

---

C/S Gridline Plus<sup>™</sup>

---

C/S Zone 3<sup>™</sup>

---

C/S Zone 4<sup>™</sup>

**C/S GROUP**

Howe Green Matlock


Howe Green Metro City

Howe Green Metro Works

Howe Green Broadloom

Howe Green Premiere

Howe Green Entra-Lock



Syncros offers the full range of Howe Green barrier matting systems on a supply only or supply and fit basis.

The Howe Green range comprises of a variety of aluminium profile systems and a pvc grid system as well as secondary barrier carpeting solutions.

The range offers a colour matching primary and secondary concept offering a complete solution to entrance matting requirements.

Simply call the Syncros team for more information and advice on the Howe Green product range.



Matlock Kristal



Metro - Ext



Metro Works



Metro - Vinyl Abrasive





Metro City



Metro Works & Matlock Kristal





Syncros Lagoon

# Carpet Tiles

Milliken is one of the UK's leading manufacturers of high performance modular carpet tiles with cushion backing, availability and 15 year wear guarantees.

Syncros offer a unique range of Milliken manufactured carpet tiles to complement the Milliken Obex Forma barrier matting range. This is available for immediate delivery (on the basis of manufacturer colour tolerance standards) or if an exact dye lot match is required, on a 10 day lead time with no minimum order size.



Syncros Sahara

## Syncros Range

Unique to Syncros range complements Obex Forma and Atrium barrier matting



Milliken DNA

## Milliken Range

Syncros also provides the complete range of Milliken carpet tiles on a 10-day delivery basis for the majority of available designs, dye lot matched.



Milliken Dash



Milliken OMNI Myriad

Access to huge range of Milliken designs



# Bespoke Designer Mats

Bespoke shapes

Bespoke sizes

Corporate identity

Huge range of colours



As with any interior design, it's the finishing touches that pull the look together, and a commercial entrance space is no exception. Syncros' bespoke designer mats help to provide those finishing touches for retail and commercial premises.

Syncros are able to manufacture bespoke designer mats in virtually any shape, size or design (including logos), making them ideal for receptions, showrooms, waiting areas, exhibitions and work zone definition. The nylon 6.6 fibres and anti-slip backing ensure the mats are lightweight yet hard-wearing, and ideally suited for a commercial environment.

Bespoke designer mats are available with a low profile rubber border for loose lay products or without borders for fitting into a matwell or flush with the surrounding floor covering.



# Additional Products


Whilst Syncros specialise in entrance barrier matting systems, our expertise also extends to providing a wide range of additional matting products for other areas of a building.

**Temporary Floor Protection** is ideal for protecting all types of floor coverings during renovation work.

**Wet area matting** includes swimming pool overflow gratings and anti-microbial matting ideal for shower and changing rooms.

**Chair matting** consists of individual mats to place under chairs with castors to protect both the carpet from wear, and provide additional grip on smooth flooring.

The **rubber matting** range includes drainage anti-slip mats for kitchen areas and anti-fatigue mats to protect employees from prolonged periods of standing.



Temporary Floor  
Protection

Wet Area Matting

Chair Matting

Rubber Matting

Tak Matting

Matwell Frame Kits



For more information please contact us

---

Tel: 01234 314314

Fax: 01234 314306

Email: [sales@syncros.co.uk](mailto:sales@syncros.co.uk)

Web: [www.syncros.co.uk](http://www.syncros.co.uk)

19 Triumph Way,

Woburn Road Industrial Estate,

Kempston, Bedford,

MK42 7QB



INVESTOR IN PEOPLE

