

QUALYTENT
FOLDING TENT
SYSTEMS



www.qualytent.com



QUALYTENT folding tent is made from high quality components, It offers appealing design, easy set up and the possibility to configure the system to your exact project requirement through the use of individual printing applications and several tent accessories.



QUALYLINE is certified according to ISO 9001: 2000





Fabio Dalla Torre
Administration

Daily commitment to a trustworthy relationship with sales partners, suppliers and employees is one of our principals in order to assure continued success on the market. Highly qualified technicians are working continuously in order to implement customer suggestion on future products.



Stefan Mair
Sales Export

The proper co-ordination of marketing, communication and distribution allow us to develop our markets and to expand into other regions. These strategies combined with the continued search for new sales partners worldwide boost the sales success in Europe and other countries. Our references are the capital and a safe investment into our future.



Luca Dalla Torre
Sales Italy


In more than 20 years sales experience I have realised the importance of listening. The valuable experience that I could gather, allow us to react in a positive way upon requests from our clients. This way we are able to develop new strategies and optimise our products and services for the future.

**A tent for protection and at the same time
an eye-catcher Promotional tool –
THIS IS QUALYTENT!**

IN SOUTH TYROL we are surrounded by an incredible beautiful yet unpredictable nature.

The South Tyrolean Company QUALYLINE stands for reliability and experience, two main factors for the development and production of Outdoor-products that should offer a long lifetime and appealing aesthetics.

Thanks to the modular capabilities of the system, QUALYTENT offers great benefits to host outdoor activities and events, fast easy and in unison with the environment.



QUALYTENT features, easy set up, coupled with a solid construction and top quality finish.

The innovative folding mechanism allows anybody to erect a QUALYTENT within a very short time. QUALYTENT is perfect for all kinds of sport events, meetings, sales promotions, or festivities outdoor or indoor.

Six different models and a range of accessories give you the possibility to adapt a tent exactly to your requirements.

Sturdy, practical and durable.

The anodized aluminium frame is durable, light weight, and easy to handle.



QUALYTENT can be opened and closed in less than one minute!

QUALYTENT is produced according to static calculations and tests. The structure can withstand loads of up to 120 kg. All moving parts are protected with PVC inlays that enhance easy the easy moving opening process of the tent. Tent components are made in Italy and are subject to a two year guarantee.

The tie down kit consists of adjustable ratchet straps and steel tent stakes.



IT TAKES ONLY 4 STEPS...




1 set the tent in upright position.



2 remove the protection cover and pull aluminium tent frame apart, grabbing the frame at the marked „open“ points.



3 push the aluminium tent frame all the way upwards, opening the tent.



4 Adjust the telescopic tent legs to desired height. **READY!**





QUALYTENT offers superior quality, made in Italy.

QUALYTENT is characterized by high quality, diligent workmanship and an easy fold up process of the tent. Our attention to small details

results in the technical development needed for today's outdoor products.

QUALYTENT is produced of high quality anodized aluminium profiles.

- [01] Aluminium profile 35 mm**
- [02] Aluminium profile 45 mm Profile 2 mm**



QUALYTENT: offers the ideal price value level!

QUALYTENT stands for Quality, stability and safety. Thanks to close co-operations with our long term suppliers we are able to offer the excellent price value level. Customer support and fast spare parts services are our distinction.



All frame corner points that are in contact with the roof are covered with special ABS protectors in order to protect the fabric material.

All connecting parts are attached with double flat head fittings, in order to prevent damage to the fabric material.



All frame corner points that are in contact with the roof are covered with special ABS protectors in order to protect the fabric material.

SUPERIOR TECHNOLOGY: QUALYTENT!

A market leader.

Sophisticated production and assembly made QUALYTENT to a market leader in the field of folding tents and marquees. The height adjustment system with durable internal components, like push buttons, linings, etc. are a key factor for quality.



The connecting points between the elements are covered with PVC linings, enhancing the set up process of the tent and preventing damage to the profiles.

PERFECT TENSION OF THE ROOF.

QUALYTENT: elegant, beautiful and safe.

A tent is perfect, if the roof is nicely tensioned and without wrinkles. Qualytent offers special roof tensioning belts. Rain water drains better and printed images are presented on a perfectly tensioned roof.



Roof tensioning belts guarantee a perfectly tensioned roof.




Roofs are manufactured with great care and attention to detail from 600 D Polyester fabric.

The anodized aluminium profiles are elegant in design and appropriate for every occasion: Sport events, product presentations, cultural events, gatherings etc.

[01] Telescopic tent legs easily adjust the tent to the desired height, even on uneven surfaces.

[02] The tent legs with cast aluminium bases offer perfect stability on uneven setup areas.



QUALYTENT is elegant in design and an eye-catcher outdoor and indoor.

MODULAR CONNECTED QUALYTENT

in order to cover large areas.

Thanks to the modular system it is easy to expand covered areas by aligning several tents next to each other. A large accessory range like counter tops, connecting clamp, PVC drain pipe, base plates etc. allow for an easy connection of several Qualytent to groups.


By grouping several tents, also of different sizes and shapes you will be able to build up covered areas of open space as well as closed off areas with sidewalls.



Connecting clamps covered with PVC linings, in order to protect the structure from scratches.



Easy and practical. PVC-drain pipe between two tents.



THE QUALYTENT-RANGE. Always a tent in the desired colour and shape available. QUALYTENT offers 6 models in 10 standard colours.

STANDARD COLOURS:



Fabric for roof:

Teflon coated fire retardant polyester material, 600D (equals 230g/m²)

Fabric for sidewalls:

Teflon coated fire retardant polyester material, 300D (equals 130g/m²)

Available upon request: PVC- roofs

“SQUARE”

OPEN	PROFILE	WEIGHT APX.	CLOSED
1,5 x 1,5 m	35 mm	15 kg	25 x 25 x 155 cm
3 x 3 m	35 mm	30 kg	40 x 40 x 155 cm
	45 mm	33 kg	42 x 42 x 155 cm
4 x 4 m	45 mm	45 kg	45 x 42 x 200 cm
5 x 5 m	45 mm	52 kg	50 x 50 x 250 cm



“RECTANGULAR” 4 TENT LEGS

OPEN	PROFILE	WEIGHT APX.	CLOSED
4,5 x 3 m	35 mm	40 kg	40 x 53 x 155 cm
	45 mm	44 kg	43 x 56 x 155 cm
6 x 4 m	45 mm	55 kg	45 x 60 x 200 cm



“RECTANGULAR” 6 TENT LEGS

OPEN	PROFILE	WEIGHT APX.	CLOSED
6 x 3 m	35 mm	50 kg	40 x 68 x 155 cm
	45 mm	55 kg	43 x 70 x 155 cm
8 x 4 m	45 mm	78 kg	45 x 75 x 200 cm




“HEXAGONAL”

OPEN	PROFILE	WEIGHT APX.	CLOSED
Ø 5 m	35 mm	55 kg	56 x 65 x 160 cm
Ø 6 m	35 mm	60 kg	59 x 68 x 160 cm



“MINI”

OPEN	PROFILE	WEIGHT APX.	CLOSED
1,5 x 1,5 m	35 mm	15 kg	25 x 25 x 155 cm



“DOMUS”

OPEN	PROFILE	WEIGHT APX.	CLOSED
1,5 x 3 m	35 mm	20 kg	30 x 40 x 155 cm
3 x 3 m	35 mm	30 kg	40 x 40 x 155 cm
4,5 x 3 m	35 mm	40 kg	40 x 53 x 155 cm
4 x 2 m	45 mm	40 kg	45 x 34 x 200 cm



QUALYTENT can be fitted with sidewalls, offering perfect protection against the environment and at the same time allowing for a perfect area for your advertising message.

Extra wide Velcro attachments secure the Qualytent sidewalls firmly to the tent, a wall tensioning

ground bar inserted in the bottom of the sidewall, perfectly tensions the wall.



*QUALYTENT with Bar.
Comfortable, elegant, practical.*

It is also possible to fit a bar system to the QUALYTENT. The bar is attached with quick fasteners and can be closed off with 1/2 height sidewalls very quickly.

All sidewalls come standard with a tensioning ground bar, which perfectly stretches the side walls.

At the bottom of the sidewall an additional PVC mud flap closes with the ground and protects against wind and rain.




The bar system components have foldable legs and can be stored and transported with ease.



The sidewalls with extra wide Velcro are easy to attach.

Sidewall breathable.





EVEN MORE COMFORT WITH MATCHING ACCESSORIES.

Light kit, heating lamp floor systems and solutions for easy and fast tent transport.

QUALYTENT is elegant, practical and designed for easy outdoor use. Accessories like; light kit, floor systems, heating lamp, drain pipe and base plates provide for more comfort and easy application to your requirement.

[01] Cross bar for 1/2 height sidewall attachment. **[02]** Easy tent transport with wheel kit attached to the tent legs. **[03]** Special twisted tent pegs *optional. **[04]** Base plates 15 kg, in order to offer enhanced wind security, or to connect two or more tents. **[05]** Floor from PP-tiles. **[06]** Wood floor.




[07] Light kit with three adjustable Spots. Tilted upwards they produce a comfortable scattered illumination.

[08] Spot type illumination – tilted downwards.

[09] Offering nice temperatures during the cold season – quartz heating lamp.

[07-08] LIGHT KIT

The light kit consisting of three individual spots mounted to the centre pole. The lamps each offer 150 W and can be tilted independently in order to receive spot or scattered illumination.






The roof protection cover, durable and long lasting like QUALYTENT.

*Quality up close:
Meticulously processed and with practical details.*

QUALITY "MADE IN ITALY".

The design of QUALYTENT SHOP is based upon the standard QUALYTENT-PRINCIPLE, whereas a roof with a stretching out canopy is fitted (see Abb. 1). The tent roof is automatically tensioned after set up, and extends out to all 4 sides, offering additional protection against sun and rain. Aluminium slide in profiles on the Bar counters allow for application with 1/2 height sidewalls.



Many advantages, two words: QUALYTENT SHOP. Spacious area, minimum footprint, easy set up, stability and large areas for printing applications.

Set up of QUALYTENT SHOP requires no tools!



- [01] Extra wide roof**
 - [02] Qualytent Shop can be stored easily**
*Optional transport container.
 - [03] Bar constructed from 30 mm thick wood panels with aluminium slide in profiles for 1/2 height sidewalls.**
 - [04] QUALYTENT SHOP features:**
 - Square shape 3 x 3 m
 - Total height 378 cm
 - Bar height 95 cm
 - Bar width 43 cm
 - Total weight aprx. 75 kg*
 - Total width with roof 410 cm
- * Transport container not included


QUALYTENT EXCLUSIVE, THE STAR AT YOUR EVENT.

Elegance under the sun and the stars: EXCLUSIVE offers a special design for special occasions.

QUALYTENT EXCLUSIVE with its elegant design is ideal for festivities. The unique design creates a special atmosphere, a guarantee for the success of any Event in Clubs, Hotels, on the exclusive beach setting, or anywhere else.

QUALYTENT EXCLUSIVE is set up within a few minutes without any tools.

The model EXCLUSIVE is available in different tent dimensions and colours (see page 16 + 17).



The EXCLUSIVE-TENTS are produced from fire retardant Teflon coated polyester materials. Fashionable corner curtains cover the tent poles.

QUALYTENT EXCLUSIVE attracts all attentions with its festive elegance.



QUALYTENT RESCUE
The first
response tent.



IMMEDIATE PROTECTION AND SAFETY.

QUALYTENT RESCUE is ideal for first response units.

Every part of the QUALYTENT RESCUE is engineered with the requirements of first response units in mind. The quick set up design for Emergency life support missions, Natural disasters, and other cases is of essential importance.

If necessary it is possible to connect several tents with each other and to divide the available space with the use of separation walls. Windows are featuring permanent insect screens and roll up curtains on the inside.



The doors are also windows. Easily closed by zippers and rolled up from the outside of the tent.



With drain pipe and connecting element, the gap between two modular attached tents is closed.



The available floor system is made from PVC material. Of course it is possible to use the light kit, heating lamp or any of the other QUALYTENT-Accessories.

Roof and sidewalls are manufactured from durable fire retardant polyester material, the bottom half of the sidewalls is made from PVC material.



QUALYTENT:
Ideal, to transport
your advertising message!



SPACE FOR ADVERTISING!

Your advertising message will pop up!

QUALYTENT is used worldwide for all sorts of sport events. The visibility of prints on roofs and sidewalls will contribute greatly to any advertising campaign.

We are able to realise your graphic ideas within a short time!



*Not only sports events!
Exhibition displays, promotional
tours, events, open house and
various other occasions...
QUALYTENT IS ALWAYS
RIGHT THERE!*



**LET US ARRANGE
YOUR DIGITAL FULL PRINT!**

Roof and sidewalls are effective
advertising mediums!



We are able to design within a short time your personal layout with logos or images for digital or thermo transfer printing applications for roof and sidewall applications.



WITH QUALYTENT YOUR EVENT WILL NOT REMAIN UNNOTED!

Use the area of your tent, to promote you label, product, services or idea!


Our graphic experts develop the layout for your individual request,

using Thermo transfer or digital printing technologies.




SPACE FOR FANTASY!

We deliver within shortest delivery times you're individually designed and printed QUALYTENT!



Qualified experts convert your ideas into custom made layouts, resulting in a personalised Qualytent designed to your needs.





QUALYTENT IS A PRODUCT OF QUALYLINE,
the Italian market leader.

QUALYTENT is always the centre of attention for sport events, meetings, sales promotions, or festivities outdoor and indoors.

QUALYTENT is a perfect promotion tool and eye catcher.

QUALYTENT THE BRAND FOR SUCCESS !



QUALYLINE offers perfect design, modularity and durability.





QUALYLINE is located in South Tyrol. With the production of folding tent systems and other outdoor products **QUALYLINE** was able to reach a leading position on the market.

The company Qualyline was founded in October 2004, and is thanks to the know how of its employees and to the continued dedication to top quality production, so successful.

In house production, know how, and an international sales and after sales strategy are the secret of the **QUALYLINE** success.

GUARANTEE – Technical reports and national tests ensure the guarantee of **QUALYLINE**-Products.



The trademark **QUALYTENT** guarantees quality and durability for every tent.



THE MULTI FUNCTIONAL PAVILLON is ideal for events with large crowds.

Like all QUALYLINE products, the PAVILLON is engineered with easy set up and use in mind. The fire retardant polycarbonate panels are light in weight and easy to clean. Printing can be applied to both sides of the panels, making it a versatile advertising tool.

A power hook up allows for easy equipment installation. With the addition of sight panels the pavilion can be completely locked, and your equipment remains safe.



Hexagonal pavilion.

The QUALYLINE PAVILLON features a durable PVC-roof and multilayered wood counter tops. The pavilion structure is made from galvanized steel tubes. The pavilion is especially practical as food, beverage and beer vending pavilion. It comes completely stored in its own steel transport container.

The six benefits of the pavilion: set up with quick connectors – galvanized steel frame – statically tested – no tools necessary – extensive Guarantee coverage – made in Italy.

OTHER MODELS

The Polycarbonate side panels are extremely durable, fire retardant and can be printed on both sides.



Square pavilion.

Rectangular pavilion with 6 legs.


QUALYLINE also offers tables and benches in traditional South Tyrol high quality.

Woodworking has a long tradition in South Tyrol. Various models and sizes, produced from fir wood, naturally dried and coated with special UV emulsions, guarantee a long lifetime also for outdoor use.

Test Certificates from the technical Institute of Rosenheim (Germany) prove the high quality and durability of these products.



Table and chairs GardenLine




[01] It is possible to individually print your advertising message. Upon request we can do branding on the bottom surface of the tables and benches.

[02] Base Frame can be opened and closed easily within seconds.

[03] Folding Bistro table.

[04] Folded benches in container ready for transport with forklift.

Various models and sizes for all your needs. Request our detailed brochure!



Our folding tables and benches are produced from double coated wood panels and powder coated base frames.

QUALYTENT: we are together
with our partners in most
European countries, offering top
quality service and know how.




GUARANTEE

The QUALYTENT-Guarantee:

- certified according to EN and UNI norms
- statically tests passed
- Class 1 certified fire retardant fabric materials used
- a general Guarantee conditions according to national laws
- lifetime guarantee against corrosion of frame

Visit our web page and
configure your personal tent:

www.qualytent.com





QUALYLINE s.r.l.

ITALY-39042 Bressanone (BZ), Via J. Durst 44/c

T +39 0472 970 222 F +39 0472 970 223

info@qualyline.com www.qualyline.com

