

Supreme



COMPACT RESILIENT FLOORCOVERING

VINYL



- > Decorative, versatile designs and colours
- > Available in 4 and 2 m
- > High wear-resistance
- > Easy, low-cost maintenance - No wax, no polish

Supreme

Available in 2 and 4 m, the **Supreme** range combines modern design effects with top flooring performance including excellent wear resistance, low-maintenance properties and the benefits of a wide format.

Versatile designs

The Supreme designs have been developed to meet the need for versatile and attractive solutions in heavy commercial areas. The **rich choice of beautiful colours** and **mineral** pattern images gives room for creative interior design. A variety of **wood** designs give opportunities for an exclusive and classic appearance.

Top performance and low maintenance


The **0.7 mm PVC wear layer** gives very good resistance to indentation, abrasion and tearing.

The surface has a **PUR reinforcement** that allows less cleaning and maintenance - no wax and no polish throughout the flooring's lifetime. Maintenance costs can be reduced by up to 30%. Bearing in mind that 92% of a flooring's total life cycle cost is for maintenance, substantial savings can be made.

Supreme also has a **Sanitized® treatment** that protects the floorcovering from premature ageing caused by micro-organisms, and also gives **hygiene** benefits in sensitive areas.

Wide format

Supreme in 4 m allows **easy installation** with a minimum of joints. This will save time and money in the initial phase and give a smooth, high-quality flooring application.





$$C'_n(x) = x$$


$$\Delta = b^2 - 4ac$$


$$\Delta > 0 \quad x_1 = \frac{-b - \sqrt{\Delta}}{2a}$$


The Supreme range


Rota




 3756 005

 3758 005




 3756 006


 3758 006




 3756 007


 3758 007




 3756 008


 3758 008




 3756 009


 3758 009



 3756 010


 3758 010




 3756 011


 3758 011



 3756 012


 3758 012



 3756 013


 3758 013




 3756 014


 3758 014




 3756 015


 3758 015




 3756 016

 3758 016




 3756 017


 3758 017



 3756 018


 3758 018




 3756 019


 3758 019




 3756 020

 3758 020


Fashion




 3759 001


 3760 001




 3759 002


 3760 002



 3759 003

 3760 003




 3759 004


 3760 004




 3759 005

 3760 005




 3759 006

 3760 006




 3759 007


 3760 007




 3759 008


 3760 008





 3759 009

 3760 009



 3759 010



 3760 010



Woods





Light Brown Beech

-  3756 001
-  3758 001





Natural Beech

-  3756 002
-  3758 002






Faro II

-  3756 003
-  3758 003




Helsinki

-  3756 004
-  3758 004




Walnut

-  3756 021
-  3758 021



Supreme - Pattern repeat and size of the strips				
Art. code	Colour	Size of the strips	Pattern repeat	Reverse sheet
3758 001	Light Beech	7.14 / more or less 33 cm	1x1m	No
3758 002	Natural Beech		1x1m	No
3758 003	Faro II	from 11.50 to 13.00 / 100 cm	1x1m	No
3758 004	Helsinki	12.50 / 100 cm	1x1m	No
3758 021	Walnut	11.11 / 100 cm	1x1m	No



Product construction

- ① **PUR-reinforced wear layer:** very high resistance to abrasion and easy maintenance
- ② **Glass fibre non-woven reinforcement:** excellent dimensional stability
- ③ **Solid homogeneous calendered sheet:** optimum resistance to tearing



Tarkett Environmental Intelligence

We see our Intelligent Flooring Solutions as part of the world's ecological system – and make strong efforts to secure that all our activities are based on respect for the environment. All our flooring products (Vinyl, Linoleum and VisionLine) are developed, produced and handled with a great concern for sustainability and environment. We call it Environmental Intelligence and live by this principle in every single step, from vision to waste.



Supreme

DESCRIPTION

Printed and inlaid compact flexible vinyl floorcovering, with glass fibre reinforcement. Polyurethane reinforced and built-in Sanitized® treatment. In sheet form. Product standard: EN 649.

Technical data	Standards	Supreme
Classification	EN 685 commercial industrial	Classes: 34 43
Total thickness	EN 428	2.20 mm
Wear layer thickness	EN 429	0.70 mm
Total weight	EN 430	2 700 g/m ²
PUR Reinforcement		Yes
Abrasion Group	EN 660-1	Group T: ≤ 0.08 mm
Static indentation	EN 433	≤ 0.10 mm
Furniture leg	EN 424	No damage
Castor chair	EN 425	No damage
Dimensional stability	EN 434	≤ 0.10%
Curl resultant to heat	EN 434	≤ 8 mm
Reaction to fire	EN 13501-1	B _{fl} s1 glued over any A2 _{fl} or A1 _{fl} substrate (concrete) and over any derivate wood substrate
Slip resistance	DIN 51130 EN 13893	R9 μ ≥ 0.3
Electrical properties	EN 1815 EN 1081	< 2 kV on concrete R ₁ > 10 ¹⁰ ohms
Reduction of in room impact noise	NF S 31-074	L _{n,e,w} = 70 dB
Light fastness	EN ISO 105-B02	≥ 6
Chemical resistance	EN 423	High resistance
Resistance to bacteria	NF EN ISO 846	Sanitized® Grade 0 High fungi effect
Thermal resistance Underfloor heating	EN 12524	0.02 m ² K/W Suitable
Colours		Rota: 16 - Wood: 5 Fashion: 10
Form of delivery	EN 426	Rolls: 23 lm x 2 m 23 lm x 4 m

Art. code	Welding rods	NCS number
3758 001	1287 162	S 2030 Y20R
3758 002	1288 382	S 3020 Y40R
3758 003	1291 451	S 3020 Y20R
3758 004	1287 274	S 2010 Y40R
3758 005	1287 275	S 3010 B90G
3758 006	1287 276	S 5010 B90G
3758 007	1287 277	S 7010 B90G
3758 008	1287 278	S 5502 Y
3758 009	1287 284	S 2502 Y
3758 010	1287 279	S 1002 Y
3758 011	1288 303	S 1502 B
3758 012	1292 447	S 2010 R80B
3758 013	1287 034	S 2030 R90B
3758 014	1287 280	S 4020 R90B
3758 015	1287 281	S 4030 R80B
3758 016	1287 282	S 4550 Y80R
3758 017	1287 283	S 2030 Y10R
3758 018	1292 611	S 2010 Y10R
3758 019	1287 285	S 3020 Y10R
3758 020	1287 286	S 3010 Y40R
3758 021	1287 287	S 5030 Y50R
3760 001	1291 542	S 6502 R
3760 002	1291 355	S 4502 B
3760 003	1292 767	S 3005 R80B
3760 004	1287 009	S 3020 B
3760 005	1291 969	S 5020 B
3760 006	1292 453	S 4020 G10Y
3760 007	1287 288	S 2040 Y20R
3760 008	1291 363	S 3040 Y30R
3760 009	1287 289	S2010 Y30R
3760 010	1291 839	S 2005 Y50R

The above information is subject to modification for the benefit of further improvement (04/07).

For more detailed technical information, please contact Tarkett. Follow Tarkett's installation and maintenance instructions carefully.

These instructions are available upon request.



TARKETT SALES COMPANIES

www.tarkett-commercial.com

> **Australia:** Tarkett Australia Pty Ltd – Tel. +61 2 96 34 73 73 > **Austria:** Tarkett Holding GmbH, Niederlassung Wien – Tel. +43 1 47 88 062 > **Baltic States:** Tarkett SAS – Tel. +370 37 262 220 > **Belgium:** S.A. Tarkett NV – Tel. +32 2 520 04 67 > **China:** Tarkett Asia Pacific Limited Shanghai Representative Office – Tel. +86 (21) 62 88 15 38 > **Czech Republic:** Tarkett SAS, org. slozka – Tel. +420-271 001 602 > **Denmark:** Tarkett A/S – Tel. +45 43 90 60 11 > **Finland:** Tarkett Oy – Tel. +358 9 5406 5870 > **France:** Tarkett SAS – Tel. +33 1 41 20 42 49 > **Germany:** Tarkett Holding GmbH, Bereich Objekt – Tel. +49 6233 810 > **Greece:** Tarkett Monoprosopi Ltd – Tel. +30 2 10 576 3889 > **Hong Kong:** Tarkett Asia Pacific Ltd. – Tel. +852 2511 8716 > **Hungary:** Tarkett SAS – Tel. +36 1 437-8150 > **Italy:** Tarkett S.p.A. – Tel. +39 02 893 411 > **Luxembourg:** Tel. +352 949 211 8804 > **Middle East:** Tarkett Middle East – Tel. +961 1 75 2363/4 > **Netherlands:** Tarkett Benelux B.V. – Tel. +31 76 57 80 760 > **Norway:** Tarkett AS – Tel. +47 32 20 92 00 > **Poland:** Tarkett Sp. z o.o. – Tel. +48 22 598 08 81 > **Portugal:** Tarkett SA – Tel. +351 21 427 64 20 > **Russian Federation:** Tarkett Russia – Tel. +7 4 95 777 69 83 > **Slovakia:** Tarkett SAS – Tel. +421 37 6515 404 > **Singapore:** Tarkett Far East – Tel. +65 67 43 53 84 > **South East Europe:** Tarkett Trade d.o.o. – Tel. +381 21 7557 649 • (44) 569 12 21 > **United Kingdom:** Tarkett-Marley Floors Limited – Tel. +44 (0) 1622 854 040 > **Slovakia:** Tarkett SAS – +421 37 6515 404 > **Spain:** Tarkett Floors S.L – Tel. +34 91 358 00 35 > **Sweden:** Tarkett Sverige AB – Tel. +46 771 25 19 00 > **Switzerland:** Tarkett Holding GmbH, Bereich Objekt Schweiz – Tel. +41 043 233 79 24 > **Ukraine:** Tarkett UA – Tel. +380380 (44) 569 12 21 > **North America:** Johnsonite – Tel. +1 440 543 8916 > **Tarkett Inc. USA:** Tel. +1 713 869 5811 > **Tarkett International:** Tel. +49 6233 811 755 – Tel. +33 41 20 41 01