

Wetroom Concept



WATERPROOF SYSTEM

VINYL



- > Floors, walls and accessories
- > Unique design concept
- > Hygienic and easy to maintain





well-being
waterproof

hygiene

accessories
light

comfort

Wetroom Concept

With the Wetroom concept from Tarkett, you have all the benefits of a complete system:

floor and wallcoverings as well as all the accessories you need: drains, threshold strips, sleeves...

Numerous applications:

Ideal for wetrooms in healthcare establishments (hospitals, care accommodation, etc.), this concept also meets the requirements for wetrooms in student halls, sports centre changing rooms and rehabilitation centres with a wet environment.

In the search for well-being, wetrooms are strategic areas.


The perception you have of yourself also comes from seeing your reflection in the shower-room mirror: if it's "flattering", it creates **a feeling of well-being and a positive outlook** which has a particular influence on patients' powers of recuperation and the good humour of residents of nursing homes...



Tarkett Environmental Intelligence

We see our Intelligent Flooring Solutions as part of the world's ecological system – and make strong efforts to secure that all our activities are based on respect for the environment. All our flooring products (Vinyl, Linoleum and VisionLine) are developed, produced and handled with a great concern for sustainability and environment. We call it Environmental Intelligence and live by this principle in every single step, from vision to waste.

**“Functional, easy to use,
hygienic, ergonomically
designed...
in the quest for well-being,
a wetroom is essential”**



Introduction

**“Seeing yourself,
loving yourself...
it's taking care of
yourself as well.”**


New Wetroom concept collection from Tarkett:

This complete system for equipping wetrooms has been developed with users at the heart of the design process.

It contributes directly to the quest for well-being and brings a human touch to public establishments and in particular those involved in healthcare.

Discover the 3 new colour ranges to create 3 worlds of “well-being”:

- **Soft and relaxing**
- **Warm and comforting**
- **Fresh and dynamic**



Soft and relaxing



.. softness ... cotton ... purity ...



Create a peaceful atmosphere

based on the purity of whites and the clarity of neutral colours.

The softness of natural light reflected on the walls creates tranquillity and serenity.

“Like in a cocoon.”

The lightness of mineral colours combined with delicate designs, lightens the atmosphere. A real “**breath of fresh air**”.

.. relaxing ... neutral ... clean ...

Wallcovering: Aquarelle Wall HFS



Purple 3942 035



White dots 3942 020



White 3942 034



Grey 3942 033



Grege 3942 032




Light beige 3942 031

Floorcovering: Granit Multisafe



Lilac 3476 333



Light grey 3476 782



Dark grey 3476 383



Light beige 3476 770

A few suggestions for dryroom floors

Acoustic vinyl




TX 163/164
Esquisse



TX 163/164
Dolomite



TX 163/164
Esquisse




TX Optic
Candy



TX Laser
Composite



TX Optic
Spice



TX 163/164
Esquisse

TX Optic
Spice



TX Optic
Spice



TX Optic
Spice


Compact vinyl



Eminent



Optima



Megalit



Accent Glass



Granit



Century
Croma



Optima

Granit

Optima

Megalit

Warm and comforting



.. sun ... earth ... clay ...



Create sunny mornings.

Combined with the warmth and dynamism of yellow ochres, red ochres warm the room... the rooms seem filled with sunlight.

Natural tones reminiscent of tints and ochres from the south of France create **“a reassuring and comforting atmosphere”**.

The brightness of the warm tints creates **a dynamic, summer atmosphere** in the room.

.. a feeling of security ... warmth ... reassurance ...

Wallcovering: Aquarelle Wall HFS



Coral 3942 030



Terracotta 3942 029



Ochre 3942 028



Yellow 3942 027



Yellow dots 3942 019



Lemon 3942 026

Floorcovering: Granit Multisafe



Apricot 3476 334




Yellow 3476 772



Light yellow 3476 335

A few suggestions for dryroom floors

Acoustic vinyl



TX Optic Spice

TX 163/164 Esquisse

TX 163/164 Wood

TX Optic Spice

TX 163/164 Wood

TX 163/164 Esquisse

TX Optic Spice

TX Laser Composite

TX 163/164 Dolomite

TX 163/164 Esquisse

TX Laser Composite

Compact vinyl



Accent Wood

Granit

Megalit

Granit

Accent Wood

Optima

Accent Wood


Megalit

Accent Wood


Megalit

Optima

Fresh and dynamic



.. lagoon ... ocean ... sea ...



Create invigorating mornings.


The freshness of revitalising cool blues combine with aniseed tints for a particularly stimulating effect.

The room is transformed into a spa for energising moments with iodine blues reminiscent of the sea or relaxing aquatic greens.


Water's sensations and beneficial effects are thus enhanced in the room and also in the mind of the user.

... coolness ... oxygen ... invigorating ...

Wallcovering: Aquarelle Wall HFS




Floorcovering: Granit Multisafe




A few suggestions for dryroom floors

Acoustic vinyl




Compact vinyl



Details and accessories


Stosett sleeve




Junction coving




Threshold




Flooring:
Granit Multisafe




Wallcovering:
Aquarelle Wall HFS



Welding using welding rod



Drain





**“Numerous advantages,
unrivalled experience...”**

Ergonomic

The absence of a tray makes **access to the shower area easy**, especially for people with reduced mobility, and ensures **great freedom of movement**.

Comfortable

The flooring is pleasant **to bare feet, the bright and uplifting colour ranges** are perfectly suited to all types of wetroom.

Impermeable

A reliable and water-resistant process: **the hot welded joints** mean the wall is completely covered, for total impermeability.

Safe

Class C non-slip flooring (best category at $\alpha > 24^\circ$ according to DIN 51097) for optimal safety.

Hygienic

Floor and wallcoverings in 2m wide sheets minimise the number of joints and are therefore **easy to maintain**. **Wallcoverings are anti-bacterial and anti-fungal** for maximum hygiene.

Experience and guarantees

Tarkett's wetroom concept relies on more than **25 years of experience** throughout the world.

Wetroom concept


Border



Height 49 cm
Grey pebbles 3943 049



Height 49 cm
Swing crème 3943 026



Height 49 cm
Blue mosaic 3943 047

Aquarelle Wall HFS / Multisafe Granit



Ref. wall Purple 3942 035 White dots 3942 020 White 3942 034 Grey 3942 033 Grege 3942 032 Light beige 3942 031

**Aquarelle
Wall HFS**



Ref. floor Lilac 3476 333 Light grey 3476 782 Dark grey 3476 383 Light beige 3476 770

**Granit
Multisafe**

U4 P3 E2/3 C2



Ref. wall Coral 3942 030 Terracotta 3942 029 Ochre 3942 028 Yellow 3942 027 Yellow dots 3942 019 Lemon 3942 026

**Aquarelle
Wall HFS**



Ref. floor Apricot 3476 334 Yellow 3476 772 Light yellow 3476 335

**Granit
Multisafe**

U4 P3 E2/3 C2



Ref. wall Anis 3942 025 Light green 3942 024 Turquoise 3942 023 Blue dots 3942 018 Medium blue 3942 022 Dark blue 3942 021

**Aquarelle
Wall HFS**




Ref. floor Yellow green 3476 332 Light green 3476 779 Blue green 3476 331 Light blue 3476 776 Blue 3476 379

**Granit
Multisafe**

U4 P3 E2/3 C2



Some of our recent installations



Alzheimer's unit, Mattaincourt, France



Vincente del Raspeig retirement home, Valencia, Spain





Swimming pool, Barcelona, Spain

Ilkeston Hospital, Great-Britain



Clinéa, rehabilitation centre, Pré-Saint-Gervais, France






Wetroom concept

DESCRIPTION

Granit Multisafe: homogeneous single layered vinyl flooring with studded surface for use in wetroom. In sheet form. Product standard: EN 649.

Aquarelle Wall HFS: compact printed vinyl wallcovering for use in wetroom. Fire treated Bs2. Sanitized® treatment. In sheet form. Product standard: EN 235.

Technical data	Standards	Granit Multisafe	Aquarelle Wall HFS
Classification	EN 685 EN 259 UPEC	31 U4 P3 E2/3 C2	Heavy duty
Total thickness	EN 428	2.50 mm	0.92 mm
Wear layer thickness	EN 429	2.00 mm	0.12 mm
Total weight	EN 430	3 060 g/m ²	1 500 g/m ²
Abrasion group	EN 660-1 EN 660-1	Group P: ≤ 0.15 mm Group P: ≤ 4.00 mm ³	-
Static indentation	EN 433	Approx 0.03 mm	-
Dimensional stability	EN 434	≤ 0.40%	Lengthwise : ≤ 0.60 mm Widthwise : ≤ 0.20 mm
Curl resultant to heat	EN 434	-	≤ 0.8 % ≤ 2 mm
Reaction to fire	EN 13501-1	Br s1	B-s2, d0 on gypsum plasterboard and on A1 or A2 substrate
Marine equipment	IMO FTPC Part 5 and 2 IMO Res. A653	 0575	
Slip resistance	DIN 51130 EN 13893	R10 μ ≥ 0.3	-
Bare foot test	DIN 51097	Class C (27°)	-
Seam strength (N/50 mm)	EN 684	-	≥ 150
Electrical properties	EN 1081 EN 1815	approx 10 ¹⁰ ohms < 2 kV	-
Impact sound reduction	EN ISO 140-8 EN 717/2	ΔL _w = approx. + 4 dB	-
Acoustical absorption	NF EN ISO 354 α _w	-	0.05 (H)
Chemical resistance	EN 423	Good resistance	Good resistance
Resistance to bacteria	NF EN ISO 846	Does not favour growth	Sanitized [®] High fungi effect
Thermal resistance Underfloor heating	EN 12524	0.013 m ² K/W Suitable - max 27°C	-
Colours		12	18 + 3 borders
Form of delivery	EN 426 EN 259	Rolls: 25 lm x 2 m	Rolls: 35 lm x 2 m Borders: 49 cm x 30-35 m

Aquarelle Wall HFS Art. code	Welding rods	NCS codes
3942 018	1292991	S 1010-B
3942 019	1287260	S 1015-Y10R
3942 020	1287261	S 1002-Y
3942 021	1287262	S 2020-R90B
3942 022	1287263	S 1510-R90B
3942 023	1287264	S 1010-B70G
3942 024	1287265	S 0907-B80G
3942 025	1287266	S 1015-G60Y
3942 026	1287267	S 1020-Y10R
3942 027	1287268	S 1015-Y30R
3942 028	1287269	S 1020-Y30R
3942 029	1287270	S 2030-Y50R
3942 030	1287271	S 1015-Y50R
3942 031	1289514	S 1005-Y40R
3942 032	1288123	S 0804-Y30R
3942 033	1288126	S 1500-N
3942 034	1292801	S 1000-N
3942 035	1287272	S 1005-R20B

Granit Multisafe Art. code	Welding rods	NCS codes
3476 331	1287244	S 1010-B70G
3476 332	1287245	S 1015-G60Y
3476 333	1287246	S 1005-R20B
3476 334	1287247	S 2030-Y50R
3476 335	1287248	S 1020-Y30R
3476 379	1292379	S 1510-R90B
3476 383	1292383	S 0804-Y30R
3476 770	1288255	S 1005-Y40R
3476 772	1291772	S 1015-Y30R
3476 776	1292656	S 2020-R90B
3476 779	1292617	S 0907-B80G
3476 782	1294680	S 1500-N

The above information is subject to modification for the benefit of further improvement (05/07).

For more detailed technical information, please contact Tarkett.

Follow Tarkett's installation and maintenance instructions carefully. These instructions are available upon request.



TARKETT SALES COMPANIES

www.tarkett-commercial.com

> **Australia:** Tarkett Australia Pty Ltd – Tel. +61 2 96 34 73 73 > **Austria:** Tarkett Holding GmbH, Niederlassung Wien – Tel. +43 1 47 88 062 > **Baltic States:** Tarkett SAS – Tel. +370 37 262 220 > **Belgium:** S.A. Tarkett NV – Tel. +32 2 520 04 67 > **China:** Tarkett Asia Pacific Limited Shanghai Representative Office – Tel. +86 (21) 62 88 15 38 > **Czech Republic:** Tarkett SAS, org. slozka – Tel. +420-271 001 602 > **Denmark:** Tarkett A/S – Tel. +45 43 90 60 11 > **Finland:** Tarkett Oy – Tel. +358 9 5406 5870 > **France:** Tarkett SAS – Tel. +33 1 41 20 42 49 > **Germany:** Tarkett Holding GmbH, Bereich Objekt – Tel. +49 6233 810 > **Greece:** Tarkett Monoprosopi Ltd – Tel. +30 2 10 576 3889 > **Hong Kong:** Tarkett Asia Pacific Ltd. – Tel. +852 2511 8716 > **Hungary:** Tarkett SAS – Tel. +36 1 437-8150 > **Italy:** Tarkett S.p.A. – Tel. +39 02 893 411 > **Luxembourg:** Tel. +352 949 211 8804 > **Middle East:** Tarkett Middle East – Tel. +961 1 75 2363/4 > **Netherlands:** Tarkett Benelux B.V. – Tel. +31 76 57 80 760 > **Norway:** Tarkett AS – Tel. +47 32 20 92 00 > **Poland:** Tarkett Sp. z o.o. – Tel. +48 22 598 08 81 > **Portugal:** Tarkett SA – Tel. +351 21 427 64 20 > **Russian Federation:** Tarkett Russia – Tel. +7 4 95 777 69 83 > **Slovakia:** Tarkett SAS – Tel. +421 37 6515 404 > **Singapore:** Tarkett Far East – Tel. +65 67 43 53 84 > **South East Europe:** Tarkett Trade d.o.o. – Tel. +381 21 7557 649 • (44) 569 12 21 > **United Kingdom:** Tarkett-Marley Floors Limited – Tel. +44 (0) 1622 854 040 > **Slovakia:** Tarkett SAS – +421 37 6515 404 > **Spain:** Tarkett Floors S.L – Tel. +34 91 358 00 35 > **Sweden:** Tarkett Sverige AB – Tel. +46 771 25 19 00 > **Switzerland:** Tarkett Holding GmbH, Bereich Objekt Schweiz – Tel. +41 043 233 79 24 > **Ukraine:** Tarkett UA – Tel. +380380 (44) 569 12 21 > **North America:** Johnsonite – Tel. +1 440 543 8916 > **Tarkett Inc. USA:** Tel. +1 713 869 5811 > **Tarkett International:** Tel. +49 6233 811 755 – Tel. +33 41 20 41 01