



REBAR: CAGE FORMED 150mm SQUARES BASE FORMED 150mm SQUARES 110, CODE 21, A=500, B=800, C=500

MULTIPLE BOLLARDS MAY HAVE ELONGATED CAGES INSTEAD OF INDIVIDUAL CAGES.



MK	TYPE AND SIZE	NO.BARS	CODE	A mm	B mm	C mm
2	T 10	20	13	500	150	500
1	T 10	12	21	450	800	450

MK	TYPE AND SIZE	NO.BARS	CODE	A mm	B mm	C mm
3	T 10	40	13	500	150	500
2	T 10	6	21	450	2300	450
1	T 10	16	21	450	800	450

MK	TYPE AND SIZE	NO.BARS	CODE	A mm	B mm	C mm
3	T 10	60	13	500	150	500
2	T 10	6	21	450	3800	450
1	T 10	26	21	450	800	450



Avon Barrier Company Ltd.  
 Nova House  
 195 South Liberty Lane  
 Ashton Vale Trading Estate  
 Bristol BS3 2UJ  
 Tel: (44) (0117) 953 5252  
 Fax: (44) (0117) 953 5373  
 E-mail: TECHNICAL@AVON-BARRIER.CO.UK

IMPACT RESISTANT STATIC BOLLARDS

Revision	Issue	Drawn	Traced	Checked	Approved	Date
F	1, 2 & 3 REBAR SCHEDULES ADDED	M.J				8/7/08
E	525 WAS 500 (1510 BOLLARD)	M.J				12/6/07
D	IMPACT + REBAR NOTE ADDED	M.J				5/10/06
C	SINGLE AND 2 BOLLARD ADDED	M.J				3/10/06
ISSUE REVISION						
SIGNATURE DATE						

Material	Finish	Scale	Shk	of	Rev.
AS DRAWN	TBC	NTS	1	1	F

Tolerances	Used on	Drawing No.
±0.3mm UNLESS STATED	SB970CR-SECURITY BOLLARD	SSB970CR-101